

Chapter 7.6

Lessons Learned in Designing Ubiquitous Augmented Reality User Interfaces

Christian Sandor

Technische Universität München, Germany

Gudrun Klinker

Technische Universität München, Germany

ABSTRACT

Ubiquitous augmented reality (UAR) is an emerging human-computer interaction technology, arising from the convergence of augmented reality and ubiquitous computing. In UAR, visualizations can augment the real world with digital information. Interactions can follow a tangible metaphor. Both should adapt according to the user's context and are distributed on a possibly changing set of devices. Current research problems for user interfaces in UAR are software infrastructures, authoring tools, and a supporting design process. We present case studies of how we have used a systematic design space analysis to carefully narrow the amount of available design options. The next step in our approach is to use interactive, possibly immersive tools to support interdisciplinary brainstorming

sessions. Several tools are presented. We conclude by summarizing the lessons we have learned while applying our method.

INTRODUCTION

In recent years, a number of prototypical demonstrators have shown that augmented reality has the potential to improve manual work processes as much as desktop computers and office tools have improved administrative work (Azuma et al., 2001; Ong & Nee, 2004). Yet, it seems that the “classical concept” of augmented reality is not enough (see also <http://www.ismar05.org/IAR>). Stakeholders in industry and medicine are reluctant to adopt it wholeheartedly due to current limitations of head-mounted display technology and due to the overall dangers involved in overwhelming a

user's view of the real world with virtual information. It is more likely that moderate amounts of augmented reality will be integrated into a more general interaction environment with many displays and devices, involving tangible, immersive, wearable, and hybrid concepts of ubiquitous and wearable computing. We call this emerging paradigm ubiquitous augmented reality (UAR) (MacWilliams, 2005; Sandor, 2005; Sandor & Klinker, 2005).

It is not yet clear which UAR-based human-computer interaction techniques will be most suitable for users to simultaneously work within an environment that combines real and virtual elements. Their success is influenced by a large number of design parameters. The overall design space is vast and difficult to understand.

In Munich, we have worked on a number of applications for manufacturing, medicine, architecture, exterior construction, sports, and entertainment (a complete list of projects can be found at <http://ar.in.tum.de/Chair/ProjectsOverview>). Although many of these projects were designed in the short-term context of one semester student courses or theses, they provided insight into different aspects of design options, illustrating trade-offs for a number of design parameters. In this chapter, we propose a systematic approach toward identifying, exploring, and selecting design parameters at the example of three of our projects, PAARTI (Echtler et al., 2003), FataMorgana (Klinker et al., 2002), and a monitoring tool (Kulas, Sandor, & Klinker, 2004).

Using a systematic approach of enumerating and exploring a defined space of design options is useful, yet not always feasible. In many cases, the dimensionality of the design space is not known a-priori but rather has to be determined as part of the design process. To cover the variety of aspects involved in finding an acceptable solution for a given application scenario, experts with diverse backgrounds (computer science, sensing and display technologies, human factors, psychology, and the application domain) have to

collaborate. Due to the highly immersive nature of UAR-based user interfaces, it is difficult for these experts to evaluate the impact of various design options without trying them. Authoring tools and an interactively configurable framework are needed to help experts quickly set up approximate demonstrators of novel concepts, similar to “back-of-the-envelope” calculations and sketches. We have explored how to provide such first-step support to teams of user interface designers (Sandor, 2005). In this chapter, we report on lessons learned on generating authoring tools and a framework for immersive user interfaces for UAR scenarios.

By reading this chapter, readers should understand the rationale and the concepts for defining a scheme of different classes of design considerations that need to be taken into account when designing UAR-based interfaces. Readers should see how, for classes with finite numbers of design considerations, systematic approaches can be used to analyze such design options. For less well-defined application scenarios, the chapter presents authoring tools and a framework for exploring interaction concepts. Finally, a report on lessons learned from implementing such tools and from discussing them within expert teams of user interface designers is intended to provide an indication of progress made thus far and next steps to be taken.

BACKGROUND

In this section, we provide an overview of the current use of UAR-related interaction techniques and general approaches toward systematizing the exploration of design options.

User Interface Techniques for Ubiquitous Augmented Reality

User interfaces in UAR are inspired by related fields, such as virtual reality (VR) (Bowman,

14 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/lessons-learned-designing-ubiquitous-augmented/24384

Related Content

Mental Health Monitoring in the Digital Age: A Comprehensive Analysis

Mrignainy Kansal, Pancham Singh, Prashant Srivastava, Radhika Singhal, Nishant Deepand Arpit Singh (2024). *Future of AI in Medical Imaging* (pp. 168-183).

www.irma-international.org/chapter/mental-health-monitoring-in-the-digital-age/342036

EA Multi-Model Selection for SVM

Gilles Lebrun, Olivier Lezoray, Christopher Charrierand Hubert Cardot (2009). *Encyclopedia of Artificial Intelligence* (pp. 520-525).

www.irma-international.org/chapter/multi-model-selection-svm/10296

Semiotic Evaluation of Product Ontologies

Joerg Leukeland Vijayan Sugumaran (2011). *Intelligent, Adaptive and Reasoning Technologies: New Developments and Applications* (pp. 64-79).

www.irma-international.org/chapter/semiotic-evaluation-product-ontologies/54425

Planning a Fourth Industrial Revolution Organization: Critical Practical Considerations

(2018). *Organizational Leadership for the Fourth Industrial Revolution: Emerging Research and Opportunities* (pp. 42-56).

www.irma-international.org/chapter/planning-a-fourth-industrial-revolution-organization/198278

Lexical Co-Occurrence and Contextual Window-Based Approach with Semantic Similarity for Query Expansion

Jagendra Singhand Rakesh Kumar (2017). *International Journal of Intelligent Information Technologies* (pp. 57-78).

www.irma-international.org/article/lexical-co-occurrence-and-contextual-window-based-approach-with-semantic-similarity-for-query-expansion/181875