

Chapter 37

New Bio Inspired Techniques in the Filtering of Spam: Synthesis and Comparative Study

Hadj Ahmed Bouarara

Dr. Moulay Tahar University of Saïda, Algeria

Reda Mohamed Hamou

Dr. Moulay Tahar University of Saïda, Algeria

Abdelmalek Amine

Dr. Moulay Tahar University of Saïda, Algeria

ABSTRACT

The internet era promotes electronic commerce and facilitates access to many services. In today's digital society the explosion in communication has revolutionized the field of electronic communication. Unfortunately, this technology has become incontestably the original source of malicious activities, especially the plague called undesirables email (SPAM) that has grown tremendously in the last few years. This paper deals on the unveiling of fresh bio-inspired techniques (artificial social cockroaches (ASC), artificial haemostasis system (AHS) and artificial heart lungs system (AHLs)) and their application for SPAM detection. For the authors' experimentation, they have used the benchmark SMS Spam corpus V.0.1 and the validation measures (recall, precision, f-measure, entropy, accuracy and error). They have optimising the sensitive parameters of each algorithm (text representation technique, distance measure, weightings, and threshold). The results are positive compared to the result of artificial social bees and machine learning algorithms (decision tree C4.5 and K-means).

DOI: 10.4018/978-1-7998-1754-3.ch037

1. INTRODUCTION

In the 1990s, the Internet has become a consumer tool that plays an important role in the functioning of our society especially with the development of the web services such as email that is used daily by millions of persons. Unfortunately, this technology provides a real problem for individuals and companies due to the increasingly huge amounts of junk mail (spam). The messages are classified as spam if they meet the three following criterions:

- They have not been solicited and have no interest.
- They are sending in bulk.
- The user does not know the sender

Today, spam is one of the most annoying things in the web. According to the statistics provided by the Radicati group in 2014 who supplies quantitative and qualitative researches with details on the e-mail, the security, the instant messaging (IM) and the social networks there was exactly:

- 3 million of spam messages were sent per second.
- 262 billion of spam emails were sent per day.
- 95,000 billion spam emails were sent in this year.
- 75% of SMTP traffic was generated by spam on the Internet.

This phenomenon represents a big nuisance to the traffic because some of them can be very dangerous for your computer (viruses, worms, Trojan -horse) as for yourself or your children (for example pornographic website). This form of email must be immediately deleted.

The tremendous increase of unsolicited mail (spam) over the past years (Geer, 2004) has rendered email communication without spam filtering almost impossible. In the last few years a range of filtering solutions have emerged with a role is to detect unwelcome emails, some of them are based on the identification of the path travelled by the messages and others are based on the content of messages. It is a sophisticated and challenging problem as long as spammers continue developing new methods and techniques that are being used in their campaigns to defeat and confuse email spam filtering process. Furthermore, the majority of the classical spams filtering systems suffer from several drawbacks in terms of precision (classification of unwanted message in the inbox and classification of legitimate mail as a spam), response time and presentation of the results.

To deal with the previous drawbacks a new paradigm has emerged named bio-inspired and several filtering systems were developed inspired from the biological life of living systems such as insect lifestyle or from the most known natural phenomenon. This paper is positioned in the framework of detailing a set of ours new bio-inspired techniques (artificial heart lungs system (AHLS), Artificial social roaches (ASR), artificial coagulation system (ACS), social worker bees (SWBs)) and theirs application for the spam filtering problem in the form of a synthesis and comparative study.

32 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/new-bio-inspired-techniques-in-the-filtering-of-spam/244034

Related Content

Advances in Cybernetics Provide a Foundation for the Future

Stuart Umpleby, Xiao-hui Wu and Elise Hughes (2020). *Robotic Systems: Concepts, Methodologies, Tools, and Applications* (pp. 2018-2026).

www.irma-international.org/chapter/advances-in-cybernetics-provide-a-foundation-for-the-future/244097

Simplifying the Design of Human-Like Behaviour: Emotions as Durative Dynamic State for Action Selection

Joanna J. Bryson and Emmanuel Tanguy (2010). *International Journal of Synthetic Emotions* (pp. 30-50).

www.irma-international.org/article/simplifying-design-human-like-behaviour/39003

Real Time Sentiment Analysis

Sandip Palit and Soumadip Ghosh (2020). *International Journal of Synthetic Emotions* (pp. 27-35).

www.irma-international.org/article/real-time-sentiment-analysis/252223

A Comparative Review of Moveable Sensor Location Identification

Jeril Kuriakose and Sandeep Joshi (2015). *International Journal of Robotics Applications and Technologies* (pp. 20-37).

www.irma-international.org/article/a-comparative-review-of-moveable-sensor-location-identification/152360

On Realizing Emotional Memories

Saurabh K. Singh, Shashi Shekhar Jha and Shivashankar B. Nair (2015). *Handbook of Research on Synthesizing Human Emotion in Intelligent Systems and Robotics* (pp. 116-151).

www.irma-international.org/chapter/on-realizing-emotional-memories/127558