Chapter 55 Multi-Robot Navigation in Unknown Environment Using Strawberry Algorithm

B. Sai Charan ABV-IIITM Gwalior, India

Ayush Mittal ABV-IIITM Gwalior, India

Ritu Tiwari

Robotics and Intelligent System Design Lab ABV-IIITM Gwalior, India

ABSTRACT

Path Planning focuses on the robot motion from the initial position to final position such that it must avoid the hurdles and finally reach the goal in optimal path. But it is not an easy task because many conditions are included for the efficiency of final result like working on different environments, known or unknown target etc. In this paper the authors have proposed an algorithm inspired by the strawberry plants, and is applied in the path planning. The algorithm can efficiently work for different optimization parameters like Path Length, Energy and Number of Turns. The proposed algorithm is compared with RRT, A-star, PSO and the results obtained are satisfactory. The work can be applied in the real life challenges faced during area exploration

1. INTRODUCTION

Path planning is one of the major research areas in robotics, which represents the optimal path between the starting position to goal position. The environment consists of obstacles, so the collision with obstacles should be taken care of. The path planning algorithms solve the real time problems in which there is no human intervention. These algorithms involve designing efficient methods to solve problems in robust applications. Path planning implemented in different applications like industries, automobile,

DOI: 10.4018/978-1-7998-1754-3.ch055

manufacturing, medical (LaValle, 2006). The environments considered in path planning are the static and dynamic. In static environment obstacles are stationary and in dynamic environment obstacles may move in a random direction. The optimization regularly comes across the mathematical problems in various disciplines. It is nothing but finding the best solution. Optimization problems can be deterministic or stochastic. There are two methods for solving the problems, exact and heuristic. The exact method includes mathematical and logical programming. Some of the conventional methods for path planning are A-star (Hart, Nilsson & Raphael, 1968), RRT (LaValle, 1998). Metaheuristics involve the problems that solved inefficient manner such that computational efficiency achieved. Nature-inspired algorithms (NIA's) are one of the sets of algorithms which can solve the multi-objective optimization problems which inspired by the collective behavior of different types of species of plants, insects, birds. These algorithms can perform well in various applications in many fields for solving the complex optimization problems so that fitness function is developed depending upon the application, in which the final result gives the optimal solution. Evolutionary and Swarm intelligence algorithms are the best examples of NIA's. These algorithms follow Darwin's theory, survival of fittest. Numerous number of NIA's are evolved such as Particle Swarm Optimization (PSO) (Kennedy, 2011), Invasive Weed Colony (IWO) (Mehrabian & Lucas, 2006), Ant Colony Optimization (ACO) (Dorigo, Birattari & Stutzle, 2006), Artificial bee colony optimization (ABC) (Karaboga & Basturk, 2007), Genetic algorithm (GA) (Davis, 1991), Cuckoo Search (CS) (Yang & Deb, 2009), Differential Evolution (DE) (Storn & Price, 1997), Firefly Algorithm (FA)(Yang, 2010), Strawberry plant algorithm (Merrikh-Bayat, 2014), are used in path planning techniques. The remaining part of the paper organized as follows. Section 2 Related Work, Section 3 Implementation, Section 4Approach for Multiple Robots, Section 5 Strawberry Algorithm Section 6 Simulation Results and Section 7 contains a concise conclusion.

2. RELATED WORK

Li Lu et al. (2008) (Lu & Gong, 2008), proposed method for path planning in the unknown environment using the particle swarm optimization, this approach transformed to minimization concept. The advanced fitness function is based on the target and also obstacles in the search space or environment. The environment is unknown because of the limited sensor range of the robot. The global best solution calculated by executing PSO iteratively. The robot updates the environment on its each move. The final path is generated using the fitness function, and also simulation is done in the dynamic environment so that final path generated do not collide with obstacles.

Amin Zarger et al. (2009) (Nasrollahy & Javadi, 2009), introduced a method assuming the goal position is moving according to the time, and also obstacles are not static. Particles swarm optimization used to find collision free path and concept used for fitness function development is minimization concept. This method is applied irrespective of shape and size of objects. Ellipsmasehian et al. (Masehian & Sedighizadeh, 2010), proposed a method which introduces a concept that is particle swarm optimization hybrid with the probabilistic roadmap. The PSO for choosing the global best and the probabilistic roadmap for avoiding the obstacles. In this method, two objective functions developed which minimizes the path length and path smoothness such that robot reaches its goal position.

Dun-wei Gong et al. (Zhang, Gong & Zhang, 2013), developed method for the path planning in danger sources. A multi-objective PSO in which the model has two parameters to optimize, the changing degree of the path and the path length. In this algorithm, a parameter called self-adaptive mutation

20 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/multi-robot-navigation-in-unknown-environment-

using-strawberry-algorithm/244053

Related Content

Dynamic Modeling, Simulation and Velocity Control of Rocker-Bogie Rover for Space Exploration

Pushpendra Kumarand Pushparaj Mani Pathak (2013). *Advanced Engineering and Computational Methodologies for Intelligent Mechatronics and Robotics (pp. 103-117).* www.irma-international.org/chapter/dynamic-modeling-simulation-velocity-control/76442

Girls Building Androids and Robots: Equality in STEM With the Media Program Annedroids

Maya Götz, Diana Iulia Nastasiaand J. J. Johnson (2018). Androids, Cyborgs, and Robots in Contemporary Culture and Society (pp. 35-64).

www.irma-international.org/chapter/girls-building-androids-and-robots/189295

Feature Selection for GUMI Kernel-Based SVM in Speech Emotion Recognition

Imen Trabelsiand Med Salim Bouhlel (2015). *International Journal of Synthetic Emotions (pp. 57-68)*. www.irma-international.org/article/feature-selection-for-gumi-kernel-based-svm-in-speech-emotion-recognition/160803

Modeling the Experience of Emotion

Joost Broekens (2010). *International Journal of Synthetic Emotions (pp. 1-17)*. www.irma-international.org/article/modeling-experience-emotion/39001

Membrane Computing: Theory and Applications

(2017). Membrane Computing for Distributed Control of Robotic Swarms: Emerging Research and Opportunities (pp. 15-34).

www.irma-international.org/chapter/membrane-computing/179456