

IDEA GROUP PUBLISHING

ITB10663

701 E. Chocolate Avenue, Suite 200, Hershey PA 17033-1240, USA Tel: 717/533-8845; Fax 717/533-8661; URL-http://www.idea-group.com

Chapter IX

Efficiently Dispatching Plans Encoded as Simple Temporal Problems

Martha E. Pollack, University of Michigan, USA

Ioannis Tsamardinos, Vanderbilt University, USA

ABSTRACT

The Simple Temporal Problem (STP) formalism was developed to encode flexible quantitative temporal constraints, and it has been adopted as a commonly used framework for temporal plans. This chapter addresses the question of how to automatically dispatch a plan encoded as an STP, that is, how to determine when to perform its constituent actions so as to ensure that all of its temporal constraints are satisfied. After reviewing the theory of STPs and their use in encoding plans, we present detailed descriptions of the algorithms that have been developed to date in the literature on STP dispatch. We distinguish between off-line and online dispatch, and present both basic algorithms for dispatch and techniques for improving their efficiency in time-critical situations.

INTRODUCTION

The past decade has seen a number of advances in the field of automated planning. Along one dimension, researchers have added significant expressive power to planning representations. One of the most notable extensions has been the explicit encoding of quantitative temporal constraints, which are a crucial aspect of many real-world planning

This chapter appears in the book, *Intelligent Techniques for Planning*, edited by Ioamis Vlahavas and Dimitris Vrakas. Copyright © 2005, Idea Group Inc. Copying or distributing in print or electronic forms without written permission of Idea Group Inc. is prohibited.

problems. At the same time, increased attention has been given to the issues involved in plan execution, which cannot be divorced from, and indeed in real-world settings must often be interleaved with, the plan generation process. Together, these two research trends have created a challenge: how does one *dispatch* a plan with temporal constraints, that is, determine when to perform its constituent actions so as to ensure or at least maximize the probability that all of its temporal constraints are satisfied?

The difficulty of dispatching a plan depends on the nature of the plan and the environment in which it is to be executed. The simplest case arises when (1) a plan includes a specific time for the performance of each of its actions, and (2) it is to be executed in a static setting, one in which the only changes are the direct result of the plan execution itself. In this circumstance, plan dispatch is trivial: all that is required is for each action to be performed at its specified time.

But most real-world planning and execution applications are not so simple. The evolution of the world is generally not fully known in advance, and thus it is difficult to give precise specifications of the times and durations of actions. Allowing for flexible constraints can make it possible to accommodate unanticipated events, but also makes dispatch more complicated, because there is no longer a unique point in time at which each action is to be performed.

The Simple Temporal Problem (STP) formalism was developed to encode representation and reasoning with flexible quantitative temporal constraints (Dechter, Meiri & Pearl, 1991). This chapter presents the theory of the STP in detail, its uses for encoding plans, and algorithms for efficiently dispatching STPs in online, dynamic, and flexible ways. Other useful formalisms explicitly represent and reason with temporal uncertainty (Morris, Muscettola & Vidal, 2001; Tsamardinos, 2002; Tsamardinos, Vidal & Pollack, 2003; Vidal & Fargier, 1997; Vidal & Fragier, 1999), but the STP remains the most efficient representation to reason with and, as-of-yet, the most commonly employed in practical temporal-planning applications¹. In addition, STP dispatching is a key component of dispatching plans encoded in some of the other more expressive formalisms.

SIMPLE TEMPORAL PROBLEM

The Simple Temporal Problem (STP) is a special case of a temporal constraint satisfaction problem². The class of temporal constraint satisfaction problems was initially developed by Dean & McDermott (1987) and subsequently generalized and formalized by Dechter, Meiri & Pearl (1991).

Definition 1: Simple Temporal Problem. A Simple Temporal Problem (STP) is a constraint-satisfaction problem <V, E> such that V is a set of real-valued temporal variables and E is a set of constraints of the form $X_j - X_i \le b_{ij}$, where X_i , $X_j \in V$ and $b_{ij} \in \Re$. In this chapter, as in much of the literature, we will, without loss of generality, make the simplifying assumption that the bounds b_{ij} are restricted to the integers.

With an STP, the temporal constraints are a set of *binary and linear* inequalities. For ease of presentation, we will often combine two constraints of the form $X_j - X_i \le b_{ij}$ and $X_i - X_j \le b_{ji}$ into one, writing them as $-b_{ji} \le X_j - X_i \le b_{ij}$ or as $X_j - X_i \in [-b_{ji}, b_{ij}]$. Notice that the lower bound is negated when converted from single inequalities to interval

Copyright © 2005, Idea Group Inc. Copying or distributing in print or electronic forms without written permission of Idea Group Inc. is prohibited.

22 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-

global.com/chapter/efficiently-dispatching-plans-encodedsimple/24466

Related Content

Service Registry Design: An Information Service Approach

Luís Ferreira Pires, Arjen van Oostrumand Fons Wijnhoven (2012). Advancing the Service Sector with Evolving Technologies: Techniques and Principles (pp. 239-259).

www.irma-international.org/chapter/service-registry-design/61580

Software Implementation of Real-time Discrete Wavelet Transform Algorithm with Filter Banks

Nikolajs Bogdanovs, Elans Grabsand Ernests Petersons (2016). *International Journal of Information Systems in the Service Sector (pp. 70-86).*

www.irma-international.org/article/software-implementation-of-real-time-discrete-wavelet-transform-algorithm-with-filter-banks/149189

The Cloud@Home Volunteer and Interoperable Cloud through the Future Internet

Salvatore Distefanoand Antonio Puliafito (2012). *Achieving Federated and Self-Manageable Cloud Infrastructures: Theory and Practice (pp. 79-96).*www.irma-international.org/chapter/cloud-home-volunteer-interoperable-cloud/66228

Approaches to Functional, Structural and Security SOA Testing

Cesare Bartolini, Antonia Bertolino, Francesca Lonettiand Eda Marchetti (2012). Performance and Dependability in Service Computing: Concepts, Techniques and Research Directions (pp. 381-401).

www.irma-international.org/chapter/approaches-functional-structural-security-soa/55527

MoBiFlow: Principles and Design of a Workflow System for Molecular Biology

Markus Held, Wolfgang Küchlinand Wolfgang Blochinger (2013). *Best Practices and New Perspectives in Service Science and Management (pp. 300-313).*www.irma-international.org/chapter/mobiflow-principles-design-workflow-system/75001