Chapter 10 Applications of the Use of Infrared Breast Images: Segmentation and Classification of Breast Abnormalities

Marcus Costa de Araújo https://orcid.org/0000-0002-1818-5686 Universidade Federal de Pernambuco, Brazil

Kamila Fernanda F. da Cunha Queiroz https://orcid.org/0000-0003-4257-5155 Federal Institute of Rio Grande do Norte, Brazil

Renata Maria Cardoso Rodrigues de Souza b https://orcid.org/0000-0002-2849-1273 Universidade Federal de Pernambuco, Brazil

Rita de Cássia Fernandes de Lima DEMEC, Federal University of Pernambuco, Brazil

ABSTRACT

Applications that have already been developed on using infrared (IR) imaging are proposed for a better understanding of breast cancer analysis. The first part of this chapter presents the use of interval data to classify breast abnormalities. Authors have been adapting machine learning techniques to work with interval variables that can handle the intrinsic variation of data. The second part evaluates segmentation techniques applied to breast IR images. Many authors use automatic image segmentation techniques that must consider the natural anatomical variation between people. Manual segmentation techniques is to seek to avoid the errors due to the natural asymmetry of the human body. A process that uses ellipsoidal elements to represent each breast has been chosen. The manual technique is more precise and can correct possible failures presented in the automatic method. Validation of each segmentation type was also included by using Jaccard, DICE, False Positive, and False Negative methods.

DOI: 10.4018/978-1-7998-3456-4.ch010

STATISTICAL CLASSIFICATION OF BREAST ABNORMALITIES USING INFRARED (IR) IMAGES: INTERVAL CLASSIFIERS

This topic uses interval data to classify breast abnormalities. Many authors have been adapting some machine learning techniques to work with interval variables. These kinds of variable can handle the intrinsic variation of data. In breast thermography, the use of interval data along with machine learning techniques can lead to results offering new possibilities for their use.

The IR images were acquired at the Outpatient Clinic of Mastology of the Clinical Hospital of the Federal University of Pernambuco (HC/UFPE). The project was registered in the Brazilian Health Ministry (CEP/CCS/UFPE n° 279/05) after being approved by the Ethics Committee of UFPE.

Symbolic Data

In classical data modeling, each variable is represented by a single value, which makes the analysis of complex problems involving large data sets restrictive. In contrast, a symbolic variable can represent values which are multivalued, categorical, interval, frequency histograms and subsets and functions of different semantics, such as frequency, probabilistic, and possibilistic semantics.

Symbolic objects are defined for the purpose of reducing the volume and complexity of the original data by providing a new description of such data. According to Gowda and Diday (1992), symbolic objects are an extension of classical data. In conventional databases, objects are "individualized" whereas in symbolic databases they can be "united" by means of relationships. They therefore represent a group of data that is more complex than conventional data.

This chapter focuses on using symbolic objects of an interval nature.

Symbolic Interval Objects

Let Γ be a set of symbolic objects and let \dot{y}_i be an individual belonging to Γ . Let \dot{y}_{i1} , \dot{y}_{i2} ,..., \dot{y}_{i3} be a set of *p* symbolic variables that describe the object \dot{y}_i . A symbolic interval object \dot{y}_i is one where the variables assume values within an interval (Schnepper & Stadtherr, 1996)., i.e.,

$$\dot{y}_{ij} = \left[a_{ij}, b_{ij}\right] \subset R; a_{ij} \leq b_{ij}; a_{ij}, b_{ij} \in R; j = 1, \dots, p$$

According to Silva and Brito (2006), the use of interval data is justified for two different situations:

- 1. Let there be a dataset Ω , which has been aggregated to a base that uses certain criteria. Each element of Ω is described by real variables x_j , j = 1, ..., p, and the interval variables \dot{y}_j represent the variability of x_j in each group of data.
- 2. Each interval variable \dot{y}_j represents a set of possible values within the uncertainty of measurement of the real variable x_j .

Thus, a source of interval data can naturally arise from the description of specific technical data.

17 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/applications-of-the-use-of-infrared-breastimages/259715

Related Content

A Multi-Functional Interactive Image Processing Tool for Lung CT Images

V. Vijaya Kishoreand R. V. S. Satyanarayana (2013). *International Journal of Biomedical and Clinical Engineering (pp. 1-11).*

www.irma-international.org/article/a-multi-functional-interactive-image-processing-tool-for-lung-ct-images/96824

Iterative User Involvement in Ambient Assisted Living Research and Development Processes: Does It Really Make a Difference?

Sonja Müller, Ingo Meyer, Ilse Bierhoff, Sarah Delaney, Andrew Sixsmithand Sandra Sproll (2011). *E-Health, Assistive Technologies and Applications for Assisted Living: Challenges and Solutions (pp. 217-*243).

www.irma-international.org/chapter/iterative-user-involvement-ambient-assisted/51390

EMG Analysis of Lumbar Muscle Activations During Resisted and Unresisted Core Strength Exercises

S. Saranya, S. Poonguzhali, N. Madhu Baalaand S. Karunakaran (2020). *International Journal of Biomedical and Clinical Engineering (pp. 12-24).*

www.irma-international.org/article/emg-analysis-of-lumbar-muscle-activations-during-resisted-and-unresisted-corestrength-exercises/253093

Localization of Characteristic Peaks in Cardiac Signal: A Simplified Approach

Subash Khanaland N. Sriraam (2015). International Journal of Biomedical and Clinical Engineering (pp. 18-31).

www.irma-international.org/article/localization-of-characteristic-peaks-in-cardiac-signal/136233

Graph-Covering-Based Architectural Synthesis for Programmable Digital Microfluidic Biochips

Daiki Kitagawa, Dieu Quang Nguyen, Trung Anh Dinhand Shigeru Yamashita (2017). *International Journal of Biomedical and Clinical Engineering (pp. 33-45).*

www.irma-international.org/article/graph-covering-based-architectural-synthesis-for-programmable-digital-microfluidicbiochips/189119