


Chapter 7

Fabrication of Functionally Graded Metal and Ceramic Powders Synthesized by Electroless Deposition

Onur Güler

Engineering Faculty, Department of Metallurgical and Materials Engineering, Karadeniz Technical University, Trabzon, Turkey

Temel Varol

 <https://orcid.org/0000-0002-1159-5383>

Engineering Faculty, Department of Metallurgical and Materials Engineering, Karadeniz Technical University, Trabzon, Turkey

ABSTRACT

One of the most important factors in powder metallurgy is the powder properties that directly affect the final product properties. By using the functionally graded materials (FGMs) in powder metallurgy, the desired properties can be obtained by means of layers having microstructure having more than one feature in a single material structure. Similarly, by the production of functionally graded powders (FGPs), different properties can be obtained in a single powder structure and the materials that have different properties in the same structure are developed by integrating these powders with powder metallurgy. In this context, the FGMs synthesized from the FGPs produced by electroless deposition (ED) of metal or ceramic-based powder materials facilitates the production of advanced material. Therefore, the purpose of this chapter is on the fabrication of metal and ceramic-based FGPs by ED and to discuss of their advantages on the powder metallurgy parts.

DOI: 10.4018/978-1-7998-4870-7.ch007

INTRODUCTION

The emergence of delamination problems in the matrix and reinforcement material of composite materials developed as a solution to the problems such as corrosion and wear of conventional mono-component or alloy materials has encouraged researchers to produce a new type of material. These novel materials were called as functional graded materials (FGMs) whose features change gradually corresponding with the dimensions in the structure (Ning Zhang et al., 2019). These materials are widely used in electrical, aerospace, energy, automotive, bioengineering and many other applications. Since conventional engineering materials do not provide the desired properties, they are highly advantageous in terms of obtaining different material properties in a single structure. The application areas of FGMs are shown schematically in Figure 1.

Figure 1. Application areas of FGMs



Depending on these applications, considering the characteristics such as abrasion, corrosion, chemical stability, electrical and thermal conductivity, providing different properties in different layers of a single material structure makes FGMs indispensable (Edwin, Anand, & Prasanna, 2017; El-Galy, Saleh, & Ahmed, 2019; A. Gupta & Talha, 2015). FGMs are often structurally divided into two types. In the first kind FGMs, the composition in the material structure changes step by step, while the composition in the second variant shows a continuous change. In this context, FGMs can be produced from different layers and using different materials in each layer. On the other hand, FGMs with different grain sizes can be produced in the same structure by obtaining materials with different grain sizes in each region (lower-middle-upper) (Chi Zhang et al., 2019). This type of FGMs is shown schematically in Figure 2.

36 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/fabrication-of-functionally-graded-metal-and-ceramic-powders-synthesized-by-electroless-deposition/262350

Related Content

Study on the Ultrasonic-Assisted Vibration Tapping Using Automatic Tracing Frequency System

K. L. Kuo and C. C. Tsao (2014). *International Journal of Materials Forming and Machining Processes* (pp. 73-87).

www.irma-international.org/article/study-on-the-ultrasonic-assisted-vibration-tapping-using-automatic-tracing-frequency-system/106960

Functional Polymeric Coatings: Synthesis, Properties, and Applications

Peter Zarras, Paul A. Goodman and John D. Stenger-Smith (2016). *Research Perspectives on Functional Micro- and Nanoscale Coatings* (pp. 78-104).

www.irma-international.org/chapter/functional-polymeric-coatings/149756

Surface Roughness Estimation of Turned Parts from Optical Image Measurements and Wavelet Decomposition

R. Kamguem, A. S. Tahan and V. Songmene (2014). *International Journal of Materials Forming and Machining Processes* (pp. 48-72).

www.irma-international.org/article/surface-roughness-estimation-of-turned-parts-from-optical-image-measurements-and-wavelet-decomposition/106959

Trend and Development in Laser Surface Modification for Enhanced Materials Properties

Muhammed Olawale Hakeem Amuda and Esther Titilayo Akinlabi (2016). *Advanced Manufacturing Techniques Using Laser Material Processing* (pp. 92-120).

www.irma-international.org/chapter/trend-and-development-in-laser-surface-modification-for-enhanced-materials-properties/149839

Strain Broadening of X-Ray Diffraction Peaks

(2014). *X-Ray Line Profile Analysis in Materials Science* (pp. 49-100).

www.irma-international.org/chapter/strain-broadening-of-x-ray-diffraction-peaks/99789