

Chapter 3.21

Application of Text Mining Methodologies to Health Insurance Schedules

Ah Chung Tsoi

Monash University, Australia

Phuong Kim To

Tedis P/L, Australia

Markus Hagenbuchner

University of Wollongong, Australia

ABSTRACT

This chapter describes the application of a number of text mining techniques to discover patterns in the health insurance schedule with an aim to uncover any inconsistency or ambiguity in the schedule. In particular, we will apply first a simple “bag of words” technique to study the text data, and to evaluate the hypothesis: Is there any inconsistency in the text description of the medical procedures used? It is found that the hypothesis is not valid, and hence the investigation is continued on how best to cluster the text. This work would have significance to health insurers to assist them to differentiate descriptions of the medical procedures. Secondly, it would also assist

the health insurer to describe medical procedures in an unambiguous manner.

AUSTRALIAN HEALTH INSURANCE SYSTEM

In Australia, there is a universal health insurance system for her citizens and permanent residents. This publicly-funded health insurance scheme is administered by a federal government department called the Health Insurance Commission (HIC). In addition, the Australian Department of Health and Ageing (DoHA), after consultation with the medical fraternity, publishes a manual called Medicare Benefit Schedule (MBS) in which it

details each medical treatment procedure and its associated rebate to the medical service providers who provide such services. When a patient visits a medical service provider, the HIC will refund or pay the medical service provider at the rate published in the MBS¹ (the MBS is publicly available online from <http://www.health.gov.au/pubs/mbs/mbs/css/index.htm>).

Therefore, the description of medical treatment procedures in the MBS should be clear and unambiguous to interpretation by a reasonable medical service provider as ambiguities would lead to the wrong medical treatment procedure being used to invoice the patient or the HIC. However, the MBS has developed over the years, and is derived through extensive consultations with medical service providers over a lengthy period. Consequently, there may exist inconsistencies or ambiguities within the schedule. In this chapter,

we propose to use text mining methodologies to discover if there are any ambiguities in the MBS.

The MBS is divided into seven categories, each of which describes a collection of treatments related to a particular type, such as diagnostic treatments, therapeutic treatments, oral treatments, and so on. Each category is further divided into groups. For example, in category 1, there are 15 groups, A_1, A_2, \dots, A_{15} . Within each group, there are a number of medical procedures which are denoted by unique item numbers. In other words, the MBS is arranged in a hierarchical tree manner, designed so that it is easy for medical service providers to find appropriate items which represent the medical procedures provided to the patient.² This underlying MBS structure is outlined in Figure 1.

Figure 1. An overview of the MBS structure in the year of 1999



18 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/application-text-mining-methodologies-health/26272

Related Content

IS Implementation in the UK Health Sector

Stuart J. Barnes (2009). *Medical Informatics: Concepts, Methodologies, Tools, and Applications* (pp. 1232-1236).

www.irma-international.org/chapter/implementation-health-sector/26293

Proposed Threshold Algorithm for Accurate Segmentation for Skin Lesion

T. Y. Satheesha, D. Sathyanarayana and M. N. Giri Prasad (2015). *International Journal of Biomedical and Clinical Engineering* (pp. 40-47).

www.irma-international.org/article/proposed-threshold-algorithm-for-accurate-segmentation-for-skin-lesion/138226

Functional Electrical Stimulation (FES) Control for Restoration and Rehabilitation of Motor Function

Takashi Watanabe and Naoto Miura (2013). *Technological Advancements in Biomedicine for Healthcare Applications* (pp. 80-93).

www.irma-international.org/chapter/functional-electrical-stimulation-fes-control/70850

Wavelet Packet Analysis of ECG signals to Understand the Effect of a Motivating Song on Heart of Indian Male Volunteers

Gitika Yadu, Suraj Kumar Nayak, Debasisha Panigrahi, Anilesh Dey and Kunal Pal (2018). *Expert System Techniques in Biomedical Science Practice* (pp. 168-192).

www.irma-international.org/chapter/wavelet-packet-analysis-of-ecg-signals-to-understand-the-effect-of-a-motivating-song-on-heart-of-indian-male-volunteers/205479

Neural Network Based Automated System for Diagnosis of Cervical Cancer

Seema Singh, V. Tejaswini, Rishya P. Murthy and Amit Mutgi (2015). *International Journal of Biomedical and Clinical Engineering* (pp. 26-39).

www.irma-international.org/article/neural-network-based-automated-system-for-diagnosis-of-cervical-cancer/138225