

Chapter 4.10

Adopting and Implementing Telehealth in Canada

Penny A. Jennett

University of Calgary, Canada

Eldon R. Smith

University of Calgary, Canada

Mamoru Watanabe

University of Calgary, Canada

Sharlene Stayberg

Alberta Health and Wellness, Canada

INTRODUCTION

Canada spans 9,976,140 square kilometers and has an approximate population of 32 million people (Statistics Canada, 2001). More than 90% of Canada's geography is considered rural or remote (Government of Canada, 2001). Despite the highly dispersed population, and, indeed, because of it, Canada is committed to the idea that a networked telehealth system could provide better access and equity of care to Canadians. Growing evidence of the feasibility and affordability of telehealth applications substantiates Canada's responsibility to promote and to develop telehealth.

Telehealth is the use of advanced telecommunication technologies to exchange health in-

formation and provide healthcare services across geographic, time, social, and cultural barriers (Reid, 1996). According to a systematic review of telehealth projects in different countries (Jennett et al., 2003a, 2003b), specific telehealth applications have shown significant socioeconomic benefits to patients and families, healthcare providers, and the healthcare system. Implementing telehealth can impact the delivery of health services by increasing access, improving quality of care, and enhancing social support (Bashshur, Reardon, & Shannon, 2001; Jennett et al., 2003a). It also has the potential to impact skills training of the health workforce by increasing educational opportunities (Jennett et al., 2003a; Watanabe, Jennett, &

Watson, 1999). Therefore, telehealth has a strong potential to influence improved health outcomes in the population (Jennett et al., 2003a, 2003b).

Fourteen health jurisdictions—one federal, 10 provincial, and three territorial—are responsible for the policies and infrastructure associated with healthcare delivery in Canada. This article presents a telehealth case study in one of Canada's health jurisdictions—the province of Alberta. The rollout of telehealth in Alberta serves as an example of best practice. Significant milestones and lessons learned are presented. Progress toward the integration of the telehealth network into a wider province-wide health information network also is highlighted.

BACKGROUND

Canada's province of Alberta has a geography that is well suited to using telehealth technologies. Previous telehealth pilot projects throughout the province provided evidence of potential benefits from telehealth applications (Doze & Simpson, 1997; Jennett, Hall, Watanabe, & Morin, 1995; Watanabe, 1997). Alberta is the westernmost of Canada's prairie provinces with a total area of 661,188 km². Approximately 3 million people live in this western province, with two-thirds of the population living in two major cities in the lower half of the province; 19.1% of the population is distributed over the northern remote areas and southern rural communities (Figure 1) (Alberta Municipal Affairs, 2004; Statistics Canada, 2001).

In Alberta, health regions assume responsibility for acute care facilities and continuing and community-based care facilities, including public health programs and surveillance. The population sizes of health regions vary, as do their service census populations (Figure 1). The province has approximately 100 hospitals and more than 150 long-term care facilities. Health professionals are located largely in the urban centers, leaving many

rural and remote areas with limited access to a variety of healthcare providers and services. In the mid-1990s, there was a physician-to-population ratio of 1:624 (Alberta Health, 1996). Most physicians are compensated on a fee-for-service basis by the provincial government (Alberta Health, 1997).

During the last decade, health reforms and restructuring have taken place in Canada, both at the federal (Kirby, 2002; National Forum on Health, 1997; Romanow, 2002) and provincial (Clair, 2000; Fyke, 2001; Mazankowski, 2001; Ontario Health Services Restructuring Commission, 2000) levels. These reforms were conducted in response to important trends challenging the Canadian Medicare system, such as escalating costs for new technologies and drugs, aging population, and increasing public expectations. Furthermore, health reforms addressed the issue of access to healthcare services for some groups, such as Aboriginal people and populations living in rural and remote parts of the country (Romanow, 2002).

Major challenges include the scarcity and isolation of healthcare professionals in many communities because of Alberta's large landmass; varied, extreme, and unpredictable climate; and population dispersion. Such realities were recognized as principal factors motivating the consideration of a provincial health information network. Alberta began to plan such a network in the mid-1990s, with the objectives of exploiting health information technologies and linking physicians, allied health professionals, hospitals, clinics, health organizations, and Alberta Health and Wellness (the provincial government's department of health) (Government of Alberta, 2003; Jennett, Kulas, Mok, & Watanabe, 1998). This network, entitled Alberta Wellnet, was a joint initiative by Alberta Health and Wellness and stakeholders in the health system. Initially, a core set of priority initiatives consisted of a pharmacy information network, telehealth, a healthcare provider office system, continuing and community care services, service

8 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/adopting-implementing-telehealth-canada/26292

Related Content

Grid Computing in 3D Electron Microscopy Reconstruction

J.R. Bilbao Castro, I. Garcia Fernandez and J. Fernandez (2009). *Handbook of Research on Computational Grid Technologies for Life Sciences, Biomedicine, and Healthcare* (pp. 392-409).

www.irma-international.org/chapter/grid-computing-electron-microscopy-reconstruction/35704

Bioinformatics-Inspired Algorithms for 2D-Image Analysis---Application to Medical Images Part II: Images in Circular Format

Perambur S. Neelakanta, Edward M. Bertot and Deepti Pappusetty (2012). *International Journal of Biomedical and Clinical Engineering* (pp. 49-58).

www.irma-international.org/article/bioinformatics-inspired-algorithms-image-analysis/73693

Gender Differences in Adoption and Use of a Healthcare IT Application

Kai Zheng, Rema Padman, Michael P. Johnson and Herbert S. Diamond (2009). *Medical Informatics: Concepts, Methodologies, Tools, and Applications* (pp. 1605-1613).

www.irma-international.org/chapter/gender-differences-adoption-use-healthcare/26323

Development of Portable Medical Electronic Device for Infant Cry Recognition: A Primitive Experimental Study

Natarajan Sriraam, S. Tejaswini and Ankita Arun Chavan (2016). *International Journal of Biomedical and Clinical Engineering* (pp. 53-63).

www.irma-international.org/article/development-of-portable-medical-electronic-device-for-infant-cry-recognition/170461

gLibrary/DRI: A Grid-Based Platform to Host Multiple Repositories for Digital Content

Roberto Barbera, Antonio Calanducci, Juan Manuel Gonzalez Martin, Francisco Prieto Castrillo, Raul Ramos Pollan, Raul Rubio del Solar and Dorin Tcaci (2009). *Handbook of Research on Computational Grid Technologies for Life Sciences, Biomedicine, and Healthcare* (pp. 664-686).

www.irma-international.org/chapter/glibrary-dri-grid-based-platform/35716