Chapter 5.20 Benefits Derived from ICT Adoption in Regional Medical Practices: Perceptual Differences Between Male and

Female General Practitioners

R. C. MacGregor University of Wollongong, Australia

P. N. Hyland University of Wollongong, Australia

C. Harvie University of Wollongong, Australia

B. C. Lee University of Wollongong, Australia

ABSTRACT

Information and communications technologies (ICTs) are being used more and more by general practitioners (GPs) in their day-to-day activities. While a number of studies have shown that ICT adoption and use can provide real benefits to medical practices, there have been few studies to determine whether the perception of those benefits is uniform across the sector. This study examines whether differences in the perception of benefits exist between male and female GPs. The results suggest that the groupings and priorities of benefits arising from ICT use differ substantially between male and female GPs. Results also show, amongst other things, that male GPs are focussed on business efficiency, while female GPs are focussed on communication and practice expansion.

INTRODUCTION

The use of ICTs within medical practices is by no means a new phenomenon. An examination of the literature provides numerous studies detailing the design of clinical ICT systems (Baldwin, Clarke, & Jones, 2002; Hsu et al., 2005; Pelletier-Fleury et al., 1999) as well as the uses of such systems within medical practice or health care facility (Ammenwerth, Mansmann, Iller, & Eichstadter, 2003; Catalan, 2004; Shohet & Lavy, 2004; Waring & Wainwright, 2002). Along with the increased adoption and use of ICTs in the small-to-medium enterprise (SME) sector (MacGregor, 2004a; MacGregor & Vrazalic, in press; Stockdale & Standing 2004; Woerndl, Powell, & Vidgen, 2005), there has been an increased interest both by academics as well as practitioners in the use of ICTs in the overall management of medical practices (Anderssen, Vimarlund, & Timpka, 2002; Ash, Gorman, Seshadri, & Hersh, 2004; Leung, Yu, Wong, Johnston, & Tin, 2003). These studies suggest that health care managers and professionals are increasingly examining ICTs, not only to improve medical services but to reduce costs and to operate more effectively and efficiently.

Not only has there been an increased use of ICTs both within the SME sector as well as the medical sector, a number of studies (Boerma & van den Brink-Muinen, 2000; MacGregor & Vrazalic, in press; Teltscher, 2002,) have shown that there is a substantial increase of females in the wider SME sector as well as in general practice. The increase in female participation and ICT adoption has, not unexpectedly, given rise to studies concerning the role of gender in ICT adoption and use. A number of studies (Brush & Hisrich, 1999; Buttner & Moore, 1997; Carter, 2000; Sandberg, 2003; MacGregor & Vrazalic, in press) have found gender differences in the perception of benefits derived from ICT adoption in the small business sector. Yet despite the increasing numbers of females in the workforce, there have been no studies examining whether differences exist in the perception of benefits derived from the use of ICTs between male and female GPs.

The purpose of this paper, then, is to examine whether the groupings and priorities of benefits derived from ICT adoption, differs between male and female GPs in regional Australia. As almost all of these practices are, by nature, specialized small businesses, the study examines the benefits (both the intrinsically medical benefits as well as the more general small business benefits) derived from ICT adoption and use.

The paper begins by providing a brief review of the literature concerned with gender differences from the wider small business sector. The paper then examines gender differences within the general practice sector as well as those differences found in the adoption and use of ICTs. It further investigates the nature of benefits derivable from ICT adoption and use, both from a general SME perspective as well as from a medical perspective. A description of the study and results are presented. This includes a series of Factor Analyses of the benefits derived from ICT adoption and use by male and female GPs. Finally the implications of the study results are discussed along with conclusions.

Gender Differences in the SME Sector

As most general practices in regional Australia are specialized small businesses, it is appropriate to examine the findings from this "wider" perspective, before examining medical practices or the use of ICTs. It is also appropriate to note the observations of Baker, Aldrich, and Liou (1997) and Carter (2000), who found that research into gender differences in the ownership/management of SMEs is scarce by comparison to research that has examined SMEs in general. Nonetheless, there are a number of interesting findings in the literature that compare various facets of gender differences in the ownership/management of SMEs. Studies by Carter (2000) and Brooksbank 11 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-

global.com/chapter/benefits-derived-ict-adoption-regional/26321

Related Content

A Software Tool for Reading DICOM Directory Files

Ricardo Villegas (2009). *Medical Informatics: Concepts, Methodologies, Tools, and Applications (pp. 964-979).* www.irma-international.org/chapter/software-tool-reading-dicom-directory/26273

A Prehospital Database System For Emergency Medical Services

Nada Hashmi, Mark Gaynor, Marissa Pepe, Matt Welsh, William W. Tollefsenand Steven Moulton (2009). *Medical Informatics: Concepts, Methodologies, Tools, and Applications (pp. 2443-2454).* www.irma-international.org/chapter/prehospital-database-system-emergency-medical/26383

Construction of Digital Statistical Atlases of the Liver and their Applications to Computer-Aided Diagnosis

Yen-Wei Chen (2013). *Technological Advancements in Biomedicine for Healthcare Applications (pp. 68-79).* www.irma-international.org/chapter/construction-digital-statistical-atlases-liver/70849

Proposed Threshold Algorithm for Accurate Segmentation for Skin Lesion

T. Y. Satheesha, D. Sathyanarayanaand M. N. Giri Prasad (2015). *International Journal of Biomedical and Clinical Engineering (pp. 40-47)*.

www.irma-international.org/article/proposed-threshold-algorithm-for-accurate-segmentation-for-skin-lesion/138226

Detection of Rarefaction of Capillaries and Avascular Region in Nailfold Capillary Images

Suma K. V.and Bheemsain Rao (2016). *International Journal of Biomedical and Clinical Engineering (pp. 73-*86).

www.irma-international.org/article/detection-of-rarefaction-of-capillaries-and-avascular-region-in-nailfold-capillaryimages/170463