# Chapter 4 NanoDielectric Theories

## ABSTRACT

This chapter sheds light on the recent nanotechnology theoretical models for interphase power law IPL model, inhomogeneous interphase, and multi-nanoparticles technique. Moreover, this chapter reviews deliberate hypothetical researches of the effective dielectric constant for polymer/filler nanocomposites and its reliance on "filler concentration, the interphase interactions, polymer filler dielectric constant, and interphase dielectric constant." This chapter also investigates the prediction of the dielectric constant of new nanocomposite materials dependent upon exponential power law model. Thus, this work moves from the dielectric properties of beginning polymer matrix forward and predicts the dielectric properties of new nanocomposite materials to be utilized for high voltage and directing materials by adding specified nanoparticles with polymer matrix.

Exponential control theory model is a great fitting and has enabled us to control rate of change of interphase properties, interphase volume constant and filler particle shape, thereby offering us a wider scope for works. Hence, this chapter demonstrates novel modern materials improving the dielectric aspects of new nanocomposite modern materials by interphase power law IPL models. These models take under record collaborations between the segments of the composite framework in the structure from the beginning interphase regions. The resultant models depend on the permittivity of the filler component, the matrix part and the interphase area, as well as the volume fractions for each. Furthermore, the reasons and effects of the interphase region with respect to an assortment from the beginning complex composite frameworks have been investigated. There is also an investigation of the effects of the composite filler sorts and filler surface areas, in addition to the dielectric aspects of the interphase area, looking into new modern materials. This brings about shortages that can additionally be utilized for electrical and thermal conductivity, magnetic permeability and diffusivity, provided that round inclusions and matrix are isotropic. This part clarifies recent modern materials improving the dielectric aspects of new nanocomposite modern materials by interphase power theory IPL model. This model takes under account connections between parts of the composite framework in the manifestation for interphase regions. The resultant model depends on the permittivity of the filler component, the matrix part, the interphase area, in addition to the volume fractions of each. The results and effects of the interphase region once an as-

DOI: 10.4018/978-1-7998-3829-6.ch004

(1)

sortment is made for perplexing composite frameworks are also investigated. Effects of the composite filler sorts and filler surface areas, as well as the dielectric values of the interphase region are examined by looking into new industrial materials. This effect can also be utilized for electrical and thermal conductivity, magnetic permeability and diffusivity, given that the round inclusions and matrix are isotropic.

### 4.1 NANO-DIELECTRIC COMPOSITES

Polymeric composites committed for particles, such as conductive, ferroelectric and alternately metal particles are some of the vital building materials utilized for resistors, exchanging devices, directing pastes, segments in the xerographic machine and separators over polymer electrolyte film energy units. Percolation theory predicts that different values of a percolating framework can be identified with the likelihood for occupation from beginning locales inside the percolation lattice, eventually perusing energy law relations. Moreover, the exponents of these control relations are widespread in any case in the framework. Composite and nanocomposite industrial materials are continuously investigated as protecting material for electromagnetic compatibility (EMC) and electromagnetic interference (EMI) applications. In these systems and in particle/matrix conductivities and volume stacking of the particles in the matrix, the arbitrariness of distribution, poly dispersivity and interfacial thermal resistance play a role in figuring out the successful conductivity of the composite material (Kanuparthi et al., 2006; Nan et al., 1997; Wu et al., 2007; Zhang et al., 2005; Zhang et al., 2004).

#### 4.1.1 Percolation Theory

Percolation theory is a general model for the depiction of measurable techniques, and it is a regular technique in the investigations for pre-breakdown forms within solids. In addition, nanoparticle size can plan new composite and thermal interface nanocomposite industrial materials by nanotechnology science which can lead to an enormous upgrade in the magnetic properties of the composite materials, influencing, in turn, the execution of the modern requisitions. Percolation theory aims at describing the connectivity properties in irregular geometries and to investigate them for exploration of the physical procedures. The percolation sorts are shaping a nonstop system of particles in conductive polymeric composite example can be acknowledged in a circular particle which, in traditional blending decisions from the beginning particles, is subjected to fundamental matrices to figure out the effective conductivity of composites, if the incorporation period is scattered in the matrix stage irregular appropriation (Salvadori et al., n.d.). It can be formed as follows:

$$\sigma = \sigma_0 (x - x_c)^t$$

Where,

 $\sigma_{o}$  is the proportionality constant,

x is the volume concentration of conducting phase,

 $\mathbf{x}_{c}$  is the critical concentration of conducting phase,

t is the exponential factor for percolation and tunneling percolation.

45 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/nanodielectric-theories/264387

## **Related Content**

#### Spin Relaxation Mechanisms in the Organic Semiconductor Alq3

Sridhar Patibandla, Bhargava Kanchibotla, Sandipan Pramanik, Supriyo Bandyopadhyayand Marc Cahay (2009). *International Journal of Nanotechnology and Molecular Computation (pp. 20-38).* www.irma-international.org/article/spin-relaxation-mechanisms-organic-semiconductor/40363

#### Organising Chemical Reaction Networks in Space and Time with Microfluidics

Gareth Jones, Chris Lovell, Hywel Morganand Klaus-Peter Zauner (2011). *International Journal of Nanotechnology and Molecular Computation (pp. 35-56).* www.irma-international.org/article/organising-chemical-reaction-networks-space/54343

#### Nanoparticles in Food: Sources, Application, Health Risks, and Regulations

Kingsley Erhons Enerijiofi, Ndukwe Maduka, Ruth Chiamaka Osaro-Matthewand Cyril Ohikhatemen Ahonsi (2024). *Harnessing NanoOmics and Nanozymes for Sustainable Agriculture (pp. 373-399).* www.irma-international.org/chapter/nanoparticles-in-food/346040

## Guiding the Next Technological Revolution: Principles for Responsible AI and Nanotech Progress

Ray Gutierrez Jr. (2024). *Artificial Intelligence in the Age of Nanotechnology (pp. 210-232).* www.irma-international.org/chapter/guiding-the-next-technological-revolution/334941

#### Addressing Abiotic Stress in Agriculture Through Nanotechnology Solutions

Shivangi Singh, Omkar Singh, Uday Pratap Shahi, Raghavendra Singh, Prabhat Kumar Singh, Sakshi Singh, Aleksandr Yesayan, Tatiana Minkina, Ilya Alliluev, Dmitry Brenand Astghik Melkumyan (2024). *Harnessing NanoOmics and Nanozymes for Sustainable Agriculture (pp. 320-347).* www.irma-international.org/chapter/addressing-abiotic-stress-in-agriculture-through-nanotechnology-solutions/346037