

Chapter 2.2

Engineering Wireless Mobile Applications

Qusay H. Mahmoud
University of Guelph, Canada

Zakaria Maamar
Zayed University, UAE

ABSTRACT


Conventional desktop software applications are usually designed, built, and tested on a platform similar to the one on which they will be deployed and run. Wireless mobile application development, on the other hand, is more challenging because applications are developed on one platform (like UNIX or Windows) and deployed on a totally different platform like a cellular phone. While wireless applications can be much smaller than conventional desktop applications, developers should think in small terms of the devices on which the applications will run and the environment in which they will operate instead of the amount of code to be written. This paper presents a systematic approach to engineering wireless application and offers practical guidelines for testing them. What is unique about this approach is that it takes into account the special features of the new medium (mobile devices and wireless networks), the operational environment, and the multiplicity

of user backgrounds; all of which pose new challenges to wireless application development.

INTRODUCTION

The general mobile computing model in a wireless environment consists of two distinct sets of entities (Figure 1): Mobile Clients (MCs) and fixed hosts. Some of the fixed hosts, called Mobile Support Stations (MSSs), are enhanced with wireless interfaces. An MSS can communicate with the MCs within its radio coverage area called wireless cell. An MC can communicate with a fixed host/server via an MSS over a wireless channel. The wireless channel is logically separated into two sub-channels: an uplink channel and a downlink channel. The uplink channel is used by MCs to submit queries to the server via an MSS, whereas the downlink channel is used by MSSs to disseminate information or to forward the responses from the server to a target client.

Figure 1. Mobile computing model



Each cell has an identifier (CID) for identification purposes. A CID is periodically broadcasted to all the MCs residing in a corresponding cell.

A wireless mobile application is defined as a software application, a wireless service or a mobile service that can be either pushed to users' handheld wireless devices or downloaded and installed, over the air, on these devices.¹ Such applications must work within the daunting constraints of the devices themselves:

- **Memory:** Wireless devices such as cellular phones and two-way pagers have limited amounts of memory, obliging developers to consider memory management most carefully when designing application objects.
- **Processing power:** Wireless devices also have limited processing power (16-bit processors are typical).
- **Input:** Input capabilities are limited. Most cell phones provide only a one-hand keypad with twelve buttons: the ten numerals, an asterisk (*), and a pound sign (#).
- **Screen:** The display might be as small as 96 pixels wide by 54 pixels high and 1 bit deep (black and white). The amount of information that can be squeezed into such a tight screen is severely limited.

In addition, the wireless environment imposes further constraints: (1) wireless networks are

unreliable and expensive, and bandwidth is low; (2) they tend to experience more network errors than wired networks; and (3) the very mobility of wireless devices increases the risk that a connection will be lost or degraded. In order to design and build reliable wireless applications, designers need to keep these constraints in mind and ask themselves, what impact do wireless devices with limited resources have on application design?

The motivation for this paper is provided in part by the above characteristics that form some of the foundations for pervasive computing environments. Such characteristics pose several challenges in designing wireless mobile applications for mobile computing. This paper provides a detailed treatment of the impact of these characteristics on engineering wireless mobile applications and presents a systematic approach for designing them. In addition, it offers practical design techniques for wireless application design and development.

WIRELESS APPLICATIONS

Wireless applications can be classified into two streams (Beaulieu, 2002; Burkhardt, Henn, Hepper, Rintdorff, & Schack, 2002):

1. **Browser-based:** Applications developed using a markup language. This is similar to the current desktop browser model where the device is equipped with a browser. The Wireless Application Protocol or WAP (<http://www.openmobilealliance.org>) follows this approach (Open Mobile Alliance, 2005).
2. **Native applications:** Compiled applications where the device has a runtime environment to execute applications. Highly interactive wireless applications are only possible with the latter model. Interactive applications, such as mobile computer games, are a good example. Such applications can be developed using the fast growing Java 2 Micro Edition

13 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:
www.igi-global.com/chapter/engineering-wireless-mobile-applications/26516

Related Content

The Influence of Menu Structure and Layout on Usability of Smartwatches

Fan Moand Jia Zhou (2018). *International Journal of Mobile Human Computer Interaction* (pp. 1-22).

www.irma-international.org/article/the-influence-of-menu-structure-and-layout-on-usability-of-smartwatches/190671

Survey of Interactive Displays through Mobile Projections

Katrin Wolf, Markus Funk, Pascal Knierimand Markus Löchtfeld (2016). *International Journal of Mobile Human Computer Interaction* (pp. 29-41).

www.irma-international.org/article/survey-of-interactive-displays-through-mobile-projections/162143

Mobile Portals

Ofir Tureland Alexander Serenko (2009). *Mobile Computing: Concepts, Methodologies, Tools, and Applications* (pp. 171-180).

www.irma-international.org/chapter/mobile-portals/26497

Positioning Technologies for Mobile Computing

M. O'Grady (2007). *Encyclopedia of Mobile Computing and Commerce* (pp. 769-772).

www.irma-international.org/chapter/positioning-technologies-mobile-computing/17172

Enabling Multimedia Applications in Memory-Limited Mobile Devices

Raul Fernandes Herbster, Hyggo Almeida, Angelo Perkusichand Marcos Morais (2007). *Encyclopedia of Mobile Computing and Commerce* (pp. 260-264).

www.irma-international.org/chapter/enabling-multimedia-applications-memory-limited/17086