

Chapter 14

Pharmacology and Therapeutic Applications of Resveratrol

Bui Thanh Tung

VNU University of Medicine and Pharmacy, Vietnam National University, Hanoi, Vietnam

ABSTRACT

Resveratrol (3,5,4'-trihydroxy-trans-stilbene) is a non-flavonoid polyphenolic compound belonging to the stilbene group which is the main compound found in grapes. Resveratrol has shown a wide range of preventive and therapeutic alternatives against several diseases including distinct types of cancer, heart disease, stroke, diabetes, obesity, inflammation, antioxidant. It is a highly efficient treatment, which might be due to the three hydroxyl groups in its structure. Consumption of resveratrol has been shown to improve health status and has the positive effect of treatment of many diseases. Moreover, it has been demonstrated that resveratrol possesses the potential of lifespan extension in various organism and animal models. However, the long-term use of resveratrol may have some adverse effects and should be studied deeper. This chapter will outline some pharmacological effects of resveratrol.

BACKGROUND

Name: Resveratrol

Different name: 3,4',5-stilbenetriol; 3,5,4'-trihydroxystilbene; trans-resveratrol-3-O-sulfate; trans-resveratrol; cis-resveratrol; resveratrol-3-sulfate.

Resveratrol has been known since 1939, when the Japanese by chance extracted the rhizomes of the “Veratrum” (Arichi et al., 1982). Its chemical texture was published in the “Journal of Japanese Chemistry Association” and was named Resveratrol, meaning “resorcinol from Veratrum”. Resveratrol is a white powder, a molecular weight of 228.35, which is one of the simplest phenolic compounds from plants. Resveratrol is a substance found in at least 70 types of plants, most commonly found in foods, including grapes, peanuts, pineapple, strawberry, etc. (Figure 1). Resveratrol has a ring structure composed of many hydroxy acids (Figure 2). Hydroxy groups can be oxidized to promote antioxidant activity, provide for resveratrol stronger antioxidant activity than vitamin C, E, and glutathione (Sobolev & Cole, 1999).

DOI: 10.4018/978-1-7998-4808-0.ch014


THE POTENTIAL OF RESVERATROL IN CARDIOVASCULAR DISEASE TREATMENT

Cardiovascular diseases (CVDs) are considered to be the most common cause of the death in the global

Figure 1. Examples of fruits and food rich in resveratrol



Figure 2. The structure of the trans-cis of resveratrol



11 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/pharmacology-and-therapeutic-applications-of-resveratrol/267299

Related Content

Building the Pharmacy Workforce of Tomorrow: Aligning Pharmacists' Education With Society Needs

Ema Paulino, Filipa Alves da Costa and Mariana Rosa (2021). *Pedagogies for Pharmacy Curricula* (pp. 114-132).

www.irma-international.org/chapter/building-the-pharmacy-workforce-of-tomorrow/269632

Anticancer Activity of Flavonoids: Past, Present, and Future

Abul Kalam Azad, Mohamad Dayoob and Fatema Tuz Zohera (2024). *Harnessing Medicinal Plants in Cancer Prevention and Treatment* (pp. 1-21).

www.irma-international.org/chapter/anticancer-activity-of-flavonoids/341955

Pharmacological Evidence on Drug-Herbal Interactions on the Human Body: Drug-herb Interactions Between Cardiovascular Drugs and Chinese Herbs

Tan Chia Hui, Jian Xin Chu, Wen Wen Lee and Ching Hua Ng (2023). *Cases on Teaching Pharmacology to Complementary and Alternative Medicine Students* (pp. 130-140).

www.irma-international.org/chapter/pharmacological-evidence-on-drug-herbal-interactions-on-the-human-body/320636

Quantitative Structure-Activity/Property/Toxicity Relationships through Conceptual Density Functional Theory-Based Reactivity Descriptors

Sudip Pan, Ashutosh Gupta, Venkatesan Subramanian and Pratim K. Chattaraj (2015). *Quantitative Structure-Activity Relationships in Drug Design, Predictive Toxicology, and Risk Assessment* (pp. 123-179).

www.irma-international.org/chapter/quantitative-structure-activitypropertytoxicity-relationships-through-conceptual-density-functional-theory-based-reactivity-descriptors/124469

In Silico Perspective into Interactions and Mutations in Human TLR4 and Ebola Glycoprotein

Sujay Ray and Arundhati Banerjee (2016). *Applied Case Studies and Solutions in Molecular Docking-Based Drug Design* (pp. 209-231).

www.irma-international.org/chapter/in-silico-perspective-into-interactions-and-mutations-in-human-tlr4-and-ebola-glycoprotein/152421