Chapter 18 Supercomputing in the Study and Stimulation of the Brain

Laura Dipietro

Highland Instruments, USA

Seth Elkin-Frankston

U.S. Army Combat Capabilities Development Command Soldier Center, USA

Ciro Ramos-Estebanez

Case Western Reserve University, USA

Timothy Wagner

Harvard-MIT Division of Health Sciences and Technology, Highland Instruments, USA

ABSTRACT

The history of neuroscience has tracked with the evolution of science and technology. Today, neuroscience's trajectory is heavily dependent on computational systems and the availability of high-performance computing (HPC), which are becoming indispensable for building simulations of the brain, coping with high computational demands of analysis of brain imaging data sets, and developing treatments for neurological diseases. This chapter will briefly review the current and potential future use of supercomputers in neuroscience.

BACKGROUND

The 1906 Nobel Prize in Physiology and Medicine was awarded to Camillo Golgi and Ramón y Cajal for having visualized and identified the neuron, the structural and functional unit of the nervous system (Grant, 2007). Since then, it has been discovered that the human brain contains roughly 100 billion neurons and 1000 trillion synapses. Neurons interact through electrochemical signals, also known as actional potentials (AP) or spikes, transmitted from one neuron to the next through synaptic junctions, forming functional and definable circuits which can be organized into larger 'neuronal' networks and anatomical structures. These networks integrate information from multiple brain regions as well as incoming infor-

DOI: 10.4018/978-1-7998-7156-9.ch018

Supercomputing in the Study and Stimulation of the Brain

mation about the external environment (e.g., sound, light, smell, taste). The result is how we perceive the world, and produce complex behavior and cognitive processes including decision-making and learning (Kandel, 2012); also, with time, these processes modify the structure and function of networks through a process called neuroplasticity (Fuchs & Flugge, 2014).

Understanding how the brain works with the ultimate goal of developing treatments for neurological disease remains one of the greatest scientific challenges of this century. In fact, there is a substantial social and economic burden associated with neurological diseases (Wynford-Thomas & Robertson, 2017). In the US alone, the overall cost of neurological diseases (e.g., stroke, dementia, movement disorders, traumatic brain injury) amounts to nearly \$1T, and will dramatically increase in the next few years due to population ageing. Alarmingly, the cost of just dementias and stroke is expected to exceed \$600B by 2030 (Gooch, Pracht, & Borenstein, 2017). To tackle this challenge, neuroscientists have developed a battery of increasingly complex tools, which have amplified data storage and computational speed requirements to an unprecedented level, making the use of big data techniques and HPC such as supercomputers a necessity.

In the remainder of this chapter we will briefly review current and future applications of supercomputers in neuroscience, with a focus on computational neural models, brain imaging, and models for brain stimulation. These areas were chosen not only because their advances have been particularly driven by computational approaches, but also because they are highly interconnected. Thereby, understanding how each area is evolving aids prediction of future research trends in the other areas. We also briefly discuss how the next generation of supercomputers might enable further advancements in these areas.

COMPUTATIONAL NEURAL MODELS

Computational models of neurons and neural networks represent one of the most essential tools that have contributed to the progress of neuroscience. For example, they are used to guide the design of experiments, to quantify relationships between anatomical and physiological data, to investigate the dynamics of systems that cannot be accessed via analytical methods, and to validate estimates made during theoretical derivations. Since the early days of neuronal simulations, a wide range of computational models have been developed ranging from models aimed at describing low-level mechanisms of neural function (e.g., molecular dynamics of ion channels in the neuron) to models of large-scale neuronal networks (Ippen, Eppler, Plesser, & Diesmann, 2017) (see (Fan & Markram, 2019) for a review).

The chosen level of abstraction for a model is based on the scientific question. If focused on subcellular processes (e.g., the transfer of ions underlying changes in membrane voltages that lead to APs), a neuron(s) would be described with detailed multi-compartment models (M. Hines, 1984). Instead, if the question addressed large scale network dynamics, many neurons would be described with one-compartment or few-compartment models that communicate electrically via spikes (Helias et al., 2012; Ippen et al., 2017). Simulators exist for many of these levels, including NEURON (M. L. Hines & Carnevale, 1997), SPLIT (Hammarlund & Ekeberg, 1998), PCSIM (Pecevski, Natschläger, & Schuch, 2009), the NEural Simulation Tool (NEST) (Gewaltig, 2007; van Albada, Kunkel, Morrison, & Diesmann, 2014), and C2 (Ananthanarayanan & Modha, 2007) (see (Helias et al., 2012; Tikidji-Hamburyan, Narayana, Bozkus, & El-Ghazawi, 2017) for a review).

A major challenge when developing such models include the total number of network elements that must be represented. To put the problem into perspective, a 1 mm³ of brain tissue modeled at the neuronal

9 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/supercomputing-in-the-study-and-stimulation-ofthe-brain/273408

Related Content

The Key Requirements for deploying Knowledge Management Services in a Semantic Grid Environment

Mirghani Mohamed, Michael Stankoskyand Vincent Ribière (2009). *Quantitative Quality of Service for Grid Computing: Applications for Heterogeneity, Large-Scale Distribution, and Dynamic Environments (pp. 363-379).*

www.irma-international.org/chapter/key-requirements-deploying-knowledge-management/28286

A Novel Interpretable Stock Selection Algorithm for Quantitative Trading

Zhengrui Li, WeiWei Lin, James Z. Wang, Peng Peng, Jianpeng Lin, Victor Changand Jianghu Pan (2022). International Journal of Grid and High Performance Computing (pp. 1-19). www.irma-international.org/article/a-novel-interpretable-stock-selection-algorithm-for-quantitative-trading/301589

SIP Protocol for Supporting Grid Computing

Aldo Campiand Franco Callegati (2010). Handbook of Research on P2P and Grid Systems for Service-Oriented Computing: Models, Methodologies and Applications (pp. 890-910). www.irma-international.org/chapter/sip-protocol-supporting-grid-computing/40832

Predicting Room-Level Occupancy Using Smart-Meter Data

Akshay Uttama Nambi, Angga Irawan, Arif Nurhidayat, Bontor Humalaand Tubagus Rizky Dharmawan (2017). *International Journal of Distributed Systems and Technologies (pp. 1-16).* www.irma-international.org/article/predicting-room-level-occupancy-using-smart-meter-data/188856

Principles of Soft Verification

Natasa Zivic (2013). International Journal of Distributed Systems and Technologies (pp. 1-15). www.irma-international.org/article/principles-soft-verification/76920