


Chapter 61

A Survey of Tasks Scheduling Algorithms in Distributed Computing Systems

Nutan Kumari Chauhan

KIET Group of Institutions, India

Harendra Kumar

 <https://orcid.org/0000-0002-3394-5655>

Gurukula Kangri Vishwavidyalaya, India

ABSTRACT

Distributed computing system (DCS) is a very popular field of computer science. DCS consists of various computers (processors) located at possibly different sites and connected by a communication link in such a manner that it appears as one system to the user. Tasks scheduling is a very interesting field of research in DCS. The main objectives of tasks scheduling problems are load balancing of processors, maximization of system reliability, minimizing the system cost, and minimizing the response time. Obviously, it is very complicated to satisfy all of the above objectives simultaneously. So, most of the researchers have solved the tasks scheduling problem with one or more objectives. The purpose of this chapter is to produce an overview of much (certainly not all) of tasks scheduling algorithms. The chapter is covering the little much valuable survey, tasks scheduling strategies, and different approaches used for tasks scheduling with one or more objectives.

INTRODUCTION

There are various causes for using DCS. The nature of equipment may involve the utilization of a communication network which connected by some computers: for eg, data created in one site and needed in another site. There are various cases in which only one computer is required, but DCS is very helpful for practical causes. For eg., it may be extra cost-efficient to get the inclined level of performance by applying cluster of numerous low-end computers, in similarity with only high-end computer. DCS has

DOI: 10.4018/978-1-7998-5339-8.ch061

no single point of failure, so it can offer additional reliability than a non-distributed system. DCS may be simple to expand and run than a uni-processor system. DCS have used in a large scale due to several characteristics such as communication, computational speedup, fault tolerance, increased throughput, resource sharing etc.

Tasks scheduling is very important phase in DCS, mainly it is assigning of tasks onto processors as a manner so that some efficiency actions are optimized. An effective tasks scheduling policy avoid too much inter-tasks communication and utilize the precise effectiveness of the processors. It is extremely important step in exploiting the capacity of system and it may be done in two ways: **Dynamic Scheduling** and **Static Scheduling**. The most important plan of tasks scheduling is toward decrease the running cost of a program. The cost can be characterized by time, money or some other measure of resources usage.

In DCS, resources of system can be split by users at different sites through the communication link. However in proper utilization of total computing power of DCS, a fundamental problem arises. It may happen that a certain processor has very few workloads while another processor has more workload at a given time. It is required to distribute total workload of DCS of its overall processors. This evades under use of power and further it decreases response time for deputize at more heavily loaded processor. Generally, the form of computing power sharing with the intention of getting better performance of a DCS by rearranging the workload between the available processors called load balancing. The progress in the presentation of system through redistributing the workload among processors is the main aim of load balancing policies.

The reliability of DCS is probability that system can run the whole application successfully. If system is complex then it is very difficult to system in it's entirely. The logical technique is applied to crumble the entire system into function entities compiled of subsystems and units. Each entity is either operational or failed. The sub-division generates the block diagram of system. Models are prepared to fit the logical arrangement and calculus of probability is applied to figure out reliability of system in terms of sub-division reliabilities. There are two types of reliabilities in DCS: first is processor-related reliability, for example reliability of resources and reliability of computation; another is the path / link-related reliability, for example reliability of communication paths between allocated processors.

The processing of a program is of two types: serial processing or parallel processing.

Difference between serial processing and parallel processing are given in the following table-1:

Fig. 1 and Fig. 2 show the execution of tasks on processors in a serial and parallel way respectively. A serial program made up of five tasks is executing on a single processor in Fig. 1(a), while the same serial program is executed over a two processors system in Fig. 1(b). Processor P2 can execute two tasks (3 and 4) more efficiently but due to transfers of control between tasks over a communication link incur appreciable overhead.

Further the chapter is planned as follows: Section 2 portrays the background of task scheduling techniques. Section 3 covers the application of task scheduling in DCS. Section 4 describes the future research directions. In section 5, conclusion is discussed on the basis of various factors in task scheduling techniques.

BACKGROUND

In this section different approaches for solving tasks scheduling problem with one or more objectives are discussed. These approaches are characterized according to the taxonomy given in the following Fig. 3.

11 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/a-survey-of-tasks-scheduling-algorithms-in-distributed-computing-systems/275338

Related Content

An Analysis of the Factors Affecting the Adoption of Cloud Computing in Higher Educational Institutions: A Developing Country Perspective

Ali Tarhini, Khamis Al-Gharbi, Ali Al-Badi and Yousuf Salim AlHinai (2021). *Research Anthology on Architectures, Frameworks, and Integration Strategies for Distributed and Cloud Computing* (pp. 1504-1529).

www.irma-international.org/chapter/an-analysis-of-the-factors-affecting-the-adoption-of-cloud-computing-in-higher-educational-institutions/275352

A Novel Meta-Heuristic Approach for Load Balancing in Cloud Computing

Subhadarshini Mohanty, Prashanta Kumar Patra, Mitrabinda Ray and Subasish Mohapatra (2021). *Research Anthology on Architectures, Frameworks, and Integration Strategies for Distributed and Cloud Computing* (pp. 504-526).

www.irma-international.org/chapter/a-novel-meta-heuristic-approach-for-load-balancing-in-cloud-computing/275299

Challenges and Opportunities in High Performance Cloud Computing

Manoj Himmatrao Devare (2021). *Research Anthology on Architectures, Frameworks, and Integration Strategies for Distributed and Cloud Computing* (pp. 1989-2018).

www.irma-international.org/chapter/challenges-and-opportunities-in-high-performance-cloud-computing/275375

Understanding Intentions to Switch Toward Cloud Computing at Firms' Level: A Multiple Case Study in Tunisia

Zouhour Smaoui Hachicha and Karim Mezghani (2021). *Research Anthology on Architectures, Frameworks, and Integration Strategies for Distributed and Cloud Computing* (pp. 2415-2447).

www.irma-international.org/chapter/understanding-intentions-to-switch-toward-cloud-computing-at-firms-level/275397

Distributed Based Serial Regression Multiple Imputation for High Dimensional Multivariate Data in Multicore Environment of Cloud

Lavanya K, L.S.S. Reddy and B. Eswara Reddy (2021). *Research Anthology on Architectures, Frameworks, and Integration Strategies for Distributed and Cloud Computing* (pp. 2572-2589).

www.irma-international.org/chapter/distributed-based-serial-regression-multiple-imputation-for-high-dimensional-multivariate-data-in-multicore-environment-of-cloud/275405