Chapter 2 An Integrated Heuristic Approach for the Long-Distance Heterogeneous Vehicle Routing Problem

Mehmet Sevkli The University of Tulsa, USA

Abdullah S. Karaman https://orcid.org/0000-0001-5768-7382 American University of the Middle East, Kuwait

Yusuf Ziya Unal Istanbul Cerrahpaşa University, Turkey

Muheeb Babajide Kotun Independent Researcher, Nigeria

ABSTRACT

In this chapter, a single depot, long-distance heterogeneous vehicle routing problem is studied with fixed costs and vehicle-dependent routing costs (LD-HVRPFD). The LD-HVRPFD considers retailers far away from the single depot and hence route durations could exceed a day. Thus, the number of available vehicles changes through the course of the multi-day planning horizon. Moreover, it is typical to encounter time-variant demand from retailers. To solve the LD-HVRPFD, the authors developed an iterative heuristic solution methodology integrated into a programming platform. The solution method consists of decomposing the VRP into sequential daily

DOI: 10.4018/978-1-7998-1954-7.ch002

An Integrated Heuristic Approach for the Long-Distance Heterogeneous

problems, model building using macro programming, obtaining a solution using a solver, determining the route-vehicle pairs and time durations, and dynamically updating the truck availability for the next day. The method is illustrated using real data from one of the biggest retail companies in the ready-to-wear sector of textile supply chains. The performance of the heuristic optimization procedure based on time and gap restriction criteria is presented.

INTRODUCTION

Logistics, managing the flow of products/services and information from points of origin to the points of consumption, has become an important functional area of companies due to the advantages it may induce. The benefits it brings are conceivably compelling and numerous including but not limited to a decrease in operational costs, reduction of inventories carried, a decline of time wasted as well as the betterment of storage and transportation of goods; all of these constitute in culminating customer service levels. Logistics management, a subdivision of supply chain management, is concerned with the optimal planning, control, and monitoring of the material/ service and information flow both within and across partners of a supply chain.

Finding the optimal route plan for a fleet of vehicles is one of the most encountered problems in logistics in contemporary supply chains extending from private companies to governmental organizations. Better coordination of vehicle routing activity in these supply chains results in significantly decreased operational costs. Dubbed as the well-known vehicle routing problem (VRP), its applications encompass courier delivery services, bus services, mail services, patrol services, maintenance services, unmanned airborne vehicle services, among others. VRP, first introduced by Dantzig and Ramser (1959) as the truck dispatching problem, is a well-known NP-hard combinatorial optimization problem (Lenstra & Rinnooy Kan, 1981).

The VRP aims to find the optimal routes (i.e., minimum distance/time/cost) to be traveled by a fleet of vehicles to several destinations while satisfying the requirements of customers. Through time, the VRP has been extended and the variants now included several of the following constraints (*i*) load of a truck assigned to a route should not exceed the capacity of the truck; (*ii*) all routing activity should start and end at the same depot; (*iii*) deliveries should be made only by one truck in a route; (*iv*) deliveries should be made before pickups; (*v*) trucks don't have to return to the depot after deliveries; (*vi*) a route can contain just delivery customers; (*vii*) no route should contain pickup customers only; (*viii*) trucks can visit any of the depots; (*ix*) total time for a route should not exceed an upper bound; and (*x*) a customer should be visited within a certain time; inter alia. Accordingly, the route planning is affected

27 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: <u>www.igi-</u> <u>global.com/chapter/an-integrated-heuristic-approach-for-the-</u> <u>long-distance-heterogeneous-vehicle-routing-</u> problem/279248

Related Content

The Effects of Geometry on the P-Wave Seismic Response of Massive Mineral Deposits: Results From Analogue Modelling

Kebabonye Laletsangand Charles A. Hurich (2018). *Handbook of Research on Geospatial Science and Technologies (pp. 354-362).*

www.irma-international.org/chapter/the-effects-of-geometry-on-the-p-wave-seismic-response-of-massive-mineral-deposits/187737

Does Geography Matter?: A Study of Determinants of Bank Office Size in Illinois

Bin Zhou (2014). *International Journal of Applied Geospatial Research (pp. 38-59).* www.irma-international.org/article/does-geography-matter/106921

Location-Based Services: A Taxonomy on Theory and Practice

Henrik Hankeand Alf Neumann (2009). *Handbook of Research on Geoinformatics* (pp. 269-276).

www.irma-international.org/chapter/location-based-services/20413

Methodological Framework for Defining the Sustainability Management Process for Urban Mobility Systems Based on System Engineering

Justin Moskolai Ngossaha, Raymond Houé Ngouna, Bernard Archimède, Radu Gabriel Patrascu, Alexandru-Ionut Petrisorand Marcel Fouda Ndjodo (2020). *International Journal of Digital Innovation in the Built Environment (pp. 1-21).* www.irma-international.org/article/methodological-framework-for-defining-the-sustainabilitymanagement-process-for-urban-mobility-systems-based-on-system-engineering/255176

Spatiotemporal Monitoring of Land Reclamation in the Southeastern Desert, Upper Egypt Using Satellite Data and GIS

Mostafa K. Moslehand Khaled Hazaymeh (2023). *International Journal of Applied Geospatial Research (pp. 1-16).*

www.irma-international.org/article/spatiotemporal-monitoring-of-land-reclamation-in-thesoutheastern-desert-upper-egypt-using-satellite-data-and-gis/323186