



701 E. Chocolate Avenue, Hershey PA 17033-1117, USA Tel: 717/533-8845; Fax 717/533-8661; URL-http://www.irm-press.com **ITB9330**

Chapter XVII

One Method for Design of Narrowband Lowpass Filters

Gordana Jovanovic-Dolecek National Institute of Astrophysics Optics and Electronics (INAOE), Mexico

> Javier Diaz-Carmona Technology Institute of Celaya, Mexico

ABSTRACT

This chapter describes a design of a narrowband lowpass finite impulse response (FIR) filter using a small number of multipliers per output sample (MPS). The method is based on the use of a frequency-improved recursive running sum (RRS), called the sharpening RRS filter, and the interpolated finite impulse response (IFIR) structure. The filter sharpening technique uses multiple copies of the same filter according to an amplitude change function (ACF), which maps a transfer function before sharpening to a desired form after sharpening. Three ACFs are used in the design, as illustrated in the accompanying examples.

This chapter appears in the book, *Practicing Software Engineering in the 21st Century* by Joan Peckham. Copyright © 2003, IRM Press, an imprint of Idea Group Inc. Copying or distributing in print or electronic forms without written permission of Idea Group Inc. is prohibited.

INTRODUCTION

The digital filter design problem is concerned with finding a magnitude response (or, equivalently, a gain) that meets the given specifications. These specifications are usually expressed in terms of the desired passband and stopband edge frequencies ω_p and ω_s , the permitted deviations in the passband (passband ripple) R_p , and the desired minimum stopband attenuation A_s (Mitra, 2001). Here we consider the specifications given in decibles (dB). Figure 1 illustrates a typical magnitude specification for a digital lowpass filter.

Due to their complexity, narrowband lowpass FIR filters are difficult and sometimes impossible to implement using conventional structures (Milic & Lutovac, 2002).

The IFIR filter proposed by Neuvo, Cheng and Mitra (1984) is one efficient realization for the design of narrowband FIR filters. The IFIR filter H(z) is a cascade of two filters:

$$H(z) = G(z^{M})I(z) \tag{1}$$

where $G(z^M)$ is an expanded shaping or model filter, I(z) is an interpolator or image suppressor, and M is the interpolator factor. In this manner, the narrowband FIR prototype filter H(z) is designed using lower order filters, G(z) and I(z). For more details on the IFIR structure, see Neuvo, Cheng and Mitra (1984).

The interpolation factor *M* is chosen so that the orders of filters G(z) and I(z) are equal or close to each other.

A linear increase of the interpolation factor results in the exponential growth of the interpolation filter order, as well as in the decrease of the shaping filter order. Our goal is to decrease the shaping filter order as much as possible and to efficiently implement the high-order interpolator filter. To do so, in this chapter, we propose to use RRS filter as an interpolator in the IFIR structure. Similarly, Pang, Ferrari and

Figure 1. Lowpass Filter Magnitude Specification



Copyright © 2003, Idea Group Inc. Copying or distributing in print or electronic forms without written permission of Idea Group Inc. is prohibited.

12 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igiglobal.com/chapter/one-method-design-narrowbandlowpass/28122

Related Content

Static Type Systems: From Specification to Implementation

Pablo E. Martínez Lopez (2007). *Verification, Validation and Testing in Software Engineering (pp. 302-357).* www.irma-international.org/chapter/static-type-systems/30755

Facilitating Biodefense Research with Mobile-Cloud Computing

Jingyu Zhang, Jinhui Yao, Shiping Chenand David Levy (2011). *International Journal of Systems and Service-Oriented Engineering (pp. 18-31).* www.irma-international.org/article/facilitating-biodefense-research-mobile-cloud/58510

Towards a Conceptual Framework for Security Requirements Work in Agile Software Development

Inger Anne Tøndeland Martin Gilje Jaatun (2020). *International Journal of Systems and Software Security and Protection (pp. 33-62).*

www.irma-international.org/article/towards-a-conceptual-framework-for-security-requirementswork-in-agile-software-development/249764

An Adaptive System for Retrieval and Composition of Learning Objects

Burasakorn Yoosookaand Vilas Wuwongse (2013). *Mobile and Web Innovations in Systems and Service-Oriented Engineering (pp. 83-101).* www.irma-international.org/chapter/adaptive-system-retrieval-composition-learning/71992

An Adaptive Reasoning and Learning Framework for Mobile Cognitive Radio Systems

Chih-Sheng Lin, Ken-Shin Huang, Jih-Sheng Shen, Shen-Yang Pan, Shih-Shen Lu, Wei-Wen Lin, Pao-Ann Hsiung, Mao-Hsu Yen, Chu Yu, Sao-Jie Chenand William Cheng-Chung Chu (2012). *Handbook of Research on Mobile Software Engineering: Design, Implementation, and Emergent Applications (pp. 361-378).*

www.irma-international.org/chapter/adaptive-reasoning-learning-framework-mobile/66477