

# A Novel Adaptive Genetic Algorithm for Dynamic Vehicle Routing Problem With Backhaul and Two-Dimensional Loading Constraints: A Case in Tunisian Posta

Ines Sbai, Institut Supérieur de Gestion de Tunis, LARODEC Laboratory, Université de Tunis, Tunis, Tunisia\*

Saoussen Krichen, Institut Supérieur de Gestion de Tunis, LARODEC Laboratory, Université de Tunis, Tunis, Tunisia

## ABSTRACT

In this paper, the authors consider an extension of the dynamic vehicle routing problem with backhauls integrated with two-dimensional loading problem called DVRPB with 2D loading constraints (2L-DVRPB). In the VRPB, a vehicle can deliver (linehaul) then collect goods from customers (backhaul) and bring back to the depot. Once customer demand is formed by a set of two-dimensional items, the problem will be treated as a 2L-VRPB. The 2L-VRPB has been studied on the static case. However, in most real-life applications, new customer requests can happen over time of backhaul and thus perturb the optimal routing schedule that was originally invented. This problem has not been analysed so far in the literature. The 2L-DVRPB is an NP-Hard problem, so the authors propose to use a genetic algorithm for routing and packing problems. They applied their approach in a real case study of the regional post office of the city of Jendouba in the North of Tunisia. Results indicate that the AGA approach is considered as the best approach in terms of solution quality for a real-world routing system.

## KEYWORDS

2L-DVRP, Backhaul, Dynamic Vehicle Routing Problem, Genetic Algorithm, Packing, Post Office

## 1. INTRODUCTION

Vehicle Routing Problem (VRP) is a key component of distribution and logistics management. It consists in finding an optimal set of trips for a fleet of vehicles which must serve a predefined set of customers. The most studied variant in transportation logistics is capacitated VRP (CVRP) (Sbai et al. (2020)).

The CVRP can be extended to the VRP with time windows (VRPTW) by adding time windows in which deliveries need to take place. Another variant is the VRP with pickups and deliveries (VRPPD) in which orders may be picked up and delivered. More recently, a VRP with backhauls (VRPB) or the linehaul-backhaul problem has been studied, when VRP involving both delivery (linehaul) and pickup (backhaul) points. In contrast to the classical VRP, a practical important variant of this problem is the dynamic VRP (DVRP) where new customer demands change during operation reference.

DOI: 10.4018/IJAMC.2022010103

This article published as an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0/>) which permits unrestricted use, distribution, and production in any medium, provided the author of the original work and original publication source are properly credited.

In real life, companies are faced with a large number of additional constraints which increase the complexity of the problem. For example, the capacitated vehicle routing problem with two-dimensional loading constraints (2L-CVRP) includes the routing and loading aspects simultaneously.

The 2L-CVRP is defined as giving a central depot of a homogenous fleet of vehicles driving between two customers, or from the depot to a customer, to deliver requested product. Products to be delivered are thought to be rectangular shaped items. The objective of the 2L-CVRP is to find the routes of the vehicles of the fleet, minimizing the delivery costs, and determining, for a given route, the feasible two-dimensional orthogonal loading arrangement of the transported items into the vehicle loading surface.

Planning the distribution and pick-up of goods as a VRP with Backhauls (VRPB) in an efficient manner is an appropriate way to reduce logistic cost and improve the quality of service. Therefore, we consider the 2L-CVRP with backhaul, in which a set of customers can be divided in two distinct sets: the set of linehaul (deliver) and the set of backhaul (pickup) customers. For each route two packing plans have to be provided that stow all boxes of all visited linehaul and backhaul customers, respectively, taking into account the additional packing constraints.

All the existing research has been studied the 2L-VRPB as a static case in which all information and problem parameters are assumed to be known in advance, and the related decisions are made prior to the start of plan execution. However, in real-life applications, a new arrived order such as a courier, money-transfer and repair-maintenance services can be happen over time and thus trouble the optimal routing schedule that was originally invented.

Therefore, we address a Dynamic Vehicle Routing Problem with Backhaul and 2-dimensional loading constraints (2L-DVRPB) in which new customer orders with two-dimension and order cancellations continually happen over time of backhaul.

This problem is a combination of two most important NP-hard optimization problems in distribution logistics, the Dynamic Vehicle Routing Problem with Backhaul constraint (DVRPB) and the Two-dimensional Bin Packing Problem (2BPP).

To solve the 2L-DVRPB, we propose an Adaptive Genetic Algorithm (AGA) and a new packing heuristic named Min lost area heuristic (MILAH).

Moreover, the 2L-DVRPB has many industrial applications in different fields of real life, such as shipping and transportation industry. So, we applied our approach in a real case study of the distribution of two dimension parcels in Regional Post Office of the region of Jendouba in the North of Tunisia.

The remainder of this paper is structured as follows. The related literature review is provided in Section 2. Section 3 and 4 present a brief description and a Mathematical formulation of the 2L-DVRPB problem. Section 5 describes the proposed Genetic Algorithm for solving the 2L-DVRPB. In Section 6, a set of heuristics for the loading subproblem are given. In section 7 and 8, the efficiency of the proposed approach is investigated with experimental results and a real case study. In Section 7, we end with some concluding remarks and future works.

## 2. LITERATURE REVIEW

Several works have been developed to address numerous variants of the CVRP while considering additional features such as dynamic aspect, backhaul and loading (packing) aspects. The dynamic vehicle routing problem is well-known as an *NP-Hard* combinatorial optimization problem that attract significant attention over the past few years (Abdallah et al. (2017) and Chen et al. (2018)). Backhauling has been proven to be an efficient way to achieving significant savings. In the Vehicle Routing Problem with Backhauls (VRPB), the set of customers is divided into delivery locations (linehaul) or pickup points (backhaul), a recent survey paper with interesting conclusions and research perspectives on the VRP with backhaul, including models, exact and heuristic algorithms, variants, industrial applications and case studies, are identified in Koc and Laporte (2018). Since new requests

32 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: [www.igi-global.com/article/a-novel-adaptive-genetic-algorithm-for-dynamic-vehicle-routing-problem-with-backhaul-and-two-dimensional-loading-constraints/284574](http://www.igi-global.com/article/a-novel-adaptive-genetic-algorithm-for-dynamic-vehicle-routing-problem-with-backhaul-and-two-dimensional-loading-constraints/284574)

## Related Content

---

### Intelligent Drones Improved With Algae Algorithm

Alberto Ochoa-Zezzatti, Tania Olivier, Raymundo Camarena, Guadalupe Gutiérrez, Daniel Axpeitia and Irving Vázquez (2018). *Handbook of Research on Emergent Applications of Optimization Algorithms* (pp. 279-297).

[www.irma-international.org/chapter/intelligent-drones-improved-with-algae-algorithm/190164](http://www.irma-international.org/chapter/intelligent-drones-improved-with-algae-algorithm/190164)

### Implementation of an H-PSOGA Optimization Model for Vehicle Routing Problem

Justice Kojo Kangah, Justice Kwame Appati, Kwaku F. Darkwah and Michael Agbo Tetey Soli (2021). *International Journal of Applied Metaheuristic Computing* (pp. 148-162).

[www.irma-international.org/article/implementation-of-an-h-psoga-optimization-model-for-vehicle-routing-problem/284422](http://www.irma-international.org/article/implementation-of-an-h-psoga-optimization-model-for-vehicle-routing-problem/284422)

### Robust Two-Stage and Multistage Optimization: Complexity Issues and Applications

Michel Andre Minoux (2016). *Handbook of Research on Modern Optimization Algorithms and Applications in Engineering and Economics* (pp. 54-94).

[www.irma-international.org/chapter/robust-two-stage-and-multistage-optimization/147510](http://www.irma-international.org/chapter/robust-two-stage-and-multistage-optimization/147510)

### An Integrated Model of Data Envelopment Analysis and Artificial Neural Networks for Improving Efficiency in the Municipal Solid Waste Management

Antonella Cavallin, Mariano Frutos, Hernán Pedro Vigier and Diego Gabriel Rossit (2018). *Handbook of Research on Emergent Applications of Optimization Algorithms* (pp. 206-231).

[www.irma-international.org/chapter/an-integrated-model-of-data-envelopment-analysis-and-artificial-neural-networks-for-improving-efficiency-in-the-municipal-solid-waste-management/190161](http://www.irma-international.org/chapter/an-integrated-model-of-data-envelopment-analysis-and-artificial-neural-networks-for-improving-efficiency-in-the-municipal-solid-waste-management/190161)

## Online Healthcare Communities of Practice: Identifying the Critical Success Factors

Haitham Alali (2016). *International Journal of Computers in Clinical Practice* (pp. 1-14).

[www.irma-international.org/article/online-healthcare-communities-of-practice/152589](http://www.irma-international.org/article/online-healthcare-communities-of-practice/152589)