

## Chapter 4

# Advances in Clinical Diagnosis of Tuberculosis: Past, Present, and Future

**Ankush Parmar**

*Panjab University, India*

**Tanzeer Kaur**

 <https://orcid.org/0000-0003-2935-7575>

*Panjab University, India*

**Shweta Sharma**

 <https://orcid.org/0000-0002-1936-2947>

*Panjab University, India*

### ABSTRACT


*Tuberculosis (TB) holds a central and deadly platform around the globe, affecting mankind with around one-third of the world being affected by latent TB. TB progresses in the body through inhalation process and has a critical discrimination in terms of affecting individuals depending upon age, sex, socio-economic status, and even the stature of nation (developed or developing). The biggest challenge in TB management is accurate, direct, early diagnosis, and an ability to differentiate the type of mycobacterium. The most common and reliable direct methods include tuberculosis skin test (TST), smear microscopy, nucleic acid amplification tests (NAAT), and immuno-chromatographic-based methods. However, culturing the specimen on a mycobacterium specific media is considered the 'gold standard' for diagnosis of TB by the WHO. Mycobacterium cultures are used extensively for bacilli differentiation and also for predicting drug susceptibility testing in multi-drug-resistant TB. This chapter discusses the merits and demerits of many approaches to distinguish and identify the type of mycobacterium.*

DOI: 10.4018/978-1-7998-0307-2.ch004

## INTRODUCTION

Tuberculosis (TB) disease is a global public health malady, claiming almost 1.5 million lives annually . Putting India on a global scenario, it is found that one-fifth of the global incidence of TB occurs in India (Central TB division 2010 ). Tuberculosis is caused by members of the *Mycobacterium tuberculosis* (Fig. 1) complex [MTBC], which includes *M. tuberculosis*, *M. bovis*, *M. africanum*, *M. canetti*, and *M. microti*. TB is a major concern in industrialized countries due to their socio-economic factors such as immigration, a rapid increase in poverty, malnutrition, war, and limited medication access. To address this grave disease, the most important aspects are its effective treatment, and its proper diagnosis. The management of TB includes a 4-drug regime, and the treatment period is about six months long. To reduce transmission of this disease, and to achieve disease elimination, early, and accurate diagnosis followed by proper treatment is vital. However, there are still a lot of challenges associated with the diagnosis of TB with specificity, and sensitivity.

Figure 1. Structure of *Mycobacterium*



## 1. MOST COMMON IMMUNOLOGICAL TESTS OF TB

The most commonly used method for TB diagnosis is the tuberculosis Skin Test. This test is popularly known as the intradermal Mantoux test. It is the oldest diagnostic test, which is still included in the WHO latest recommendations for TB control (Lalvani 2007). The tuberculin fraction most widely used in this test is purified protein derivative (PPD), derived from cultures of *M. tuberculosis*. The reaction to

23 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: [www.igi-global.com/chapter/advances-in-clinical-diagnosis-of-tuberculosis/284598](http://www.igi-global.com/chapter/advances-in-clinical-diagnosis-of-tuberculosis/284598)

## Related Content

---

### Refinement of Hypothesis Testing in Conjugation Tables of $r(c)$ Size on the Example of Testing New Forms of Treatment

Lidiya Filippovna Taenvatand Mikhail Mikhailovith Taenvat (2022). *International Journal of Health Systems and Translational Medicine* (pp. 1-13).

[www.irma-international.org/article/refinement-of-hypothesis-testing-in-conjugation-tables-of-rc-size-on-the-example-of-testing-new-forms-of-treatment/306691](http://www.irma-international.org/article/refinement-of-hypothesis-testing-in-conjugation-tables-of-rc-size-on-the-example-of-testing-new-forms-of-treatment/306691)

### Rare Diseases Internet Information Retrieval and Knowledge Discovery

José Miguel León Blanco, Pedro Luis González-R, Antonio M. Rabasco, María José Cózar-Bernal, Marcos Calle, María Luisa González-Rodríguezand Manuel Ojeda Casares (2016). *Encyclopedia of E-Health and Telemedicine* (pp. 765-778).

[www.irma-international.org/chapter/rare-diseases-internet-information-retrieval-and-knowledge-discovery/152001](http://www.irma-international.org/chapter/rare-diseases-internet-information-retrieval-and-knowledge-discovery/152001)

### Digitization of Paper Electrocardiogram: A Review

Priyanka Gautam, Ramesh Kumar Sunkariaand Lakhan Dev Sharma (2019). *Design and Implementation of Healthcare Biometric Systems* (pp. 212-228).

[www.irma-international.org/chapter/digitization-of-paper-electrocardiogram/219961](http://www.irma-international.org/chapter/digitization-of-paper-electrocardiogram/219961)

### Relationships between Models of Genetic Regulatory Networks with Emphasis on Discrete State Stochastic Models

Randip Pal (2016). *Emerging Research in the Analysis and Modeling of Gene Regulatory Networks* (pp. 52-79).

[www.irma-international.org/chapter/relationships-between-models-of-genetic-regulatory-networks-with-emphasis-on-discrete-state-stochastic-models/155026](http://www.irma-international.org/chapter/relationships-between-models-of-genetic-regulatory-networks-with-emphasis-on-discrete-state-stochastic-models/155026)

### Effect of Yoga Therapy on Neuromuscular Function and Reduction of Autism Severity in Children With Autism Spectrum Disorder: A Pilot Study

Soccalingam Artchoudane, Meena Ramanathan, Ananda Balayogi Bhavanani, Partheeban Muruganandamand Lakshmi Jatiya (2021). *International Journal of Health Systems and Translational Medicine* (pp. 76-85).

[www.irma-international.org/article/effect-of-yoga-therapy-on-neuromuscular-function-and-reduction-of-autism-severity-in-children-with-autism-spectrum-disorder/270955](http://www.irma-international.org/article/effect-of-yoga-therapy-on-neuromuscular-function-and-reduction-of-autism-severity-in-children-with-autism-spectrum-disorder/270955)