

Chapter I

Conceptual Modeling Solutions for the Data Warehouse

Stefano Rizzi

DEIS - University of Bologna, Italy

ABSTRACT

In the context of data warehouse design, a basic role is played by conceptual modeling, that provides a higher level of abstraction in describing the warehousing process and architecture in all its aspects, aimed at achieving independence of implementation issues. This chapter focuses on a conceptual model called the DFM that suits the variety of modeling situations that may be encountered in real projects of small to large complexity. The aim of the chapter is to propose a comprehensive set of solutions for conceptual modeling according to the DFM and to give the designer a practical guide for applying them in

the context of a design methodology. Besides the basic concepts of multidimensional modeling, the other issues discussed are descriptive and cross-dimension attributes; convergences; shared, incomplete, recursive, and dynamic hierarchies; multiple and optional arcs; and additivity.

INTRODUCTION

Operational databases are focused on recording transactions, thus they are prevalently characterized by an OLTP (online transaction processing) workload. Conversely, data warehouses (DWs) allow complex analysis of data aimed at decision


support; the workload they support has completely different characteristics, and is widely known as OLAP (online analytical processing). Traditionally, OLAP applications are based on *multidimensional modeling* that intuitively represents data under the metaphor of a cube whose cells correspond to events that occurred in the business domain (Figure 1). Each event is quantified by a set of measures; each edge of the cube corresponds to a relevant dimension for analysis, typically associated to a hierarchy of attributes that further describe it. The multidimensional model has a twofold benefit. On the one hand, it is close to the way of thinking of data analyzers, who are used to the spreadsheet metaphor; therefore it helps users understand data. On the other hand, it supports performance improvement as its simple structure allows designers to predict the user intentions.

Multidimensional modeling and OLAP workloads require specialized design techniques. In the context of design, a basic role is played by *conceptual modeling* that provides a higher level of abstraction in describing the warehousing process and architecture in all its aspects, aimed at achieving independence of implementation issues.

Conceptual modeling is widely recognized to be the necessary foundation for building a database that is well-documented and fully satisfies the user requirements; usually, it relies on a graphical notation that facilitates writing, understanding, and managing conceptual schemata by both designers and users.

Unfortunately, in the field of data warehousing there still is no consensus about a formalism for conceptual modeling (Sen & Sinha, 2005). The entity/relationship (E/R) model is widespread in the enterprises as a conceptual formalism to provide standard documentation for relational information systems, and a great deal of effort has been made to use E/R schemata as the input for designing nonrelational databases as well (Fahrner & Vossen, 1995); nevertheless, as E/R is oriented to support queries that navigate associations between data rather than synthesize them, it is not well suited for data warehousing (Kimball, 1996). Actually, the E/R model has enough expressivity to represent most concepts necessary for modeling a DW; on the other hand, in its basic form, it is not able to properly emphasize the key aspects of the multidimensional model, so that its usage for DWs is expensive from the point of view of the

Figure 1. The cube metaphor for multidimensional modeling



18 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/conceptual-modeling-solutions-data-warehouse/28545

Related Content

Cryptocurrency: A New Investment Avenue in India

Pitresh Kaushik and Neha Kukrety (2022). *Applications, Challenges, and Opportunities of Blockchain Technology in Banking and Insurance* (pp. 231-245).

www.irma-international.org/chapter/cryptocurrency/306465

Modeling and Implementing Scientific Hypothesis

Fabio Porto, Ramon G. Costa, Ana Maria de C. Moura and Bernardo Gonçalves (2015). *Journal of Database Management* (pp. 1-13).

www.irma-international.org/article/modeling-and-implementing-scientific-hypothesis/142069

Privacy Preserving Data Mining as Proof of Useful Work: Exploring an AI/Blockchain Design

Hjalmar K. Turesson, Henry Kim, Marek Laskowski and Alexandra Roatis (2021). *Journal of Database Management* (pp. 69-85).

www.irma-international.org/article/privacy-preserving-data-mining-as-proof-of-useful-work/272507

Using the Viable System Model for Methodical Assessment of Variety in Organizations: The Story of Designing a Method

Christoph Rosenkranz and Roland Holten (2013). *Journal of Database Management* (pp. 9-30).

www.irma-international.org/article/using-the-viable-system-model-for-methodical-assessment-of-variety-in-organizations/94542

On the Efficiency of Querying and Storing RDF Documents

Maria-Esther Vidal, Amadís Martínez, Edna Ruckhaus, Tomas Lampo and Javier Sierra (2012). *Graph Data Management: Techniques and Applications* (pp. 354-385).

www.irma-international.org/chapter/efficiency-querying-storing-rdf-documents/58619