

## Chapter VII

# Conceptual Modeling for XML: A Myth or a Reality

**Sriram Mohan**

*Indiana University, USA*

**Arijit Sengupta**

*Wright State University, USA*

### **ABSTRACT**

The process of conceptual design is independent of the final platform and the medium of implementation, and is usually in a form that is understandable and usable by managers and other personnel who may not be familiar with the low-level implementation details, but have a major influence in the development process. Although a strong design phase is involved in most current application development processes (e.g., Entity Relationship design for relational databases), conceptual design for XML has not been explored significantly in literature or in practice. Most XML design processes start by directly marking up data in XML,

and the metadata is typically designed at the time of encoding the documents. In this chapter, the reader is introduced to existing methodologies for modeling XML. A discussion is then presented comparing and contrasting their capabilities and deficiencies, and delineating the future trend in conceptual design for XML applications.

### **INTRODUCTION**

With advances in the structural and functional complexity of XML, a standardized method for designing and visually presenting XML structures is becoming necessary.


XML modeling techniques can be generally classified based on the chosen approach into one of the following three major categories: (1) Entity Relationship (ER), (2) Unified Modeling Language (UML), and (3) Structured Hierarchical Model. Literature reveals the existence of several methodologies for modeling XML that are derived from these three categories. Several proprietary commercial tools that can be adapted to design and model XML structures have been introduced in recent years. In this chapter, we present six such academic tools and four commercial methodologies relevant in modeling XML structures and provided an overview of the same is provided by making use of appropriate examples. In order for the survey to be more comparative, a common working example is chosen and equivalent conceptual models are developed to illustrate a model's capabilities. To conclude, a discussion summarizing the capabilities of each of the methods and their suitability as a conceptual model for XML is analysed to help answer the question posed by the chapter: *Is developing a conceptual model for XML a Myth or a Reality?*

Several business situations arise where a conceptual model is necessary. A good conceptual model can help planners by providing a framework for developing architectures, assigning project responsibilities, and selecting technology (Mohr, 2001). For XML in particular, the verbose and syntax-heavy nature of the schema languages makes them unsuitable for providing this type of framework. As an illustration, consider the typical

business problem of data interchange between different organizations. These type of applications, often used with the term EDI (Electronic Data Interchange), is already being moved to XML (Kay, 2000; Ogbuji, 1999). The non-proprietary nature of XML and its descriptive markup make it suitable for exchange of information between organizations. Ogbuji (1999) uses a purchase order example to illustrate how the interchange process can be facilitated with XML. However, a quick look at the illustration reveals that XML data and structure syntax, although more generalized and more descriptive than the EDI notation used by the article (ANSI X12 Transaction set), it is not going to be suitable for use in the presentation of the data to its potential users. A conceptual model of this purchase order, shown in Figure 1, reveals the internal structure of the order and items, and is more suited for understanding the conceptual structure of the application, and this is exactly the aim of this chapter.

In the rest of this chapter, we intend to demonstrate how conceptual models can in fact handle the complexities of XML, and the advances of such models in current literature as well as commercial applications. Toward that goal, we first further motivate the problem in the second section, and then discuss the interesting problems that arise when creating a conceptual model for XML in the third section. We then discuss six research-based methods in the fourth section, followed by four commercial tools in the fifth section. Finally, we compare these various tools in the sixth section

*Figure 1. A conceptual model for the purchase order application*



20 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: [www.igi-global.com/chapter/conceptual-modeling-xml/28551](http://www.igi-global.com/chapter/conceptual-modeling-xml/28551)

## Related Content

---

### From Data Quality to Big Data Quality

Carlo Batini, Anisa Rula, Monica Scannapieco and Gianluigi Viscusi (2015). *Journal of Database Management* (pp. 60-82).

[www.irma-international.org/article/from-data-quality-to-big-data-quality/140546](http://www.irma-international.org/article/from-data-quality-to-big-data-quality/140546)

### XTOPO: An XML-Based Topology for Information Highway on the Internet

Joseph Fong and Hing Kwok Wong (2004). *Journal of Database Management* (pp. 18-44).

[www.irma-international.org/article/xtopo-xml-based-topology-information/3314](http://www.irma-international.org/article/xtopo-xml-based-topology-information/3314)

### A Review of Experiments on Natural Language Interfaces

Hock Chuan Chuan and John Lim (2003). *Advanced Topics in Database Research, Volume 2* (pp. 54-71).

[www.irma-international.org/chapter/review-experiments-natural-language-interfaces/4341](http://www.irma-international.org/chapter/review-experiments-natural-language-interfaces/4341)

### A Case Study Evaluation of the Use of the Viable System Model in Information Systems Development

P. Kawalek and D.G. Wastell (1999). *Journal of Database Management* (pp. 24-32).

[www.irma-international.org/article/case-study-evaluation-use-viable/51224](http://www.irma-international.org/article/case-study-evaluation-use-viable/51224)

### Annotating Images by Mining Image Search

Xin-Jing Wang, Lei Zhang, Xirong Li and Wei-Ying Ma (2009). *Semantic Mining Technologies for Multimedia Databases* (pp. 323-349).

[www.irma-international.org/chapter/annotating-images-mining-image-search/28840](http://www.irma-international.org/chapter/annotating-images-mining-image-search/28840)