

Chapter 40

A Model Based on Data Envelopment Analysis for the Measurement of Productivity in the Software Factory

Pedro Castañeda

 <https://orcid.org/0000-0003-1865-1293>

Universidad Peruana de Ciencias Aplicadas, Universidad Nacional Mayor de San Marcos, Peru

David Mauricio

 <https://orcid.org/0000-0001-9262-626X>

Universidad Nacional Mayor de San Marcos, Peru

ABSTRACT

Productivity in software factories is very important because it allows organizations to achieve greater efficiency and effectiveness in their activities. One of the pillars of competitiveness is productivity, and it is related to the effort required to accomplish the assigned tasks. However, there is no standard way to measure it, making it difficult to establish policies and strategies to improve the factory. In this work, a model based on data envelopment analysis is presented to evaluate the relative efficiency of the software factories and their projects, to measure the productivity in the software production component of the software factory through the activities that are carried out in their different work units. The proposed model consists of two phases in which the productivity of the software factory is evaluated and the productivity of the projects it conducts is assessed. Numerical tests on 6 software factories with 160 projects implemented show that the proposed model allows one to assess the software factories and the most efficient projects.


DOI: 10.4018/978-1-6684-3702-5.ch040

INTRODUCTION

Software factories offer great advantages, such as the ability to decrease production costs per product by up to 60%; time savings of up to 98% for putting a product on the market; labor requirements reduced by up to 60%; a tenfold improvement in productivity; and better quality of each product with 10 times fewer errors. These advantages increase the company's portfolio of products and services as well as its chances of winning new markets (Clements & Northrop, 2001).

The importance of measuring productivity in a software factory is very important because of the close relationship between production-unit operations and profitability. In addition, once the company has quantified productivity, it has a solid foundation for strategic planning. Tracking historical productivity can reveal problem areas in the production units and promote improvements and efficient use of available resources. In turn, this outcome supports establishing specific dimensions for comparing the unit with its counterparts, since increased efficiency enables increased competitiveness (Castañeda & Mauricio, in press). Although a software factory's functional components are typically organized around Project Management and Software Production and Support, and each component is composed of work units (as shown in Figure 1), 90% of the factory's effort occurs in the Software Production component, and Analysis & Design, Programming, and Testing consume 85% of this component's efforts (Jacobson, Booch, & Rumbaugh, 2000; Castañeda & Mauricio, in press).

Figure 1. Structure of software factories (Castañeda & Mauricio, 2018)



The software industry¹ is enthusiastically adopting the concept of a software factory², and one reason is the indicators that enable measuring its productivity and comparing them in the market. Measurement helps the business to consider actions that increase overall efficiency, using all resources effectively

25 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/a-model-based-on-data-envelopment-analysis-for-the-measurement-of-productivity-in-the-software-factory/294495

Related Content

Empowering Web Service Search with Business Know-How: Application to Scientific Workflows

Isabelle Mirbel, Pierre Crescenzo and Nadia Cerezo (2011). *Knowledge Engineering for Software Development Life Cycles: Support Technologies and Applications* (pp. 161-176).

www.irma-international.org/chapter/empowering-web-service-search-business/52882

Semantics-Driven DSL Design

Martin Erwig and Eric Walkingshaw (2013). *Formal and Practical Aspects of Domain-Specific Languages: Recent Developments* (pp. 56-80).

www.irma-international.org/chapter/semantics-driven-dsl-design/71816

Increasing the Accuracy of Software Fault Prediction using Majority Ranking Fuzzy Clustering

Golnoush Abaei and Ali Selamat (2014). *International Journal of Software Innovation* (pp. 60-71).

www.irma-international.org/article/increasing-the-accuracy-of-software-fault-prediction-using-majority-ranking-fuzzy-clustering/120519

Design of the While Listening Activities in Interactive Multimedia Listening Software

Vehbi Turel and Atif Waraich (2018). *Application Development and Design: Concepts, Methodologies, Tools, and Applications* (pp. 798-836).

www.irma-international.org/chapter/design-of-the-while-listening-activities-in-interactive-multimedia-listening-software/188235

Automated Software Testing

Paula Donegan, Liane Bandeira, Cristina Matos, Paula Luciana da Cunha and Camila Maia (2009). *Software Applications: Concepts, Methodologies, Tools, and Applications* (pp. 152-171).

www.irma-international.org/chapter/automated-software-testing/29387