

Chapter 4

Molecular Dynamics Study of Diffusion Coefficient for Low-Temperature Dusty Plasmas in the Presence of External Electric Fields

Muhammad Asif Shakoori
Xi'an Jiaotong University, China

Maogang He
Xi'an Jiaotong University, China

Aamir Shahzad
Government College University, Faisalabad, Pakistan

Misbah Khan
Xi'an Jiaotong University, China

Ying Zhang
Xi'an Jiaotong University, China

ABSTRACT

The effects of external electric field (E) on the diffusion coefficient of dust particles in low-temperature dusty plasmas (LT-DPs) have been computed through nonequilibrium molecular dynamics (NEMD) simulations. The new simulation result was obtained by employing the integral formula of velocity autocorrelation functions (VACF) using the Green-Kubo relation. The normalized self-diffusion coefficient (D^) is investigated for different combinations of plasma coupling (Γ) and Debye screening*

DOI: 10.4018/978-1-7998-8398-2.ch004

(κ) parameters. The simulation outcome shows that the decreasing position of D^ shifts toward Γ and also increased with the increase of κ . The D^* linearly decreased with Γ and increased when applied external E increases. It is observed that the increasing trend of D^* depends on the E strength. These investigations show that the present algorithm provides precise data with fast convergence and effects of κ , Γ , E . It is shown that the current NEMD techniques with applied external E can be employed to understand the microscopic mechanism of dusty plasmas.*

INTRODUCTION

During the last few decades, the science of low-temperature plasma physics becomes a prominent research field. Plasma science and technology are serving every field of life, ranging from agriculture to nuclear fusion energy. The Irving Langmuir is the first scientist who discovered the fourth state of matter called “Plasma.” From that date, plasma rapidly grows and becomes the core of numerous industries and technologies. Plasma is the fourth state of matter that contained 99% of the physical matter in the universe; and is defined as “Plasma is fully or partially ionized gas that contained neutral atoms, electrons, and ions.” These particles show a collective behavior in the plasmas. Plasmas are classified based on many characteristics such as temperature, density, degree of ionization, etc. (Shahzad et al., 2018); here, we only discuss few types related to our topic.

Types of Plasma

Hot Plasma

In this type of plasma, the gas is fully ionized at high-pressure, high-temperature and acquires a local thermal equilibrium state. The temperature of the electron is equal to the ion and must satisfy the conditions ($T_e \equiv T_i$); here, T_e and T_i denote the temperature of electron and ion, respectively. The collisions between the particles are frequent. It is thermal, and equilibrium plasma associated with astrophysics, spark, flame, atmospheric, solar wind, sun, and nuclear fusion plasma cores are examples of hot plasma. It has a high density of nearly one trillion electrons per cubic centimeter and a degree of ionization near equal to 1 (100% ionized gas).

20 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/molecular-dynamics-study-of-diffusion-coefficient-for-low-temperature-dusty-plasmas-in-the-presence-of-external-electric-fields/294711

Related Content

Atmospheric Pressure Plasma Systems and Applications

Necdet Aslan (2022). *Emerging Developments and Applications of Low Temperature Plasma* (pp. 49-62).

www.irma-international.org/chapter/atmospheric-pressure-plasma-systems-and-applications/294710

Recent Advancements in Bioremediation of Metal Contaminants

Yuvarajan Ragunathan, Kannan Nallakumar, Thirumalaisamy Rathinavel, Muthusamy Govarathanan and Selvankumar Thangaswamy (2021). *Recent Advancements in Bioremediation of Metal Contaminants* (pp. 273-287).

www.irma-international.org/chapter/recent-advancements-in-bioremediation-of-metal-contaminants/259577

Is Collaboration Important at All Stages of the Biotechnology Product Development Process?

Catherine Beaudry (2019). *Biotechnology: Concepts, Methodologies, Tools, and Applications* (pp. 1759-1794).

www.irma-international.org/chapter/is-collaboration-important-at-all-stages-of-the-biotechnology-product-development-process/228693

Microbial Degradation of Azo Dyes: The Role of Azoreductase to Initiate Degradation

Dirk Tischler, Jingxian Qi, Anna Christina R. Ngo and Michael Schlömann (2019). *Biotechnology: Concepts, Methodologies, Tools, and Applications* (pp. 1867-1897).

www.irma-international.org/chapter/microbial-degradation-of-azo-dyes/228696

Safety and Efficacy of Pseudomonas Exopolymer in Sequestration of Iron From Aqueous Environments

Moushumi Ghosh, Divya Sharma and Taranpreet Kaur (2021). *Recent Advancements in Bioremediation of Metal Contaminants* (pp. 256-272).

www.irma-international.org/chapter/safety-and-efficacy-of-pseudomonas-exopolymer-in-sequestration-of-iron-from-aqueous-environments/259576