

Chapter 7.27

A Cognitive Informatics Reference Model of Autonomous Agent Systems (AAS)

Yingxu Wang

University of Calgary, Canada

ABSTRACT

Despite the fact that the origin of software agent systems has been rooted in autonomous artificial intelligence and cognitive psychology, their implementations are still based on conventional imperative computing techniques rather than autonomous computational intelligence. This paper presents a cognitive informatics perspective on autonomous agent systems (AAS's). A hierarchical reference model of AAS's is developed, which reveals that an autonomous agent possesses intelligent behaviors at three layers known as those of imperative, autonomic, and autonomous from the bottom up. The theoretical framework of AAS's is described from the facets of cognitive informatics, computational intelligence, and denotational mathematics. According to Wang's abstract intelligence theory, an autonomous software agent

is supposed to be called as an intelligent-ware, shortly, an intelware, parallel to hardware and software in computing, information science, and artificial intelligence.

INTRODUCTION

A *software agent* is an intelligent software system that autonomously carries out robotic and interactive applications based on goal-driven cognitive mechanisms. The studies on software agent are rooted in the essences of computing science and cognitive science such as automata theory (von Neumann, 1946, 1958, 1963, 1966; Shannon, 1956), Turing machines (Turing, 1950), cognitive psychology (Newell, 1990; Sternberg, 1997; Anderson and Rosenfeld, 1998; Matlin, 1998), artificial intelligence (McCarthy, 1955,

1963; McCulloch, 1943, 1965; Barr and Feigenbaum, 1981), computational intelligence (Poole et al., 1997; Wang, 2008a), and decision theories (Wald, 1950; Newell and Simon, 1972; Berger et al., 1990; Bronson and Naadimuthu, 1997; Wang and Ruhe, 2007; Wang, 2008b).

The history towards software agents may be traced back to the work as early as in the 1940s. J. McCarthy, W. McCulloch, M.L. Minsky, N. Rochester, and C.E. Shannon proposed the term *Artificial Intelligence (AI)* (McCarthy, 1955, 1963; McCulloch, 1943, 1965). S.C. Kleene analyzed the relations of *automata* and nerve nets (Kleene, 1956). Then, Bernard Widrow developed the technology of *artificial neural networks* in the 1950s (Widrow and Lehr, 1990). The concepts of *robotics* (Brooks, 1970) and *expert systems* (Giarrantans and Riley, 1989) were developed in the 1970s and 1980s, respectively. In 1992, the notion of *genetic algorithms* was proposed by J.H. Holland (Holland, 1992). Then, *distributed artificial intelligence* and *intelligent system* technologies emerged since late 1980s (Bond and Gasser, 1988; Kurzweil, 1990; Chaib-Draa et al., 1992; Meystel and Albus, 2002, Meystel and Albus, 2002).

The origin of the term *autonomous agent* is based on Carl Hewitt and his colleagues' *artificial intelligence actor models* proposed in 1973 (Hewitt et al., 1973, 1991). Then, as a novel approach of artificial intelligence, agent technologies have been proliferated since the early 1990s (Foner, 1993; Genesereth and Ketchpel, 1994; Hayes-Roth, 1995; Axelrod, 1997; Huhns and Singh, 1997; Wooldridge and Jennings, 1995; Wooldridge, 2002, Wang, 2003b). Pattie Maes perceived that a software agent is a process that lives in the world of computers and networks and that can operate autonomously to fulfill a set of tasks (Maes, 1991). Dimitris N. Chorafas described a software agent as a new software paradigm of things that think (Chorafas, 1998). Software agents are characterized by knowledge, learning,

reasoning, and adaptation, which are rational to the extent that their behaviors are predictable by given goals and the solution environment (Russell and Norvig 1995; Poole, Mackworth, and Goebel 1997; Nilsson 1998).

Multi-agent systems are proposed in (Wittig, 1992; Wellman, 1999) as distributed intelligent systems (Bond and Gasser, 1988) in which each node is an autonomous software agent. The key technology of autonomous agent systems is how a variety of heterogeneous agents allocate their roles, coordinate their behaviors, share their resources, and communicate their information, beliefs, and needs (Maes, 1991). The interaction mechanisms of multi-agent systems, such as co-operation, negotiation, belief reconciliation, information sharing, and distributed decision making, are identified as important issues in the design and implementation of multi-agent systems.

Autonomic computing is one of the fundamental technologies of software agents, which is a mimicry and simulation of the natural intelligence possessed by the brain using general computers. Autonomic computing was first proposed by IBM in 2001, where it is perceived that "Autonomic computing is an approach to self-managed computing systems with a minimum of human interference. The term derives from the body's autonomous nervous system, which controls key functions without conscious awareness or involvement (IBM, 2006)." Various studies on autonomic computing have been reported following the IBM initiative (Kephart and Chess, 2003; Murch, 2004; Wang, 2004).

According to Wang's *abstract intelligence* theory (Wang, 2008a, 2009), software agents are a paradigm of abstract and computational intelligence, which is a subset of or an application-specific virtual brain. Behaviors of a software agent are mirrored human behaviors. Therefore, a software agent may be more accurately named as an *intelligent-ware*, shortly, an *intelware*, parallel to hardware and software in computing,

14 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/cognitive-informatics-reference-model-autonomous/29552

Related Content

A Secure MANET Routing Protocol for Crisis Situations

Martin Gilje Jaatun, Åsmund Ahlmann Nyre and Inger Anne Tøndel (2018). *International Journal of Systems and Software Security and Protection* (pp. 17-45).

www.irma-international.org/article/a-secure-manet-routing-protocol-for-crisis-situations/232747

Multiple Multimodal Mobile Devices: Lessons Learned from Engineering Lifelog Solutions

Daragh Byrne, Liadh Kelly and Gareth J.F. Jones (2014). *Software Design and Development: Concepts, Methodologies, Tools, and Applications* (pp. 2014-2032).

www.irma-international.org/chapter/multiple-multimodal-mobile-devices/77788

An Investigation on Practical Information Disclosures by Non-Profit Organizations in China

Hirofumi Kojima, Qiuju Wang and Mineo Tsuji (2019). *International Journal of Systems and Service-Oriented Engineering* (pp. 64-71).

www.irma-international.org/article/an-investigation-on-practical-information-disclosures-by-non-profit-organizations-in-china/233840

Network Support Data Analysis for Fault Identification Using Machine Learning

Shakila Basheer, Usha Devi Gandhi, Priyan M.K. and Parthasarathy P. (2019). *International Journal of Software Innovation* (pp. 41-49).

www.irma-international.org/article/network-support-data-analysis-for-fault-identification-using-machine-learning/223521

Developing Software with Domain-Driven Model Reuse

Audris Kalnins, Tomasz Straszak, Michał Miałek, Elina Kalnina, Edgars Celms and Wiktor Nowakowski (2015). *Handbook of Research on Innovations in Systems and Software Engineering* (pp. 283-312).

www.irma-international.org/chapter/developing-software-with-domain-driven-model-reuse/117930