



Oppositional GOA Applied to Renewable Energy-Based Multi-Objective Economic Emission Dispatch

Sunanda Hazra, Central Institute of Petrochemicals Engineering and Technology, Haldia, India*

 <https://orcid.org/0000-0002-0612-9521>

Provas Kumar Roy, Kalyani Government Engineering College, Kalyani, India

 <https://orcid.org/0000-0002-3433-5808>

ABSTRACT

The renewable economic emission transmit is a significant and new assignment in the modern power system. This article develops oppositional grasshopper optimization algorithm (OGO), which depends on the social dealings of the grasshopper in nature, to solve renewable energy-based economic emission dispatch (EED) considering uncertainty in wind power availability and a carbon tax on emission from the thermal unit. To speed up the convergence speed and advance the simulation results, opposition-based learning (OBL) is integrated with the fundamental GOA in OGO algorithm. To show the nonlinearity of wind power availability, the Weibull distribution is used. A standard system containing two wind farms and six thermal units is used for testing the dispatch model for three different loads. The statistical outcomes of the applied OGO technique are compared with basic GOA and quantum-inspired particle swarm optimization (QPSO) optimization. It is observed that OGO is more skillful than basic GOA technique for significantly reducing the computation time and developing hopeful outcomes.

KEYWORDS

Direct Cost, Economic Emission Load Dispatch (EELD), Emission Tax, Grasshopper Optimization Algorithm (GOA), Oppositional-Based Learning (OBL), Overestimation, Renewable-Wind Energy, Underestimation

1. INTRODUCTION

To alleviate the challenges of power crisis and make clean environment, renewable energy is the main agenda of pollution free energy in entire planet. The primary objective of renewable energy based load dispatch (RELD) is to organize the dedicated generators and wind turbines' outcome; equipped in a particular path that the whole power generation charge and pollutant dangerous emission are diminished, by fulfilling the power requirement and every additional working constraints. Due to the exhaust hazard gases, environmental degradation is a major problem today. So this topic will give confidence for all the urbanized and upward countries to incorporate renewable sources like bio-

DOI: 10.4018/IJEOE.295983

*Corresponding Author

This article published as an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0/>) which permits unrestricted use, distribution, and production in any medium, provided the author of the original work and original publication source are properly credited.

energy, solar, wind etc. using conservative fossil fuels power units to meet up their rapidly increasing requirement of energy.

For stochastic environment of renewable possessions, renewable wind generation production is not easy to predict (Panigrahi et al. 2010). Most of these works used a valid statistics distribution and it is known as Weibull distribution and it is introduced (Li L-L et al. 2021; Shi et al. 2012; Muhammad et al. 2019; Ilhan et al. 2018; Hazra & Roy, 2020; Chaudhary et al. 2020) to represent the variability of wind. As the deviation of renewable wind speed controls the outputs of windmill, so wind power forecasting errors will carry a chief trouble for counting the system keep marginal level. A similar work can be seen in the literature of Ganesan et al. 2020. It is offer the assurance of steadfast and a secure operation. The unrestrained wind power penetration is a dangerous work for a complex electrical energy system and it may resulted out an unbalanced system. To meet the load demand, scheduling of hybrid wind thermal [WT] system as a type of optimal generation scheduling and it should be made in such a manner that the entire cost and contamination are decreased by satisfying multiple number of constraints (Hazra & Roy, 2015). In some literatures (Liu & Xu, 2010; Hetzer et al. 2008), scientific optimization method related to probabilistic phenomena are worn to compact with uncertainty of renewable generation of power. Employment of amalgam of the electric vehicles (PHEVs) plug-in and Thermo-Electric Cooling Devices (TECD) have been introduced for sufficient charging allocation strategy using metaheuristics approaches (Vasant et al. 2020; Vasant et al. 2017). Economic load dispatch (ELD) is a method to assign the generating sectors in such a way that the working charge is diminished by fulfilling the load demand. ELD with reflection of carbon pollution tax and incorporation of renewable power are a modern trend as well as it is an promising method. In this literature, the ELD having six conventional fossil fuel units under a very few loading situation is processed by imposing carbon emission and an another way i.e. without using pollution of harmful carbon. Later, two wind parks are incorporated to the systems and ELD is processed by including pollution penalty i.e. tax of carbon and secondly in another way i.e. without using carbon emission tax. The wind thermal collective systems is a multi-objective, multi-stage, complex and non smooth optimization issue. Owing to the stochastic characteristics of wind, available wind power is complicated to predict (Muhammad et al. 2019; Hazra & Roy, 2021; Chaudhary et al. 2020), that's why probability distribution function (PDF) is in use for shape the wind speed profiles. In this manuscript, thermal power plant incorporating wind energy has been discussed and successfully been solved using efficient meta-heuristics algorithms as well as power system operation and generation using conventional and non-conventional energy sources has been discussed. So, the proposed research work is very significant topic for the power system researchers. The proposed research work is a promising topics for operation of power system, because by using the renewable energy sources the society can be protected from the effect of dangerous greenhouse gases as well as the power can be generated at cheap rate and it helps the consumer to get electricity at affordable price.

A newly developed meta-heuristic optimization is an iterative method that supports the entire problem in a new capable way to determine the near-optimal solution. Due to the significant achievements of meta-heuristics concept (Vasant et al. 2020) for solving many kinds of non convex optimization process, and the interest has been slowly transferred to meta-heuristics technique from population-based techniques for handling the difficulty in the nonlinear system. In recent times, a lot of scholars have written their concentration with evolutionary techniques for load dispatch problems with constraint such as particle swarm optimization (PSO) (Meng et al. 2010), chemical reaction optimization (CRO) (Roy & Hazra, 2015), differential evolution (DE) (Bhattacharya & Chattopadhyay, 2010), and predator pray optimization (PPO) (Hazra & Roy, 2015). Zhang et al. (Zhang et al. 2013) offered PSO with a minor world agreement to enlighten the duplication for renewable power integration. Abbaspour et al. (Abbaspour et al. 2016) recognized best possible wind power operation scheduling by including condensed storage of air energy. Chen et al. (Chen et al. 2015) projected, administration slanting production allotment of renewable energy by deploying

20 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/article/oppositional-go-a-applied-to-renewable-energy-based-multi-objective-economic-emission-dispatch/295983

Related Content

Waste-to-Energy Integration Strategies in the Tourism Industry: Evidence of Bangladesh

Md. Mehedi Hasan Sawon, Farhana Yeasmin Lina, Mohammad Badruddoza Talukderand Md. Akram Hossain (2025). *Application of Waste-to-Energy Innovations in Tourism* (pp. 55-74).

www.irma-international.org/chapter/waste-to-energy-integration-strategies-in-the-tourism-industry/357586

Accelerating the Future: Electric Vehicles and Charging Infrastructure Development

Shalini Jaiswal (2026). *The Future of Green Energy: Storage, Materials, Alternative Fuels, and Net-Zero Strategies* (pp. 219-250).

www.irma-international.org/chapter/accelerating-the-future/389034

Flying Capacitor Inverter Integration in a Renewable Energy System

Mohamed Lamine Hamida, Arezki Fekik, Hakim Denoun, Aghiles Ardjaland Aicha Aissa Bokhtache (2022). *Modeling and Control of Static Converters for Hybrid Storage Systems* (pp. 287-306).

www.irma-international.org/chapter/flying-capacitor-inverter-integration-in-a-renewable-energy-system/287191

Model for Power Shortage Estimation in Electric Power Systems: Interior Point Algorithms

Sergey Perzhabinskyand Valery Zorkaltsev (2012). *International Journal of Energy Optimization and Engineering* (pp. 70-88).

www.irma-international.org/article/model-power-shortage-estimation-electric/72731

Saving Energy in Homes Using Wi-Fi Device Usage Patterns

Tejasvi Kothapalli (2018). *International Journal of Energy Optimization and Engineering* (pp. 47-60).

www.irma-international.org/article/saving-energy-in-homes-using-wi-fi-device-usage-patterns/198460