An Interoperable Framework for Computational Models of Emotion

Enrique Osuna, Instituto Tecnológico de Sonora, Mexico Sergio Castellanos, Instituto Tecnológico de Sonora, Mexico Jonathan Hernando Rosales, Universidad Autónoma de Guadalajara, Mexico Luis-Felipe Rodríguez, Instituto Tecnológico de Sonora, Mexico*

ABSTRACT

Computational models of emotion (CMEs) are software systems designed to emulate specific aspects of the human emotions process. The underlying components of CMEs interact with cognitive components of cognitive agent architectures to produce realistic behaviors in intelligent agents. However, in contemporary CMEs, the interaction between affective and cognitive components occurs in an ad-hoc manner, which leads to difficulties when new affective or cognitive components should be added in the CME. This paper presents a framework that facilitates taking into account in CMEs the cognitive information generated by cognitive components implemented in cognitive agent architectures. The framework is designed to allow researchers to define how cognitive information biases the internal workings of affective components. This framework is inspired in software interoperability practices to enable communication and interpretation of cognitive information and standardize the cognitive affective communication process by ensuring semantic communication channels used to modulate affective mechanisms of CMEs.

KEYWORDS

Affective Component, Agent Architecture, Cognitive Component, Computational Modeling, Emotion Modeling, Intelligent Agent, Interoperability, Software Framework

INTRODUCTION

Computational models of emotion (CMEs) are software systems designed to imitate some aspects of the process of human emotions (Sergio Castellanos & Rodriguez, 2018). This type of computational model is usually developed to be included in the cognitive architecture of virtual agents so that this type of intelligent system is capable of exhibiting affective behaviors in specific application domains (Caro et al., 2019; Rath et al., 2021). In general, CMEs are designed and implemented to provide virtual agents with mechanisms for evaluating a stimulus, eliciting synthetic emotions, and generating emotional behaviors (Huang et al., 2017; Rodríguez & Ramos, 2014). It is common practice that the internal mechanisms of CMEs are inspired by

DOI: 10.4018/IJCINI.296257

```
*Corresponding Author
```

This article published as an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0/) which permits unrestricted use, distribution, and production in any medium, provided the author of the original work and original publication source are properly credited.

theories about human emotions originated in areas such as psychology and neuroscience. Thus, the development process of CMEs is supported by theoretical and computational aspects. First, emotion theory provides explanations about the workings of human emotions that serve as guidelines underlying the design of the internal mechanisms, processes, phases, architectures, among other elements of CMEs. Second, computational artifacts and practices from areas such as software engineering are utilized to achieve a working computational software of such a human emotion model and ensure a correct technical functioning. The development process of contemporary CMEs reported in the literature follows, in general, the procedure depicted in Figure 1, which reflects an effort of researchers in obtaining the requirements from emotion theories and the generation of a functional model (Rodríguez & Ramos, 2014).

According to emotion theory, the underlying mechanisms of emotion processing are largely influenced by cognitive information that results from cognitive functions such as attention, as well as by psychological constructs (e.g., individual's personality and culture) (Jain & Asawa, 2015; Jha et al., 2013; Rath et al., 2021). Based on this evidence, the components of a CME are required to be designed so that cognitive information from components in cognitive agent architectures are considered. It is assumed that this strategy leads to imitating closely the process of human emotion and ultimately allowing the virtual agent to exhibit very realistic affective behavior (Jha et al., 2013; Xie et al., 2012; Yalcin & Dipaola, 2018). From a software system perspective, affective and cognitive components must therefore interact with each other in order to generate realistic emotions and, in turn, these emotions influence the functioning of cognitive processes such as the agent's decision-making and planning (Gavirangaswamy et al., 2019; Tieck et al., 2019). Nevertheless, this cognitive-affective relationship becomes highly complex since sharing information between cognitive and affective components that presumably may have been developed independently involves an important technical challenge. For instance, enabling the data exchange between affective components in CMEs and cognitive components in cognitive agent architectures is not enough, it is also necessary to resolve semantic issues to enable the accurate interpretation of the data that is being exchanged.

The interaction among systems developed independently is an issue that has been widely addressed in the field of software engineering and is associated with the concept of interoperability (Osuna et al., 2021). In fact, in diverse research areas this concept has been adopted for the design of scientific software (Horsch et al., 2019). In the context of emotion modeling, interoperability involves the design of mechanisms that enable cognitive and affective components to communicate utilizing an agreed model description and thus collaborate in the processing of data in the context of a broader cognitive-affective model, such as in the context of cognitive agent architectures. However, despite the potential benefits of adopting interoperability in the design of CMEs, there are still a series of challenges associated to the following:



Figure 1. Development process of CMEs

13 more pages are available in the full version of this document, which may be purchased using the "Add to Cart"

button on the publisher's webpage: www.igi-

global.com/article/an-interoperable-framework-for-

computational-models-of-emotion/296257

Related Content

A Global Process for Model-Driven Approaches in User Interface Design

Sybille Caffiauand Patrick Girard (2012). *Cognitively Informed Intelligent Interfaces: Systems Design and Development (pp. 219-234).* www.irma-international.org/chapter/global-process-model-driven-approaches/66276

Regression-Based Automated Facial Image Quality Model

Fatema Tuz Zohra, Andrei D. Gavrilov, Omar A. Zatarainand Marina L. Gavrilova (2017). *International Journal of Cognitive Informatics and Natural Intelligence (pp. 22-40).*

www.irma-international.org/article/regression-based-automated-facial-image-qualitymodel/195017

Semantically Linking Information Resources for Web-Based Sharing

Junsheng Zhang, Yingfan Gao, Yanqing He, Hongjiao Xu, Chongde Shiand Peng Qu (2013). *International Journal of Cognitive Informatics and Natural Intelligence (pp. 65-79).*

www.irma-international.org/article/semantically-linking-information-resources-for-web-based-sharing/101818

Modeling Underwater Structures

Michael Jenkin, Andrew Hogue, Andrew German, Sunbir Gill, Anna Topoland Stephanie Wilson (2010). *Discoveries and Breakthroughs in Cognitive Informatics and Natural Intelligence (pp. 413-427).*

www.irma-international.org/chapter/modeling-underwater-structures/39277

A Heterogeneous AdaBoost Ensemble Based Extreme Learning Machines for Imbalanced Data

Adnan Omer Abuassba, Dezheng Zhangand Xiong Luo (2019). *International Journal of Cognitive Informatics and Natural Intelligence (pp. 19-35).*

www.irma-international.org/article/a-heterogeneous-adaboost-ensemble-based-extremelearning-machines-for-imbalanced-data/231498