


# Chapter 1

## Deep–CNN Model for Acute Lymphocytic Leukemia (ALL) Classification Using Microscopic Blood Images: Global Research

**Prasanna Ranjith Christodoss**

 <https://orcid.org/0000-0003-4778-7915>

*University of Technology and Applied Sciences, Shinas, Oman*

**Rajesh Natarajan**

 <https://orcid.org/0000-0003-1255-9621>

*University of Applied Science and Technology, Shinas, Oman*

### ABSTRACT

*Acute lymphocytic leukemia (ALL) is a variety of malignant somatic cell cancer that influences children and teenagers. The goal of the study is to create a system that can detect cancer from blood corpuscle images mechanically. This method employs a convolutional network that takes images of blood corpuscles and determines whether or not the cell is cancer infected. The appearance of cancer in blood corpuscle images is frequently ambiguous, overlaps with other diagnosis, and can be mistaken for a variety of benign abnormalities. Machine-assisted cancer identification from blood corpuscle images at the level of skilled medical staff would be extremely beneficial in clinical settings and also in the delivery of healthcare to populations with limited access to diagnostic imaging specialists. Here, the authors proposed a convolutional neural network (CNN)-based methodology to distinguish between outdated as well as irregular somatic cell photos. With the dataset and 1188 somatic cell images, the proposed methodology achieves an accuracy of up to 96.6%.*

DOI: 10.4018/978-1-7998-9640-1.ch001

## **INTRODUCTION**

Blood is made up of plasma and three different types of cells: white blood cells, red blood cells, and platelets, each of which has a specific function. Chemical elements are transported from the lungs to the body's tissues by red blood cells, and vice versa. The body's ability to fight diseases and infections is aided by white blood cells. Platelets aid in clotting and bleeding control (A. Sindhu & S. Meera., 2015). Malignant neoplastic illness is a type of blood cancer in which the number of white blood cells grows rapidly and the cells become immature, interfering with other blood cells, including red blood cells and platelets (Chatap, N., & Shibu, S., 2014). The white blood corpuscle to white blood corpuscle magnitude ratio in our body is 1000:1. It means that there is one white blood cell for every thousand red blood cells. There are two types of white blood cells that can develop into leukaemia:

- Lymphoid cells
- Myeloid cells

White blood corpuscle or lymphocytic leukaemia is caused by tumour cells, while myelogenous or chronic leukaemia is produced by myeloid cells (Athira Krishnan, S. K. (2014). Leucaemia is divided into two categories: acute and chronic, based on the rate at which the cells multiply. In leukaemia, the aberrant blood cells are sometimes immature blasts (young cells) that don't work correctly (S., D. Mohapatra et al., 2010). These cells are rapidly multiplying. If leukaemia isn't treated right away, it will swiftly worsen. In leukaemia, young blood cells are produced, but mature purposeful cells are also produced. Leukemia causes blasts to grow slowly (Ritter, N & Cooper, J., 2007). It takes the disease longer to progress. The four most common types of leukaemia are:

- Acute lymphoblastic leukaemia (ALL)
- Acute myelogenous leukaemia (AML)
- Chronic lymphocytic leukaemia (CLL)
- Chronic myelogenous leukaemia (CML)

Leukemia is a potentially lethal illness that puts many sufferers' lives at jeopardy. Its rate of remission will be significantly improved if it is detected early (Dhiman, G et al., 2021). Using transfer learning, this project presents two machine-driven classification models supported by blood microscopic images to detect leukaemia, as opposed to traditional approaches that have numerous drawbacks. Blood microscopic images are pre-processed in the first model, and options are retrieved by a pre-trained deep convolutional neural network termed AlexNet, which makes classifications in accordance with a number of well-known classifiers. When pre-processing the pictures in the second model, AlexNet is fine-tuned for each feature extraction and classification. Experiments were carried out on a dataset of 2820 images, indicating that the second model outperforms the main due to its 100% classification accuracy (Zhao J et al., 2016).

Deep learning has recently made improvements in a variety of disciplines, including laptop vision, speech processing, and visual perception. Convolutional neural networks (CNNs) and deep neural networks (DNNs) are utilised to develop computer-aided diagnostic systems.

Deep neural network analysis and training, on the other hand, are time-consuming and difficult processes. As a result, rather than developing a deep neural network from the ground up, we prefer to

12 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

[www.igi-global.com/chapter/deep-cnn-model-for-acute-lymphocytic-leukemia-all-classification-using-microscopic-blood-images/301815](http://www.igi-global.com/chapter/deep-cnn-model-for-acute-lymphocytic-leukemia-all-classification-using-microscopic-blood-images/301815)

## Related Content

---

### Collaborative vs. Cooperative Learning: The Instructor's Role in Computer Supported Collaborative Learning

Orlando J. Olivares (2009). *E-Collaboration: Concepts, Methodologies, Tools, and Applications* (pp. 129-141).

[www.irma-international.org/chapter/collaborative-cooperative-learning/8779](http://www.irma-international.org/chapter/collaborative-cooperative-learning/8779)

### 3D Reconstruction Methods Purporting 3D Visualization and Volume Estimation of Brain Tumors

Sushitha Susan Joseph and Aju D. (2022). *International Journal of e-Collaboration* (pp. 1-18).

[www.irma-international.org/article/reconstruction-methods-purporting-visualization-estimation/290296](http://www.irma-international.org/article/reconstruction-methods-purporting-visualization-estimation/290296)

### Investigating IOS Adoption Maturity Using a Dyadic Approach

Mazen Ali, Sherah Kurnia and Robert B. Johnston (2009). *International Journal of e-Collaboration* (pp. 43-60).

[www.irma-international.org/article/investigating-ios-adoption-maturity-using/1990](http://www.irma-international.org/article/investigating-ios-adoption-maturity-using/1990)

### Computer-Supported Collaborative Work and Learning: A Meta-Analytic Examination of Key Moderators in Experimental GSS Research

John Lim, Yin Ping Yang and Yingqin Zhong (2009). *E-Collaboration: Concepts, Methodologies, Tools, and Applications* (pp. 98-128).

[www.irma-international.org/chapter/computer-supported-collaborative-work-learning/8778](http://www.irma-international.org/chapter/computer-supported-collaborative-work-learning/8778)

### Stock Market Prediction Based on Big Data Using Deep Reinforcement Long Short-Term Memory Model

Ishwarappa K. and J. Anuradha (2022). *International Journal of e-Collaboration* (pp. 1-19).

[www.irma-international.org/article/stock-market-prediction-based-on-big-data-using-deep-reinforcement-long-short-term-memory-model/304445](http://www.irma-international.org/article/stock-market-prediction-based-on-big-data-using-deep-reinforcement-long-short-term-memory-model/304445)