

Chapter 3

Robust Diagnostic System for COVID-19 Based on Chest Radiology Images

Sasikaladevi N.

School of Computing, SASTRA University (Deemed), India

Revathi A.

School of EEE, SASTRA University (Deemed), India

ABSTRACT

The proposed system is based on a diagnosis of COVID from x-ray images. In the respiratory system, 17 different viral infections are possible. Accurately discriminating COVID from other viral infections is necessary today as it spreads rapidly. The proposed system differentiates COVID infection accurately from other viral infections. The convolutional neural network (CNN) provides superior performance for disease diagnosis based on images in the deep learning era. In this chapter, to solve this issue, the authors propose a hypergraph-based convolutional neural network-based fast and accurate diagnosis system for COVID. In this work, the hypergraph represents the sophisticated features of a lung x-ray image to diagnose COVID. In-depth features are extracted from the x-ray images using residual neural networks. In order to discriminate COVID viral infection from other viral infections, the hypergraph fusion approach is used.

DOI: 10.4018/978-1-7998-9012-6.ch003

INTRODUCTION

According to the World Health Organization (WHO) report, millions of people are affected by the coronavirus. There is a need to repeat the test for confirmation (Chu, 2019). As it is a fast-spreading pandemic, there is a demand for rapid and accurate diagnostic systems. Based on Fang's (Fang, 2020) study, lung radiology image-based diagnostics outperformed all other screening methods. With a strong suggestion, a diagnostic with radiological images could be a first step in monitoring the COVID (Li, 2020). Early diagnosis of 2019-nCoV is crucial for disease treatment and control. Compared to a Reverse transcription-polymerase chain reaction (RT-PCR), chest X-ray imaging may be a more reliable, practical, and rapid method to diagnose and assess COVID, especially in the pandemic region. Even though radiology images-based COVID diagnosis is faster than PCR, it requires the Artificial Intelligence (AI) based diagnosis to gain a rapid and accurate explication over the X-ray images (Kermany, 2018).

Respiratory illness includes H1N1 viral infection, H5N1, Enterovirus, and viral pneumonia. Among these infections, coronavirus infection is severe as it mutates easily and rapidly. There are three basic types of coronavirus infection such as SARS, MERS, and COVID-19. There is a demand to discriminate these three viral infections from other viral pneumonia. This paper proposes the hyper graph-based approach to discriminate coronavirus infection from other virus infections in the lungs based on X-ray images.

The proposed system is based on a diagnosis of COVID from X-ray images. In the respiratory system, 17 different viral infections are possible. Accurately discriminating COVID from other viral infections is necessary today as it spreads rapidly. The proposed system differentiates COVID infection accurately from other viral infections. The Convolutional Neural Network (CNN) provides superior performance for disease diagnosis based on images in the deep learning era. Diagnosis of COVID from X-ray images needs a much more complex representational model as there is a demand to classify the images based on highly sophisticated features. In this paper, to solve this issue, we propose a Hypergraph-based convolutional Neural network-based Fast and Accurate Diagnosis system for COVID. In this work, the Hypergraph represents the sophisticated features of a lung x-ray image to diagnose COVID. In-depth features are extracted from the X-ray images using Residual neural networks. In order to discriminate COVID viral infection from other viral infections, the Hypergraph fusion is approach is used. The proposed model is evaluated based on the COVID dataset

14 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/robust-diagnostic-system-for-covid-19-based-on-chest-radiology-images/302061

Related Content

Feature Reduction Using Genetic Algorithm for Cognitive Man-Machine Communication

Naveen Irtizaand Humera Farooq (2015). *International Journal of Software Science and Computational Intelligence* (pp. 1-17).

www.irma-international.org/article/feature-reduction-using-genetic-algorithm-for-cognitive-man-machine-communication/157434

Research on O2O Platform and Promotion Algorithm of Sports Venues Based on Deep Learning Technique

Kaiyan Hanand Qin Wang (2020). *Deep Learning and Neural Networks: Concepts, Methodologies, Tools, and Applications* (pp. 1547-1558).

www.irma-international.org/chapter/research-on-o2o-platform-and-promotion-algorithm-of-sports-venues-based-on-deep-learning-technique/237950

The Formal Design Models of Digraph Architectures and Behaviors

Yingxu Wangand Aderemi Adewumi (2012). *International Journal of Software Science and Computational Intelligence* (pp. 100-129).

www.irma-international.org/article/formal-design-models-digraph-architectures/68000

A Deep Learning Approach for Hepatocellular Carcinoma Grading

Vitoantonio Bevilacqua, Antonio Brunetti, Gianpaolo Francesco Trotta, Leonarda Carnimeo, Francescomaria Marino, Vito Alberotanzaand Arnaldo Scardapane (2020). *Deep Learning and Neural Networks: Concepts, Methodologies, Tools, and Applications* (pp. 353-371).

www.irma-international.org/chapter/a-deep-learning-approach-for-hepatocellular-carcinoma-grading/237881

Robust Image Matching for Information Systems Using Randomly Uniform Distributed SURF Features

Ibrahim Furkan Ince (2022). *Applications of Computational Science in Artificial Intelligence* (pp. 157-173).

www.irma-international.org/chapter/robust-image-matching-for-information-systems-using-randomly-uniform-distributed-surf-features/302065