



IRM PRESS

701 E. Chocolate Avenue, Suite 200, Hershey PA 17033-1240, USA
Tel: 717/533-8845; Fax 717/533-8661; URL-<http://www.irm-press.com>

ITB14115

This chapter appears in the book, *Web Mobile-Based Applications for Healthcare Management*
by **L. Al-Hakim** © 2007, IGI Global

Chapter XIII

3G Mobile Medical Image Viewing

Eric T. T. Wong, The Hong Kong Polytechnic University, Hong Kong
Carrison K. S. Tong, Pamela Youde Nethersole Eastern Hospital, Hong Kong

Abstract

Tele-radiology is the technology of remote medical consultation using X-ray, computed tomographic, or magnetic resonance images. It was commonly accepted by clinicians for its effectiveness in making diagnoses for patients in critical situations. Because of the huge size of data volume involved in tele-radiology (American College of Radiology [ACR], 2003), clinicians are not satisfied with the relatively slow data-transfer rate. It limits the technology to fixed-line communication between the doctor's home and his or her office. In this project, a mobile high-speed wireless medical image viewing system using a 3G (third-generation) wireless network (Collins & Smith, 2001), virtual private network, and one-time two-factor authentication (OTTF) technologies is presented. Using this system, tele-radiology can be achieved by using a 3G PDA (personal digital assistant) phone to query, retrieve, and review the patient's record at anytime and anywhere in a secure environment. Using this technology, the patient-data availability can be improved significantly, which is crucial to timely diagnoses of patients in critical situations.

Introduction

Tele-radiology is the technology of remote medical consultation using X-ray, computed tomographic (CT), or magnetic resonance (MR) images. This technique is commonly accepted by clinicians for its effectiveness in making diagnoses for patients in critical situations. For effective implementation of tele-radiology, many technical problems including data integrity, accessibility, size of data volume, compression method, and bandwidth of linkage should be considered. Hitherto, due to the huge size of data volume involved, clinicians are not satisfied with the slow data-transfer rate. It limits the use of the technology to fixed-line communication between a doctor's office and his or her home. In this project, a mobile high-speed wireless medical image viewing system using third-generation (3G) mobile technology, a virtual private network (VPN), common gateway interfacing (CGI), dynamic JPEG (Joint Photographic Experts Group) compression, the Web, the structural query language (SQL; DuBois, 2002), digital imaging and communication in medicine (DICOM; National Electrical Manufacturers Association [NEMA], 2004), and one-time two-factor authentication (OTTF) technologies were developed. Using this system, tele-radiology has been enhanced to a large extent; image-data query and retrieval can be transferred from a hospital data centre to any notebook personal computer (PC), or to any 3G personal digital assistant (PDA) phone at anytime and anywhere in a secure environment. Hence, the patient-data availability can be improved significantly, which is quite important for patients in critical situations.

Background

Tele-radiology involves the process of sending radiographic images from one point to another through digital standard telephone lines, wide area networks (WANs), or over a local area network (LAN). The radiographic images can be acquired either by a video-capture board such as a frame grabber or the console of a medical imaging modality. After acquisition, the images were digitally stored in a tele-radiology workstation in which the images were ready to be sent to a remote site over a network such as an Ethernet.

In the field of medical imaging, most of the images were stored in DICOM formation. DICOM is a standard that is a framework for medical imaging communication. It was developed by the American College of Radiology (ACR) and the National Electrical Manufacturers Association (Bidgood & Horii, 1992) with input from various vendors, academia, and industry groups. It is referred to as Version 3.0 because it replaces Versions 1.0 and 2.0 of the standard previously issued by ACR

14 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/mobile-medical-image-viewing/31162

Related Content

Cascaded Dilated Deep Residual Network for Volumetric Liver Segmentation From CT Image

Gajendra Kumar Mourya, Manashjit Gogoi, S. N. Talbar, Prasad Vilas Dutandeand Ujjwal Baid (2021). *International Journal of E-Health and Medical Communications* (pp. 34-45). www.irma-international.org/article/cascaded-dilated-deep-residual-network-for-volumetric-liver-segmentation-from-ct-image/266237

A Strategic Approach to e-Health Interoperability Using e-Government Frameworks

Thanos Papadopoulos, Spyros Angelopoulosand Fotis Kitsios (2013). *User-Driven Healthcare: Concepts, Methodologies, Tools, and Applications* (pp. 791-807). www.irma-international.org/chapter/strategic-approach-health-interoperability-using/73865

Medical Search Engines

Bob Badgett, Suresh Chalasani, Rajendra V. Boppanaand Jacqueline A. Pugh (2008). *Encyclopedia of Healthcare Information Systems* (pp. 873-881). www.irma-international.org/chapter/medical-search-engines/13023

End-of-Life Decision-Making for Severely Ill Newborns: Neonatologists' Point of View and the Greek Legislation

Ilias Chatziioannidis, Evangelia Gkiougki, Abraham Pouliakis, Zoi Iliodromiti, Rozeta Sokou, Takis Vidalis, Theodora Boutsikou, Theodoros Xanthosand Nicoletta Iacovidou (2020). *International Journal of Reliable and Quality E-Healthcare* (pp. 8-17). www.irma-international.org/article/end-of-life-decision-making-for-severely-ill-newborns/263803

Physicians' User Experiences of Mobile Pharmacopoeias and Evidence-Based Medical Guidelines

Harri Oinas-Kukkonen, Teppo Raisanen, Katja Leiviska, Matti Seppanenand Markku Kallio (2009). *International Journal of Healthcare Information Systems and Informatics* (pp. 57-68). www.irma-international.org/article/physicians-user-experiences-mobile-pharmacopoeias/2248