



MOBILE AGENTS, MOBILE COMPUTING AND MOBILE USERS IN GLOBAL E-COMMERCE

Roberto Vinaja

Department of Computer Information Systems, College of Business, University of Texas Pan American,
1201 W. University Dr., Edinburg, TX 78539
Phone: (956) 381-3314; Fax: (956) 381-3367; E-mail: vinajar@panam.edu

ABSTRACT

Mobile agents may reside in a host or client computer, and can also roam other computers, networks or the Internet to execute their tasks. In this paper, we will examine the implications of mobility in three aspects: mobile code, mobile hardware and mobile users. The impact of mobility on electronic commerce in the areas of security issues, export controls, legal jurisdiction, taxation and international issues is also analyzed. Mobile agent technologies and mobile computers will play an important role in the new cyberspace economy, however many issues need to be addressed before the technology can be fully implemented.

INTRODUCTION

The Internet is now the main communication platform in the new digital society. Internet communications are efficient and low cost. The Internet and electronic commerce activities involve multinational sourcing of information and both have helped stimulate the flow of information across international borders in recent years. The architecture of the Internet is based on the principle of geographic indeterminacy. The mobile agent model seems to provide one of the most suitable technologies for distributed systems in order to integrate the Internet in a synergetic way (Corradi et. al. 1998). Mobile agents may reside in a host or client computer, and can also roam other computers, networks or the Internet to execute their tasks. In this paper, we will examine the implications of mobility in three aspects: mobile code, mobile hardware and mobile users. The impact of mobility on electronic commerce in the areas of security issues, export controls, legal jurisdiction, taxation and international issues is also analyzed.

THE MOBILITY CONCEPT

Tolksdorf (1999) applies the notion of mobility to different classes of entities in information systems. He distinguishes passive versus mobile information, active versus mobile agents, and the concept of mobile human users. We can distinguish between three categories of mobility: hardware mobility, software mobility and user mobility.

Mobile hardware: Mobile computing provides the ability to connect to the Internet and have access to a variety of resources while away from the home base. Examples of computers that are often disconnected from the network are: mobile computers, laptops, personal digital assistants, and modem-connected computers.


Mobile users: In this highly computerized era, users are highly mobile and relatively more transient. Hence, there is a need to manage the infrastructure so that remote users can access needed resources in order to accomplish their jobs (Murch and Johnson 1999).

Telecommuting is becoming more widespread as a growing percentage of employees are working from home. This convenience is made possible by using dial-up lines and telecommunication links. Both mobile networking and mobile agents facilitate another work modality that can be called "mobile working". Mobile working has grown significantly thanks to the widespread adop-

tion of laptop computers and mobile phones, especially among salespeople. (Australia 2000).

Mobile software: Mobile agent technology introduces the notion of moving an active entity over spatially different places. Systems may combine static agents with mobile agents (Kearney 1998). Mobile computing has been already very successful, and mobile agents are now revealing that software can also be mobile.

We can use the three dimensions of mobile/static computers, mobile/static software and mobile/static users to plot a three-dimensional matrix. Different applications can be differentiated in this basic classification matrix based on the criteria of computers, software and users.



Personal computers, mainframes and computing centers are examples of static computing environments. The following table describes sample scenarios combining the three dimensions.

| Hardware | Software | User | Sample Scenario |
|----------|-----------------|--------|---|
| Static | Static | Static | A PC user at home. |
| Static | Static | Mobile | A User at the Computer center. |
| Static | Mobile (Agents) | Static | A user launching Mobile agents at the Computer center |
| Static | Mobile (Agents) | Mobile | A user launching agent from several static computers |
| Mobile | Static | Mobile | A salesperson using a laptop with office software. |
| Mobile | Mobile (Agents) | Mobile | The optimum configuration |

MOBILE AGENTS

The mobile agents metaphor is analogous to how most people conduct business in daily activities, visit a place, use a service, perform a task, and finally move on (Johansen et. al. 1998). In addition, mobile agents are applications that can move through a

network carrying out a given task on behalf of the user. According to Nwana and Ndumu (1998), a mobile agent can roam wide area networks (WANs) such as the World Wide Web. Mobile agents interact with foreign hosts, performing tasks on behalf of their users and subsequently return to the original computer after achieving the goals.

According to Chen (2000) mobile agents can provide ubiquitous access to information, data, and applications. Ubiquitous access refers to the ability of users to access these computing resources from almost any terminal. This ubiquitous access is made possible by the latest Internet developments and the development of cross-platform languages, such as Java. Java can be used for the deployment of applications that can be executed across multiple platforms and networks.

MOBILE AGENT APPLICATIONS

Some examples of mobile agents are Telescript (White 1997), developed by General Magic, D'Agents (Brewington et. al. 1999) designed at Dartmouth, IBM's Aglets, Grasshopper and Mobiware.

Gehmeyr et. al. (1998) propose the combination of the use of mobile agent techniques for information retrieval. Mobile agents are also useful for the implementation of information gathering systems exploring the World Wide Web (Hanachi et. al. 1999). A serious problem with search services is the amount of network traffic they generate. Mobile agents can be used to reduce network load when searching information in the Web. Mobile agents can encapsulate the filtering function and perform the filter process at the respective data server locally (Theilmann and Rothermel 1999). Mobile agents could be used to enforce copyright protection laws. An agent could roam servers and sweep through the server files to find copies of copyrighted material (Murch and Johnson 1999).

MOBILE AGENTS IN E-COMMERCE

Mobile agents can be the best medium to conduct e-commerce transactions in a mobile computing scenario. In a mobile computing scenario, browsing an on-line catalog can be extremely expensive, given the high-priced wireless channels. However, the consumer can send a mobile agent out as both a broker and negotiator, and subsequently disconnect, and later reconnect to obtain the results.

Wang, Lam and Yi (1998) have proposed the use of mobile agents for e-commerce brokering, negotiation and payment. Current payment mechanisms like SET require the user to be connected to the Internet during the purchase transaction. This requirement might be costly when using cellular connections and mobile computers. The high cost of connection charges can also become an obstacle for electronic commerce purchases. Romao and Miranda Silva (1998) have proposed the alternate SET/A payment mechanism based on mobile agents, in which the cardholder can send a request, disconnect and later reconnect to receive the response from the merchant. The user can save his or her mobile computer battery, and costly network connection costs. Instead of using the user's computing resources, a mobile agent can consume service providers' resources (Plu 1998). After the user's mobile computer or PDA is turned off, the agent should move to a host that it is on-line (Huhns and Singh 1998).

A mobile agent could be sent out on behalf of its owner to find information. However the information may not be freely available, and a payment may be required. The solution would be a mobile agent equipped with electronic commerce capabilities (Vogler et. al. 1998). The agent would be an autonomous entity in the electronic marketplace, with the ability to search for a product or service, compare prices, negotiate and deal with payment mechanisms.

MOBILE COMPUTING AND WIRELESS NETWORKS

Nowadays, it is vital to be able to be active regardless of the geographic location, and this need has been fulfilled by wireless and cellular technology. In recent years, PDAs, laptop computers and communicator devices are providing a convenient platform for e-commerce transactions. Communicators are the next generation of cellular phones which include functionality of PDAs and palmtop computers such as e-mail, web browsing, and scheduling (Singh et. al. 1999).

Mobile agents are particularly useful in mobile-computing environments that need to deal with low-bandwidth, high latency, and unreliable network links. An agent can continue interaction with a resource or user even if the network connections go down temporarily (Brewington et. al. 1999). A mobile agent can travel in the Internet and retrieve information on behalf of a consumer. Later on, the mobile agent can return to the user's laptop and report the results when the laptop is reconnected to the network (Zhang 1999).

Mobile devices have low-bandwidth, high latency and high cost connections (Wang, Lam and Yi 1998). In addition, mobile computers have limited storage and processing capacity. A mobile agent can perform information retrieval, filtering and processing activities at a server, and return only the relevant (and reduced) information (Chess et. al. 1995). This approach can significantly decrease the volume of data handled by the mobile computer connection. Gray et. al. (2000) define mobile agents as programs that can move through a network under their own control, migrating from host to host and interacting with both other agents and resources on each host.

MOBILITY AND SECURITY ISSUES

Agent mobility might create security concerns. Unreliable agents may visit or request information from a system. Some server administrators will want to prevent agents to visit their web sites and use special software to block their entry (Murch and Johnson 1999). A malicious mobile agent could attack a server, and on the other hand, a malicious server can delete a mobile agent, or modify it so it produces abnormal results (Huhns and Singh 1998). The first security problem is easier to overcome, however, in the second case, in order to be executed the agent has to open both its code and data to the server and be exposed to alteration.

MOBILITY AND LEGAL JURISDICTION

Jurisdiction is a legal term for the restriction on the ability of a court to resolve disputes. According to this definition, companies (or individuals) from foreign countries can be sued in a U.S. court if the organization has had some minimum contacts with the U.S. Electronic actions through the Internet such as sending an e-mail, downloading data, or executing a mobile agent might satisfy the minimum contact requirement. The reverse situation might also be true: U.S. citizens may be sued in foreign courts with a similar minimum contact requirement for on-line activities (Perritt, 1996).

Typically, states' jurisdictional limits are related to geography. However, geography is a virtually meaningless construct on the new e-commerce marketplace. Distance and geographic location are irrelevant for the capabilities of the electronic marketplace (Reidenberg 1998). Data input, data processing, and data storage may take place at very different locations.

In mobile code systems, programs may come from unknown or unreliable sources. Current cyberlaw treats a program as an extension of the user or programmer; however, this assumption may not be true for mobile agent systems. Determining responsibility

for data protection is very complex given the open nature of the distributed architecture of the Internet.

A mobile agent could be used to collect private information located in multiple sources and consolidate it. A single sequential operation might involve cross-border data flows. Notice that in a mobile code scenario, the owner of the hardware, the user of a program, and the author of the software can be all distinct entities, possibly at different nations under distinct security regulations (Tschudin 1999). The activity of a mobile agent with access, collection and processing in several countries simultaneously offer many nations prescriptive jurisdiction in order to define the terms and conditions of fair information practices (Fordham 2000)

It is likely that companies and individuals might try to evade the jurisdiction of one nation by using mobile agents and mobile computers to relocate information and services to another nation. The Internet network architecture certainly blurs the meaning of the concept of "border". Jurisdiction may be an anachronism in a borderless world where time and distance have little meaning (Katsh, 1995).

Kitamura et. al. (1999) have proposed that one way to deal with this dilemma is to create virtual "places" for electronic communication on the Internet. In this Place-oriented communication model, an agent is authenticated before it is allowed to enter a virtual meeting place. This approach provides a meaningful model for agent authentication and the creation of virtual communities.

MOBILITY AND DATA EXPORT CONTROLS

The objective of export control implementations is to protect national security and avoid the unregulated dissemination of certain sophisticated encryption technologies. Given the existing barriers on the export of intangibles, people may try to circumvent controls by using mobile technology or mobile agents. One may try to embed encryption technology inside an intelligent agent, or in the case of equipment, as part of a mobile computing device. Because mobile software and equipment traverse from one location to another, this equipment might be used for transferring controlled technologies (Bohm, Brown and Gladman 2000).

A mobile agent can be used to overcome limitations on cross-border data transfers. By moving to the location of an information resource, a mobile agent can search the resource locally, eliminating the network transfer of data (Brewington et. al. 1999). Hence, instead of bringing data into an application, one can send the application (the mobile agent) to process data at the resource, and subsequently return with consolidated results that are not the same as the primary data. As a result, we are not exporting private primary data (which is not allowed), but the results obtained by running the mobile agent (which is considered conglomerated or derived data). We are moving the computation (agent) to the data, rather than the data to the computation. The agent will filter the data it reads. Hence there is almost no need to transmit raw data from one site to another, and therefore cross-border data flows can be kept to a minimum (Johansen 1998). Using a mobile agent is very useful when moving the data is often not feasible or difficult, moving the computation to the data with a mobile agent is a convenient and efficient alternative (Rus et. al. 1997).

Just as mobile agents can be used to circumvent security controls they can also be used to help implement data export controls. Tschudin (1999) describes how a database owner can offer a flexible interface without losing control over the amount and type of data that is exported. Mobile agents can be allowed to freely browse the full database content, but they would be prevented to leave the server, and would be terminated after the agent had ob-

tained its results. These results could be transformed by the host into a query result and sent back to the client.

MOBILITY AND TAXATION

The application of current tax regulation to e-commerce is very difficult. In the United States, a state can assess sales taxes on a company when the company establishes "nexus" in the state. Nexus is a concept of physical location; therefore a company must have a branch in the state in order to pass the nexus test. Nexus is the most important issue of taxation relating to e-commerce (Castelluccio 1996).

Hellerstein (1997) states, "To ask about the 'location' of e-commerce is to ask a question that is not worth answering", whereas Posch (1997) asserts that, "Electronic commerce has dissolved the linkage between an income producing activity and geographic boundaries"

Mobile agents could be used to evade taxes. Both Weiner (1997) and Fox and Murray (1997) point out that e-commerce capital is much more mobile than other forms and is highly sensitive to tax differentials. Taxpayer compliance in electronic commerce transaction may be really difficult. Tax rates vary by state, and some companies or consumers may utilize mobile agents to evade taxes. A mobile agent may be sent to a host computer at another location where tax rates are lower or even avoid paying state sales taxes altogether.

The U.S. Department of Treasury is specifically concerned about the following e-commerce mechanisms: electronic money, identity verification, record keeping and integrity, and disintermediation (Levey, O'Donnell & Powers). Esser (1997) raises the concern that inappropriate Internet tax regulations might reduce the volume of collected taxes, and subsequently reduce the available state resources for safety, health and education services.

MOBILITY AND INTERNATIONAL ISSUES

Individual consumers are now able to buy across national borders without even leaving their own country. If a dispute arises, there are not many applicable laws for international arbitration of a consumer's dispute with a merchant. Kido (1999) describes several potential cross-cultural issues in the cooperation of agents and humans in a global network. These issues include language differences, differences in human-computer interaction, negotiation strategies depending on the culture, the importance of culture-adaptive web sites. Because mobile agents may interact with users or users' agents in diverse cultures, they should be customized to deal with different negotiation strategies or languages depending on the culture.

CONCLUSIONS

Mobile agents have several characteristics, which can be applied, in mobile wide area network architectures and in several aspects of electronic commerce. Mobile agent technologies and mobile computers will play an important role in the new cyberspace economy, however many issues need to be addressed before the technology can be fully implemented.

REFERENCES

- Brewington, B., Gray, R., Moizumi, K., Kotz, D., Cybenko, G. & and Rus, D. (1999). "Mobile Agents for Distributed Information Retrieval," In Klusch, M. (Ed.): *Intelligent Information Agents*, Germany: Springer-Verlag, 354-395.
- Castelluccio, M. (1996). "Who will collect the taxes on the new silk road?," *Management Accounting*, 78(5), 58.
- Chen, Larry T., "AgentOS: The Agent-based Distributed Operating System for Mobile Networks,"
- Chess, D., Grosz, B., Harrison, C., Levine, D., Parris, C. and Tsudik, G. (1995) "Itinerant agents for mobile computing", *IEEE Personal Communications*, 2(5), 34-49.
- Corradi, A., Cremonini, M., and Stefanelli, C. (1998) "Melding Abstractions with Mobile Agents," In Klusch, M. and Weib, G., *Cooperative Information Agents II*. Germany: Springer-Verlag, 278-289
- Esser, Jeffrey L. (1997). "Internet commerce and state/local sales taxes," *Government Finance Review*, Dec 1997 v13 n6 p5(1).
- Fox, W.F. and Murray, M.N. (1997). "The sales tax and electronic commerce: so what's new? *National Tax Journal*, 50(3), 573-575
- Gehmeyer, A., Muller, J. and Schappert, A. (1998). "Mobile Information Agents on the Web," In Klusch, M. and Weib, G., *Cooperative Information Agents II*. Germany: Springer-Verlag, 262-277
- Gray, R.S., Kotz, D., Nog, S., Rus, D., and Cybenko, G. (1999). "Mobile agents for mobile computing," Dartmouth PCS-TR96-285
- Hanachi, C., Hameurlain, N., Sibertin-Blanc, C. (1999). "Mobile Agents Behaviours: From Declarative Specifications to Implementation". In: *Cooperative Information Agents III*. Germany: Springer-Verlag, 196-207.
- Hellerstein, W. (1997) "Transaction taxes and electronic commerce: designing state taxes that work in an interstate environment. *National Tax Journal*. 50(3), 593-606.
- Huhns, M.N. and Singh, M. (1998). *Readings in Agents*. San Francisco, CA: Morgan Kaufmann. 11-12.
- Johansen, D., van Renesse, R., and Schneider, F.B. (1998). "Operating System Support for Mobile Agents", Huhns, M.N. and Singh, M. (1998). *Readings in Agents*. San Francisco, CA: Morgan Kaufmann. 263-266.
- Katsh, E. M. (1995). "Cybertime, cyberspace and cyberlaw," *Journal of Online Law*.
- Kearney, P. (1998). "Personal Agents: A Walk on the Client Side", In: Jennings, N.R. and Wooldridge, M.J., *Agent Technology*, Germany: Springer-Verlag, 125-136.
- Kido, Takashi (1998). "Grand Challenge Problems on Cross Cultural Communication -Toward Socially Intelligent Agents," In Klusch, M. and Weib, G., *Cooperative Information Agents II*. Germany: Springer-Verlag
- Kitamura, Y., Mawarimichi, Y. and Tatsumi, S. (1999) "Mobile-Agent Mediated Place Oriented Communication", In Klusch, M. and Weib, G., *Cooperative Information Agents III*. Germany: Springer-Verlag, 232-242.
- Kovacs, E., and Röhrle, K. (1998). "Integrating Mobile Agents to the Mobile Middleware," In Kurt R. and Fritz H. (Eds.): *Mobile Agents, Lecture Note in Computer Science (LNCS)*. 1477. Germany: Springer-Verlag.
- Küpper, A., Park, S.B. (1988). "Stationary vs. Mobile User Agents in Future Mobile Telecommunication Networks," In Kurt R. and Fritz H. (Eds.): *Mobile Agents, Lecture Note in Computer Science (LNCS)*. 1477. Germany: Springer-Verlag.
- Levey, M.M., O'Donnell, T.A. and Powers, J. P. (1997). "Cyberspace transactions present interesting international, state and local tax issues," *Tax Executive*, 49(6), 476-486.
- Nwana, H.S., Ndumu, D.T. (1998). "A Brief Introduction to Software Agent Technology". In: Jennings, N.R. and Wooldridge, M.J., *Agent Technology*, Germany: Springer-Verlag, 29-47.
- Perritt, H. (1993). "Metaphors for understanding rights and responsibilities in network communities: Print shops, barons, sheriffs and bureaucracies," *Villanova Information Law Chronicle*, Available on-line at <http://www.law.vil.l.edu/chron/articles/metafin.htm>.
- Plu, M. (1998). "Software Technologies for Building Agent Based Systems in Telecommunication Networks", In: Jennings, N.R. and Wooldridge, M.J., *Agent Technology*, Germany: Springer-Verlag, 241-266.
- Posch, R.J. (1997). "Transactional and attributable nexus in cyberspace." *Direct Marketing*, 59(10) 62.
- Reidenberg, J.R. (1998). "International Data Transfers and Methods to Strengthen International Co-Operation", *20th International Conference of Data Protection Authorities*. Santiago de Compostela, Spain.
- Romao, A. and Mira Da Silva, M. (1998). "An Agent-Based Secure Internet Payment System for Mobile Computing," *Proceeding of Trends in Distributed Systems 1998*: Germany: Springer-Verlag.
- Rus, D., Gray R., and Kotz D. (1997). "Transportable Information Agents", *Proceedings of the International Conference on Autonomous Agents*, ACM, 228-236.
- Singh, M., Jain A.K. and Singh M. (1999), "E-Commerce over Communicators: Challenges and Solutions for User Interfaces", *Proceedings of the ACM Conference on Electronic Commerce*, EC'99, Denver, Colorado.
- Theilmann, Wolfgang and Rothermel, K. (1999). "Maintaining Specialized Search Engines through Mobile Filter Agents", In Klusch, M. and Weib, G., *Cooperative Information Agents III*. Germany: Springer-Verlag, 208-219.
- Tolksdorf, R. (1998). "Coordination Patterns of Mobile Information Agents," In Klusch, M. and Weib, G., *Cooperative Information Agents II*. Germany: Springer-Verlag, 246-261
- Tolksdorf, R. (1999). "On Coordinating Information Agents and Mobility," In Klusch, M. (Ed.): *Intelligent Information Agents*, Germany: Springer-Verlag. 396-411
- Tschudin, C.F. (1999). "Mobile Agent Security," In Klusch, M. (Ed.): *Intelligent Information Agents*, Germany: Springer-Verlag. 431-445.
- Vogler, Hartmut, Moschgath, Marie-Luise and Kunkelman, T. (1998). "Enhancing Mobile Agents with Electronic Commerce Capabilities." In Klusch, M. and Weib, G., *Cooperative Information Agents II*. Germany: Springer-Verlag, 148-159.
- Wang, X.F., Lam, K.Y. and Yi, X. (1998). "Secure Agent-Mediated Mobile Payment," In Ishida, T. (ed.) *Multiagent Platforms*, PRIMA 98, Singapore, November 1998, LNCS 1599, Germany: Springer-Verlag, 162-173
- Weiner, J.M. (1997). "Discussion of papers on telecommunications taxation." *National Tax Journal*, 50(3), 623-630.
- Zhang, M. and Li, W. (1999). "Persisting Autonomous Workflow for Mobile Agents using a Mobile Thread Programming Model", *Proceedings of the Second Pacific Rim International Workshop on Multi-Agents*, PRIMA'99, Kyoto, Japan, Germany: Springer-Verlag, 84-95.

0 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:
www.igi-global.com/proceeding-paper/mobile-agents-mobile-computing-mobile/31604

Related Content

EDRC: An Early Data Lending-Based Real-Time Commit Protocol

Sarvesh Pandey and Udai Shanker (2021). *Encyclopedia of Information Science and Technology, Fifth Edition* (pp. 800-814).

www.irma-international.org/chapter/edrc/260230

The Analysis of Instrument Automatic Monitoring and Control Systems Under Artificial Intelligence

Qinmei Wang (2024). *International Journal of Information Technologies and Systems Approach* (pp. 1-13).

www.irma-international.org/article/the-analysis-of-instrument-automatic-monitoring-and-control-systems-under-artificial-intelligence/336844

Survey on Privacy Preserving Association Rule Data Mining

Geeta S. Navale and Suresh N. Mali (2017). *International Journal of Rough Sets and Data Analysis* (pp. 63-80).

www.irma-international.org/article/survey-on-privacy-preserving-association-rule-data-mining/178163

Fuzzy Decision Support System for Coronary Artery Disease Diagnosis Based on Rough Set Theory

Noor Akhmad Setiawan (2014). *International Journal of Rough Sets and Data Analysis* (pp. 65-80).

www.irma-international.org/article/fuzzy-decision-support-system-for-coronary-artery-disease-diagnosis-based-on-rough-set-theory/111313

Outage Analysis and Maintenance Strategies in Hydroelectric Production

Reginald Wilson (2015). *Encyclopedia of Information Science and Technology, Third Edition* (pp. 2686-2698).

www.irma-international.org/chapter/outage-analysis-and-maintenance-strategies-in-hydroelectric-production/112686