


# Speedy Management of Data Using MapReduce Approach

**Ambika N.**

 <https://orcid.org/0000-0003-4452-5514>

*St. Francis College, India*

## INTRODUCTION

Data (Coombs, 1960) of large quantities are assembled on daily basis in various kinds of applications like Twitter (Murthy, 2013), Facebook (Miller, 2011) etc. To manage them is very tough task. As they are scalable, they require better algorithms in searching, and sorting the data sets. Big data (Fan, Han, & Liu, 2014) has many challenges including coping with speed in performing the assigned tasks. The huge information arrangements are multithreaded and information access approaches are custom-fitted to huge volumes of semi-organized/unstructured information (Ferrucci & Lally, 2004) (Weiss, Indurkha, Zhang, & Damerou, 2010).

The MapReduce programming system (Dittrich & Quiané-Ruiz, 2012) utilizes two assignments in practical programming- Map and Reduce. MapReduce (Dean & Ghemawat, 2008) is another preparing structure. Hadoop (Lam, 2010) is its open-source execution on a solitary processing hub or groups. Contrasted and existing preparing ideal models, MapReduce (Sabne, Sakdhnagool, & Eigenmann, 2015) and Hadoop (Shvachko, Kuang, Radia, & Chansler, 2010) enjoy two benefits. The deficiency lenient capacity brings about dependable information handling by reproducing the registering errands and cloning the information lumps on various figuring hubs across the processing bunch. The high-throughput knowledge preparation employs a cluster handling structure and the Hadoop disseminated document framework. Information is put away in the HDFS (Borthakur, 2008) (Karun & Chitharanjan, 2013) and made accessible to the slave hubs for calculation.

The suggested work uses hashing methodology to increase speed in searching the required data. The hashing methodology is used to do so. The attributes used are divided into different categories. The classification is made based on the inclinations. Based on the preference of the classified data, the hashing is applied. The suggestion reduces the mapping using hashing method based on attributes by 29.6% compared to (Dittrich & Quiané-Ruiz, 2012).

The chapter is divided into six divisions. The second section summarizes literature survey. The proposal is explained in third segment. The work is analyzed in section four. Future directions are discussed in section five. The chapter is concluded in segment six.

## LITERATURE SURVEY

The following section briefs the various contributions given by different authors. The MapReduce programming system (Dittrich & Quiané-Ruiz, 2012) utilizes two assignments in practical programming- Map and Reduce. MapReduce is another preparing structure. Hadoop is its open-source execution on a solitary processing hub or groups. Contrasted and existing preparing ideal models, MapReduce and

DOI: 10.4018/978-1-7998-9220-5.ch018

Hadoop enjoy two benefits. The deficiency lenient capacity brings about dependable information handling by reproducing the registering errands and cloning the information lumps on various figuring hubs across the processing bunch. The high-throughput knowledge preparation employs a cluster handling structure and the Hadoop disseminated document framework. Information is put away in the HDFS and made accessible to the slave hubs for calculation.

It is an engineered pattern (Jiang, Chen, Ooi, Tan, & Wu, 2014) that allows customers to prepare multi-structured data in an individual arrangement. The estimate consists of a collection of systems. Sections are autonomous. Every member employ user-defined reasoning. It prepares the info autonomously and interacts with different parts through information passing. A piece becomes stimulated when it accepts communication from the instructor system. It adaptively arranges to learn from the accommodation arrangement and employs the user-specified purpose to prepare the knowledge. The member corresponds to the returns following the warehouse conformity. The learning of the central conclusions is compiled in communications transmitted to the chief system. The instructor arrangement consists of various synchronized supervisors. It is qualified for three services: identifying assistance, intelligence aid, and agenda-setting. Naming assistance allows a sole namespace to each member. They manage a two-level namespace. The primary level namespace designates a collection of systems working the corresponding customer cipher. The following tier namespace identifies the section from the others. epic allows the client to customize the second-level namespace.

The creative items (Gölzer, Cato, & Amberg, 2015) in stock can interact with every other, evaluate usable data, trigger responses, and collectively have the ability for independent self-control and self-optimization. Smart outcomes can be recognized, positioned at all events, know their past, situation, and alternative approaches to achievement. Smart rendering arrangements are correlated to the company's marketing methods, IT systems, and the complete assessment series in the composition system. It permits real-time administration and optimization of the content succession, commencing with an adaptation to the terminal performance of the stock. The part of the analysis, reservation guidelines is designated. The piece of investigation establishes practices for the quantity of writing which is the foundation for understanding. The specifications are expressed in inevitable reports. It acknowledges agreement and analysis of requirements in the specific circumstances of the article. The choice patterns define determination commands whether a part of the commentary provides to the examination interrogation and aims to summary.

The physical tier (Habib ur Rehman, Jayaraman, Malik, Khan, & Medhat Gaber, 2017) is at the deepest level promotes information gain from portable end machines using onboard and offboard sensing and non-sensory knowledge reservoirs. The information layer at the following level enables connectivity and info substitution from movable boundary designs to fog hosts. The statistics collection course provides functionality to aggregate input streams from joining tools and shows evidence filtration processes to assign beneficial raw knowledge streams in store. The analytics tier guarantees the availability of statistics investigation assistance through store aid providers. The administration panel provides functionalities to communicate with IoT utilization. The portable end machines produce data gathering procedures and assign raw input streams in end hosts. This information acquisition maneuvering improves the price of data transmission among portable end appliances and fog hosts. Secondly, fog hosts are defined by physical neighborhoods. The end arrangements need to be in nearness to serve from store assistance. The data processing and analytic elements are implemented through incorporated co-operations. It is improving the computational load in store. Fourthly, IoT utilization is established on top of the store. The fog computing structures involve high coupling among employment elements at distinctive zones (Ambika 2019; Ambika 2021).

10 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:  
[www.igi-global.com/chapter/speedy-management-of-data-using-mapreduce-approach/317453](http://www.igi-global.com/chapter/speedy-management-of-data-using-mapreduce-approach/317453)

## Related Content

---

### Robotics and Artificial Intelligence

Estifanos Tilahun Mihret (2020). *International Journal of Artificial Intelligence and Machine Learning* (pp. 57-78).

[www.irma-international.org/article/robotics-and-artificial-intelligence/257272](http://www.irma-international.org/article/robotics-and-artificial-intelligence/257272)

### A Meta-Analytical Review of Deep Learning Prediction Models for Big Data

Parag Verma, Vaibhav Chaudhari, Ankur Dumka and Raksh Pal Singh Gangwar (2023). *Encyclopedia of Data Science and Machine Learning* (pp. 356-381).

[www.irma-international.org/chapter/a-meta-analytical-review-of-deep-learning-prediction-models-for-big-data/317460](http://www.irma-international.org/chapter/a-meta-analytical-review-of-deep-learning-prediction-models-for-big-data/317460)

### Waste-to-Energy Solutions Harnessing IoT and ML for Sustainable Power Generation in Smart Cities

Tarun Kumar Vashishth, Vikas Sharma, Kewal Krishan Sharma, Bhupendra Kumar, Sachin Chaudhary and Rajneesh Panwar (2024). *Methodologies, Frameworks, and Applications of Machine Learning* (pp. 125-146).

[www.irma-international.org/chapter/waste-to-energy-solutions-harnessing-iot-and-ml-for-sustainable-power-generation-in-smart-cities/342652](http://www.irma-international.org/chapter/waste-to-energy-solutions-harnessing-iot-and-ml-for-sustainable-power-generation-in-smart-cities/342652)

### Autonomous Navigation Using Deep Reinforcement Learning in ROS

Ganesh Khekare and Shahrukh Sheikh (2021). *International Journal of Artificial Intelligence and Machine Learning* (pp. 63-70).

[www.irma-international.org/article/autonomous-navigation-using-deep-reinforcement-learning-in-ros/277434](http://www.irma-international.org/article/autonomous-navigation-using-deep-reinforcement-learning-in-ros/277434)

### Implementation of Different Machine Learning Projects Using Scikit-learn and Tensorflow Frameworks

Durmu Özkan ahin (2024). *Methodologies, Frameworks, and Applications of Machine Learning* (pp. 19-51).

[www.irma-international.org/chapter/implementation-of-different-machine-learning-projects-using-scikit-learn-and-tensorflow-frameworks/342647](http://www.irma-international.org/chapter/implementation-of-different-machine-learning-projects-using-scikit-learn-and-tensorflow-frameworks/342647)