

701 E. Chocolate Avenue, Suite 200, Hershey PA 17033, USA Tel: 717/533-8845; Fax 717/533-8661; URL-http://www.idea-group.c

An Electronic Parent-Teacher Association

H.M. Harmain & M.A. Radaideh
{harmain, radaideh}@uaeu.ac.ae

UAE University, College of Information Technology
P.O.Box 17555, Al-Ain, UAE
Phone: +971-3-7626309 Fax: +971-3-7626309

ABSTRACT

Access to the Internet is spreading very fast global wide. Through the internet, information is no longer constrained by distance, time, or volume. The internet has become an essential media in many aspects of our life. It is being increasingly used in education, research, news, entertainment, business, sport, communications, etc. This paper describes the design and implementation of a web-based Electronic Parent-Teacher Association System. This system facilitates electronic communication channel between teachers and parents. The two can communicate students' issues, progress, assignments, grades, etc. This system is a part of an Electronic School Administration System.

1. INTRODUCTION

Schools worldwide encourage their teachers to interact with the parents of their students. The common name for this type of interaction is Parent-Teacher Association (*i.e. PTA hereinafter*). As educational programs are becoming more sophisticated and complicated, the need for interaction between teachers and parents becomes more essential in the process of education. Similar to other organizations and businesses, educational institutions became more interested in deploying internet technologies towards enhancing their educational programs, their administration systems, and the interaction of their teachers with the parents of their students [1, 2, 3].

This paper is focused on the design and implementation of an electronic Parents-Teacher Association system (i.e. e-PTA hereinafter) that would satisfy the overall requirements by public and private schools in the United Arab Emirates. Principals, teachers, and administrative staff from various schools were interviewed and consulted towards formalizing the set of requirements for the e-PTA system.

The main objectives of this research are as follows:

- Identifying the main features required in a e-PTA system that are beneficial to schools and parents. This requires interviewing school principals, teachers, students' parents, and administrative staff.
- Architecting, designing, and prototyping a web based e-PTA system with the features as indicated in the above.
- Testing and evaluating the e-PTA system in collaboration with selected schools and parents.
- Studying the impact of using the e-PTA system on schools and parents.

Given the fact that this is an ongoing project, the authors would like to emphasize on the following:


- 1. Only selected local schools have been considered so far.
- Discussion in this paper is limited to the first two of the above 4 objectives.

The next two sections illuminate the current implementation of this e-PTA system. Further publications on this project will present performance evaluation, revisions in the implementation, etc.

2. THE E-PTA ARCHITECTURE

The e-PTA system is built around a 3-tier architecture as shown in Figure 1. The client tier is a WWW browser. Web browsers send users' requests to the web server and display the returned results to the end user.

Figure 1: The 3-tier Architecture Used for the e-PTA System



The middle tier consists of a web server and a scripting engine. The scripting engine is needed to handle server side processes. The web server communicates with the client through the standard HTTP protocols, and communicates with the database through the scripting language.

The database tier is built around an SQL Server. Most SQL servers implement the client/server architecture which is important for web enabled applications. We will discuss our choice of the SQL server in the implementation section.

2.1 The Use Case Model

This section describes the "Use-Case-Model" of the e-PTA system. This model describes **WHAT** our system will do at a high-level and with a user focus for the purpose of scoping the project and giving the application some structure. The UML Use Cases [9, 10] are used mainly to capture the high level user-functional requirements of a system. They are not used to capture non-functional requirements. Nor they are used to capture "internal" functional requirements.

Figure 2 shows the main actors of the e-PTA system, which are the school principal, teachers, administrative staff, and students and their parents.

While it is outside the scope of this paper to show a fully fledged use-case model, the following subsections illuminate some of the important use-cases used for this project.

$2.1.1\ Registration\ Use\text{-}Case$

Figure 3 shows the administrator as the only actor for the Registration use-case. The administrator uses the Registration subsystem to add users, remove users, and update users' information.


2.1.2 Maintenance Use-Case

Figure 4 shows the Maintenance use-case involving the administrator. In this use case, the administrator login to the administration area, the system displays the maintenance menu. This allows the administrator to backup and restore the database.

2.1.3 Messaging Use-Case

Figure 5 shows the Messaging use-case that involves all of the system users. The user logs into the messaging area, the system displays

Figure 2: Actors of the e-PTA system



the messaging menu. This menu allows system users to send, read, delete, and reply to messages.

2.2 Database Design

Several database tables have been created as the base infrastructure for the e-PTA system. All data is stored in and retrieved from these tables. The current e-PTA implementation uses the following database tables.

Figure 3: The Registration Use-Case




Figure 4: Maintenance use-case




Figure 5: The Messaging use-case.




Table 1: Admin Table's Fields						Table 2: Course Table's Fields					
Field	Туре			Default		Field	Type			Default	
adID	varchar(30) No	0			<u>csID</u>	varchar(8)	N	0	0	
adPassword	varchar(15) No	0			csName	varchar(15	5) N	0		
adFName	varchar(15) No	0			csSection	tinyint(4)	N	0	0	
adSName	varchar(15) No	0		П	csTeacherID	tinyint(4)	N	0	0	
adLName	varchar(15) No	0		П	csLevel	tinyint(4)	N	0	0	
adPhone	varchar(15) No	0			csRoom	tinyint(4)	N	0	0	
adMobile	varchar(15) No	0		IJ	cs1	tinyint(4)	N	0	0	
adEmail	varchar(30) No	0		l,	cs2	tinyint(4)	N	0	0	
adStatus	varchar(8)	No	o E	Enabled	Ц	cs3	tinyint(4)	N	0	0	
T 11 2 G 11 1 T 11						cs4	tinyint(4)	N		0	
Table 3: Gra							ssage Table		ield	S	
<u>stID</u>	tinyint(4)	N					int(11)	No			
csID	tinyint(4)	N					varchar(8)	No			
stSection	varchar(5)	N					varchar(8)	No			
test1	tinyint(3)	N			r	nsSubject	varchar(40)	No	00	20.00	
test2	tinyint(3)	N			r	msDate	Date	No	00	00-00-	
test3	tinyint(3)	N			r	nsTime	Time	No		00:00	
test4	tinyint(3)	N	0 0				Text	No			
							varchar(4)	No	Ne	w	
Table 5: Parent Table's Fields							ncipal Tabl	e's I			
ptID	varchar(8)	N	О			prID	varchar(8)	No			
ptPhone	varchar(10)) N	О			prFName	varchar(10)	No			
ptMobile	varchar(10)) N	0		1	prSName	varchar(10)	No			
ptFName	varchar(20)) N	0		1	prLName	varchar(10)	No			
ptSName	varchar(20)) N	0		1	prPhone	smallint(6)	No	0		
ptLName	varchar(20)) N	0 0		- 1	prMobile	smallint(6)	No	0		
ptEmail	varchar(30)) N	0			prPassword	varchar(8)	No			
ptPassword	varchar(8)	N				prEmail	varchar(30)				
ptStatus varchar(8) No						prStatus	varchar(8)	No			
Table 7: Student Table's Fields stID varchar(8) No					Table 8: Teacher Table's Fields trID varchar(8) No						
	(-,	No				rFName	varchar(8) varchar(20)				
	varchar(15)					rSName	varchar(20)				
	Date		0000	-00-00'		rLName	varchar(20)				
	varchar(30)		NUL			rGender	char(1)	No			
stGender	char(1)		NUL			rNationality	varchar(20)				
	varchar(20)		NUL			•	varchar(20)				
-	Char(2)		0			rReligion	varchar(10)				
stSection	varchar(5)		0		ti	rBirthDate	date	No	'000	00-00-00	
stRegDate	date		0000	-00-00'	ti	rAddress	varchar(20)	No			
stFinishDate	date		0000	-00-00'	t	rPhone	varchar(15)	No	03		
stReligion	varchar(10)		NUL	L	ti	rMobile	varchar(15)	No			
stAddress	varchar(30)		NUL	L	t	rBirthPlace	varchar(20)				
-			0			rStartDate	date	No		00-00-00'	
stFees			0			rFinishDate	date		NU	LL	
			0				varchar(10)	No			
		No					varchar(5)		NU	LL	
		No				rSections	varchar(15)		0		
		No Valte	iala			rPassword	varchar(8)	No			
Table 9: Use		No	o 0			rPhoto rEmail	blob	Na			
parent teacher	int(11) int(11)					rEmail rStatus	varchar(30)				
student	int(11)	No No			t	rStatus	varchar(8)	No			
admin	int(11)	No									
principal	int(11)	No									
L	.,.,				<u> </u>						

3.IMPLEMENTATION

The e-PTA system consists of several components, running on both server and client machines. This section explains the purpose of each component as given in the system architecture.

The Client: the client is a Java and JavaScript enabled WWW browser. The main advantages of using a web browser as an interface to the system are (i) web browsers are available on almost any modern computer; and (ii) the hassle of software installation on the client side is eliminated.

The Web Server: the server is part of the middle tier. We used the Apache web server for system development [4]. The main reason for

using Apache is its availability. However, any web server can be used provided that it supports PHP (e.g. Personal Home Page) [5, 6].

The Scripting Engine: we used the PHP Engine [5, 6]. PHP is a server-side, cross-platform, HTML-embedded scripting language. There main reasons for choosing PHP are:

- PHP is a scripting language that is widely used for creating dynamic Web pages.
- PHP can produce files with many MIME types (e.g. HTML, GIF, PNG, JPEG). With the suitable configuration, this allows PHP scripts to send various kinds of data through the HTTP protocols.
- 3. PHP has strong support for most of the common database servers including MySQL, which is used for this project.
- 4. PHP is platform independent. Use of PHP increases the independency of the project on server side. Nevertheless, the best performance can be seen under Unix where PHP runs as an Apache module.

The PHP Scripts: most of the e-PTA system information exchange is handled by PHP scripts. Given the fact that PHP is a server side scripting language, users neither need to configure their browsers nor they need to install any plug-ins to use the system.

The Database Server: we used MySQL [7, 8] for the following reasons:

- · MySQL is well supported in the PHP scripting language.
- · MySQL is a widely used and popular database engine.
- Most of the e-PTA system operations are read-only, updates are very restricted, so we can sacrifice transaction processing for the speed of the select statement.

4. CONCLUSION

The e-PTA system described in this paper, focuses on linking parents and teachers together at a given school. The system is being evalu-

ated at this time by the system's developers and few selected local schools. Further evaluations will take place at several more schools during the next phase of this project. The system has been architected based on the many aspects, features, and feedback collected from parents, teachers, and principals of selected local schools. The architecture will remain subject to enhancement as this is an ongoing research project.

ACKNOWLEDGMENT

The authors would like to express their appreciation to the Scientific Research Sector of the UAE University for funding this ongoing project (*Grant Ref. Num. 05-9-11/02*).

REFERENCES

- [1] National online PTA System http://www.pta.org/ (Last viewed: September 10, 2002)
- [2] Michigan online PTA System http://www.michiganpta.org/ (Last viewed: September 10, 2002)
 - [3] Texas online PTA system http://www.txpta.org/
- [4] Apache, Apache details can be obtained from the website of http://apache.org (Last viewed: September 10, 2002).
- [5] H. Williams and D. Lane, Web Database Applications with PHP and MySQL, O'REILLY, 2002.
- [6] PHP Net. PHP details can be obtained from the website of http://www.php.net (Last viewed: September 10, 2002).
- [7] G. Rees, R. Yarger and T. King, Managing and Using MySQL, O'REILLY, 2002.
- [8] MYSQL, mySQL details can be obtained from the website of http://www.mysql.com (Last viewed: September 10, 2002).
- [9] H. Erricson and M. Penker, UML Toolkit, John Wiley and Sons. Inc. 1998.
- [10] Martin Fowler and Kendall Scott, UML Distilled, Addison-Wesley.

0 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/proceeding-paper/electronic-parent-teacher-association/32071

Related Content

A Complex Adaptive Systems-Based Enterprise Knowledge Sharing Model

Cynthia T. Smalland Andrew P. Sage (2008). *International Journal of Information Technologies and Systems Approach (pp. 38-56).*

www.irma-international.org/article/complex-adaptive-systems-based-enterprise/2538

Information-As-System in Information Systems: A Systems Thinking Perspective

Tuan M. Nguyenand Huy V. Vo (2008). *International Journal of Information Technologies and Systems Approach (pp. 1-19).*

www.irma-international.org/article/information-system-information-systems/2536

Computer-Assisted Indian Matrimonial Services

Robert Leslie Fisher (2018). Encyclopedia of Information Science and Technology, Fourth Edition (pp. 4136-4145).

www.irma-international.org/chapter/computer-assisted-indian-matrimonial-services/184121

An Evidence-Based Health Information System Theory

Daniel Carbone (2009). Handbook of Research on Contemporary Theoretical Models in Information Systems (pp. 95-111).

www.irma-international.org/chapter/evidence-based-health-information-system/35826

Study of Skyline Query Evaluation on Corona

José L. Lo, Héctor López, Marlene Goncalvesand Graciela Perera (2015). *Encyclopedia of Information Science and Technology, Third Edition (pp. 1893-1905).*

www.irma-international.org/chapter/study-of-skyline-query-evaluation-on-corona/112594