

Chapter 10

Applications of Deep Learning in Robotics

Pranav Katte

Vellore Institute of Technology, India

Pranav Arage

Vellore Institute of Technology, India

Satvik Nadkarni

Vellore Institute of Technology, India

Ramani Selvanambi

Vellore Institute of Technology, India

ABSTRACT

Deep artificial neural network applications to robotic systems have seen a surge of study due to advancements in deep learning over the past 10 years. The ability of robots to explain the descriptions of their decisions and beliefs leads to a collaboration with the human race. The intensity of the challenges increases as robotics moves from lab to the real-world scenario. Existing robotic control algorithms find it extremely difficult to master the wide variety seen in real-world contexts. The robots have now been developed and advanced to such an extent that they can be useful in our day-to-day lives. All this has been possible because of improvisation of the algorithmic techniques and enhanced computation powers. The majority of traditional machine learning techniques call for parameterized models and functions that must be manually created, making them unsuitable for many robotic jobs. The pattern recognition paradigm may be switched from the combined learning of statistical representations, labelled classifiers, to the joint learning of manmade features and analytical classifiers.

DOI: 10.4018/978-1-6684-8098-4.ch010

INTRODUCTION TO DEEP LEARNING

The majority of modern civilization is driven by machine learning, including the filtering of information on social networks, the pointing out of products on e-commerce websites, and an increasing number of consumer gadgets such as cameras and smartphones. This includes the filtering of information on social networks. When discussing machine learning, a knowledge of algorithms is used in selecting appropriate search outcomes, decipher difficulties in photos, audio to text conversion, identify news items, communications, and pick out things from photographs. These packages are increasing the implementation of a set of strategies known as deep learning (DL). One of the primary objectives of Deep Learning is to generate optimised outputs in order to solve the conundrum of producing efficient results using AI. Machine learning was initially referred to as “Deep Learning” by Dechter (1986), while Artificial Neural Networks (NNs) were first mentioned by Aizenberg. It then rose to prominence, particularly in the setting of deep neural networks (NNs), the most successful Deep Learners going back half a century.

Because of its ability in identifying relatively complex structures in the data which is high-dimensional, it may be used in a huge variety of fields which are scientific, commercial, and governmental. In addition to breaking results in speech (Mikolov et al., 2011) and image recognition (Farabet et al., 2013; Krizhevsky et al., 2012), it has outperformed other machine-learning methods when it comes to foreseeing the activity of concerned drug-molecules (Ma et al., 2015), reconstructing brain circuits from particle accelerator data, and speculating on the potential effects of mutations in uncoded DNA on the occurrence of genetic disorders plus mutations. Machine learning is being surprisingly adopted by the biological sciences because it helps computers deal with perceptual difficulties such as picture and voice recognition. These deep-learning systems, which are comprised of deep artificial neural networks, employ a few of processing layers in order to identify and recognize patterns and form in extremely huge record lists. Every layer extracts a notion from the input, which may then be expanded upon by subsequent layers; as the degree of complexity grows, the learned ideas become more generalised. Deep learning automatically extracts functions without depending on the processing of data that came before it. An artificial deep neural network that was trained and built to identify bureaucracy, for instance, may initially learn to detect basic edges, and then, in subsequent layers, it could include identification of more complicated forms created up of these edges. This is just one simple example (Rusk, 2016). Since deep learning can extract high-level knowledge from enormous amounts of data, it will be extremely useful in the context of big data. Initial issues like overfitting because of infrequent relationships in the training data and high processing costs can be processed as it gains popularity in genomic research.

We have different kinds of neural network models which are used to implement different tasks depending the specificity of the problem. For instance,

1. **Convolutional Neural Networks (CNNs):** In the field of neural networks, the CNN is a t popular types used for image recognition and classification. CNNs are used rather often versatile applications, inclusive of scene-tagging, entity-recognition, face-detection, and much more. Some of these applications include: The convolution layer constitutes the very first step in the process of feature extraction from an input image. The convolutional layer is responsible for maintaining the relationship between pixels via the process of learning and studying unique characteristics using a little square of input data. A mathematical operation is carried out by it with the two inputs consisting of an image pixel matrix and a kernel-filter combination.

15 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:
www.igi-global.com/chapter/applications-of-deep-learning-in-robotics/325941

Related Content

Can Digital Technologies Change Schizophrenia Care?: Opportunities and Challenges

Raquel Simões de Almeida and Tiago Silva (2023). *Exploring the Convergence of Computer and Medical Science Through Cloud Healthcare* (pp. 85-115).

www.irma-international.org/chapter/can-digital-technologies-change-schizophrenia-care/313560

CSCLab: A Cloud-Based Platform for Managing Computing Labs

Paula Prata and Samuel Alves (2015). *International Journal of Cloud Applications and Computing* (pp. 36-55).

www.irma-international.org/article/csclab/138798

System Level Benchmarking of Public Clouds

Sanjay P. Ahuja (2022). *International Journal of Cloud Applications and Computing* (pp. 1-17).

www.irma-international.org/article/system-level-benchmarking-of-public-clouds/309933

Software Engineering for Developing a Cloud Computing Museum-Guide System

Hadeel Al-Obaidy, Aysha Ebrahim, Ali Aljufairi, Ahmed Mero and Omar Eid (2024). *International Journal of Cloud Applications and Computing* (pp. 1-19).

www.irma-international.org/article/software-engineering-for-developing-a-cloud-computing-museum-guide-system/339200

Fog Computing: Applications, Concepts, and Issues

Chintan M. Bhatt and C. K. Bhensdadia (2018). *Fog Computing: Breakthroughs in Research and Practice* (pp. 198-207).

www.irma-international.org/chapter/fog-computing/205976