



Research on Constructing Ontology for the Semantic Web

Song Jun-feng, Zhang Wei-ming, Xiao Wei-dong, Tang Da-quan, and Tang Jiu-yang

School of Info. System & Management, The National University of Defense Technology, ChangSha 410073, P.R.China,
sjfemail@hotmail.com

INTRODUCTION

The Web consists of numerous pages encoded in HTML; its contents are readable and understandable for human, but not understandable for machine. So it's hard for machine to process the web contents meaningfully. But the web is enormous and still growing continuously, which makes it urgent for the web contents to be machine understandable so that the web contents can be processed automatically and meaningfully by machine. To solve these problems, Tim Berners-Lee put forward the Semantic Web^{[1][2]}, which is an extension of the current web. The Semantic Web is not just a platform for presenting information, but it can be understood and used to reason by machine.

To make the web contents understandable to machine and suitable for inference, we need to establish ontology and use terms defined in ontology as metadata to annotate the web contents. Compared with the presentation markups used on the web nowadays, these markups are semantic markups.^[1]

In this paper, we distinguish the definitions of ontology and domain ontology. Based on definitions in [3,4,5,6], the definitions of domain, domain conceptualization, domain ontology and ontology are given as follows.

Definition1. *Domain* is a section of the world about which we wish to express some knowledge; *domain conceptualization* is to abstract a set of terms and a set of knowledge from the domain in terms of the tasks to be solved and the ontological commitment of ontology language used; *domain ontology* is {the set of domain terms, the set of domain knowledge}, it's explicit specification of domain conceptualization, usually, we use ontology language to write down this specification; *ontology* is explicit specification of conceptualization about the world, there is only one ontology about the world, no application needs to use the whole ontology.

The relation between ontology and domain ontology is defined as follows:

Definition2. Suppose the world W can be divided into n domains, then ontology of W can be obtained by integrating domain ontologies of these n domains.

In practical application, domain ontology or the integration of several domain ontologies is needed.

In this paper, we concentrate on domain ontology representation, reasoning and integration for the Semantic Web, the organization of this paper is shown as follows.

Organization of This Paper

In section 2 we introduce ontology languages for the Semantic Web and choose OWL Lite and SWRL, which are suitable trade-offs between expressivity of knowledge and complexity of reasoning problems, as standard ontology languages on the Semantic Web. In section 3 we propose DORRSW approach (domain ontology representation and reasoning for the Semantic Web). In section 4, we propose MDOISW

approach (multiple domain ontologies integration for the Semantic Web). In section 5, DORRSW approach and MDOISW approach are used to solve example problems to illustrate the procedures of these two approaches. In section 6 the related works are introduced. Section 7 gives the conclusion.

ONTOLOGY LANGUAGES FOR THE SEMANTIC WEB

The familiar ontology languages are XOL, SHOE, OML, RDF(S), OIL, DAML+OIL, OWL and SWRL.

XML is used as the foundation for these languages' syntax. The formal foundation of XOL and SHOE is frame; the formal foundation of OML is conceptual graph; but frame and conceptual graph lack precise semantics. The expressivity of RDF(S) is so limited that it can only be regarded as primitive ontology language. To develop ontology language which can have more expressive power and characterize semantics more precisely, OIL^[7], DAML+OIL^[7] and OWL^[7,8] are all extended on the base of inheriting RDF(S)'s syntax and expressivity. European researchers establish OIL. DAML+OIL, established by Joint US/EU ad hoc Agent Markup Language Committee, is used as the starting point of OWL; OWL, established by W3C, is a new synthesis of research on ontology language.

The formal foundation of OIL is $\mathcal{SHIQ}(D)$ ^[9], and the formal foundation of DAML+OIL is $\mathcal{SHOIQ}(D)$ ^[9]. OWL provides three increasingly expressive sublanguages: OWL Lite, OWL DL, OWL Full. The expressivity of OWL Lite is limited, but the efficiency of reasoning is preferable; OWL DL is as expressive as possible on the premise of preserving completeness and decidability of reasoning; OWL Full is the most expressive with no computational guarantees of reasoning. The formal foundation of OWL Lite is $\mathcal{SHIF}(D)$ ^[10], key inference problems in OWL Lite have EXPTIME complexity; the formal foundation of OWL DL is $\mathcal{SHOIN}(D)$ ^[10], key inference problems in OWL DL have NEXPTIME complexity, it's difficult to reason. SWRL^[11] is based on a combination of the OWL DL and OWL Lite with the Unary/Binary Datalog RuleML sublanguages of the Rule Markup Language, it can be used for constructing rule ontology.

As the number of domain ontologies on the Semantic Web is huge and domain ontologies on the Semantic Web are in large-scale, we choose OWL Lite and SWRL, which are suitable trade-offs between expressivity of knowledge and complexity of reasoning problems, as standard ontology language for the Semantic Web. Reasoning systems, such as Vampire^[12], can accomplish the reasoning tasks of the composition of OWL Lite and SWRL.

DOMAIN ONTOLOGY REPRESENTATION AND REASONING FOR THE SEMANTIC WEB

The procedure of DORRSW approach is:

First, construct the set of domain terms—According to the tasks to be solved and the ontological commitment of ontology language used, construct the set of domain terms. The ontology engineers do most of the work in this phase.

Different ontology languages have different ontological commitments; for example, propositional logic makes the commitment that the world

consists of facts, first order logic makes the commitment that the world consists of object and relation.^[4] Here we give the ontological commitment of OWL Lite and SWRL respectively.

Definition3. OWL Lite makes the commitment that the world consists of class, datatype, object property, datatype property, individual, data value; the ontological commitment of SWRL is the same.

Second, construct domain ontology. By using syntax of OWL Lite & SWRL and the terms in the set of domain terms, construct the set of domain knowledge; domain ontology is {the set of domain terms, the set of domain knowledge}, so here we have domain ontology. The ontology engineers do most of the work in this phase.

Third, call suitable reasoners to reason for solving problem and checking consistency. Suitable reasoners are reasoners which can accomplish the inference problems of OWL Lite & SWRL, such as Vampire. This phase can solve problem and prevent inconsistent knowledge to occur during constructing domain ontology. The machines do most of the work in this phase.

MULTIPLE DOMAIN ONTOLOGIES INTEGRATION FOR THE SEMANTIC WEB

In the original phase of the Semantic Web, there are few domain ontologies; to accomplish tasks in different domains, we use DORRSW approach to establish domain ontologies one by one. With the number of domain ontologies on the Semantic Web increasing, we often meet such a situation: to accomplish some task that needs the support of multiple existing domain ontologies, and every existing domain ontology alone can't satisfy the need of that task. Two choices can be made:

1. Use DORRSW approach to create a new domain ontology about these domains, but we can't utilize existing domain ontologies, so it costs a lot of repeated work; this new generated domain ontology is still an "island", and it's difficult for knowledge sharing.
2. Integrate domain ontologies needed to form a virtual domain ontology about these domains, we can utilize existing domain ontologies and realize knowledge sharing.

In this paper, we choose the second way.

Theorem1. There are m domains, and we have constructed domain ontologies for these domains. Suppose we need to integrate these domain ontologies: do_1, do_2, \dots, do_m , these domain ontologies are encoded in OWL Lite & SWRL and identified by URI: $uri_1, uri_2, \dots, uri_m$; $\forall i \in [1, m]$, $do_i = \{v_i, k_i\}$, v_i is the set of domain terms, k_i is the set of domain knowledge, then

1. $Integration_{i=1}^m (do_i)$, the integration of m domain ontologies is:

$$Integration_{i=1}^m (do_i) = \left\{ \bigcup_{i=1}^m v_i, \left(\bigcup_{i=1}^m k_i \right) \dot{\cup} IBK \right\}.$$

In the equation above, IBK (integration built knowledge) is the set of knowledge encoded by using OWL Lite & SWRL and terms in $\bigcup_{i=1}^m v_i$, IBK

is different from $\bigcup_{i=1}^m k_i$ ($\bigcup_{i=1}^m k_i$ reflects union of knowledge from m domains), IBK reflects the newly appeared knowledge for the integration of m domains, and knowledge in $\left(\bigcup_{i=1}^m k_i \right) \dot{\cup} IBK$ should keep consistency.

2. $\# \left(\bigcup_{i=1}^m v_i \right) = \sum_{i=1}^m \#(v_i)$, "#" denotes cardinality of set.

Proof: $Integration_{i=1}^m (do_i)$, the integration of m domain ontologies, is domain ontology of the domain that is the integration of m domains; and $\forall i \in [1, m]$, $do_i = \{v_i, k_i\}$; so we can use the terms defined in m domain ontologies as terms of $Integration_{i=1}^m (do_i)$, then we obtain the following equation,

$Integration_{i=1}^m (do_i) = \left\{ \bigcup_{i=1}^m v_i, \text{the set of domain knowledge for the integration of } m \text{ domains} \right\}.$

The set of domain knowledge for the integration of m domains can be divided into two parts. The first part is $\bigcup_{i=1}^m k_i$, which reflects union of knowledge from m domain; the second part is IBK, which reflects the newly appeared knowledge for the integration of m domains, knowledge in IBK can't be achieved in single domain of m domains. Knowledge in $\left(\bigcup_{i=1}^m k_i \right) \dot{\cup} IBK$ should keep consistency, or it denotes contradiction.

For using URI naming mechanism, every term is unique, so $\# \left(\bigcup_{i=1}^m v_i \right) =$

$$\sum_{i=1}^m \#(v_i).$$

End.

Based on theorem 1, during the process of integrating domain ontologies, because $\bigcup_{i=1}^m v_i$ and $\bigcup_{i=1}^m k_i$ can be obtained by utilizing the existing domain ontologies, so the key of integrating domain ontologies is how to construct IBK. Based on this idea, the procedure of MDOISW approach is:

First, construct IBK. Use uri_IBK to identify IBK (uri_IBK can be a newly created URI, or an existing URI), suppose term t is defined in do_i , if t is to be quoted or defined in IBK, then in IBK, we can use $uri_i\#t$ to denote term t ; after all the quotations and definitions are completed, we

have $Integration_{i=1}^m (do_i)$. The ontology engineers do most of the work in this phase.

Second, call suitable reasoners to check consistency. Suitable reasoners are reasoners which can accomplish the inference problems of OWL Lite & SWRL, such as Vampire. This phase can prevent inconsistent knowledge to occur during integration. The machines do most of the work in this phase.

Third, call suitable reasoners to reason for solving problem. Suitable reasoners are reasoners which can accomplish the inference problems of OWL Lite & SWRL, such as Vampire. After the second step, we have a virtual domain ontology about those domains being integrated. We can utilize this virtual domain ontology to solve problem. The machines do most of the work in this phase.

APPLICATION EXAMPLES

In section 5, firstly, we present application example of DORRSW approach, then we present application example of MDOISW approach.

Use DORRSW Approach to Represent an Example Animal Domain Ontology and Make Inference

1. Construct the set of domain terms
Suppose according to task to be solved, we need to consider animal domain as follows:

Person is animal; the parent of person is person, male person is man, female person is woman; the domain and range of hasParent is animal; hasAge is functional property, the value of hasAge is nonnegative integer; Adam is a person, his age is 13.

In terms of ontological commitment of OWL Lite, we obtain six types of terms:

Class: Animal, Male, Female, Person, Man, Woman

Datatype: NonNegativeInteger

Object property: hasParent

Datatype property: hasAge

Individual: Adam

Data value: 13

2 Construct domain ontology

By using terms above, encode the domain ontology in OWL Lite as follows:

```
<owl:Class rdf:ID="Animal">
</owl:Class>
<owl:Class rdf:ID="Male">
</owl:Class>
<owl:Class rdf:ID="Female">
</owl:Class>
<owl:Class rdf:ID="Person">
  <owl:equivalentClass>
    <owl:Class>
      <owl:intersectionOf rdf:parseType="Collection">
        <owl:Class rdf:resource="# Animal"/>
        <owl:Restriction>
          <owl:onProperty rdf:resource="#hasParent"/>
          <owl:allValuesFrom rdf:resource="#Person"/>
        </owl:Restriction>
      </owl:intersectionOf>
    </owl:Class>
  </owl:equivalentClass>
</owl:Class>
<owl:Class rdf:ID="Man">
  <owl:equivalentClass>
    <owl:Class>
      <owl:intersectionOf rdf:parseType="Collection">
        < owl:Class rdf:resource="#Person"/>
      </owl:intersectionOf>
    </owl:Class>
  </owl:equivalentClass>
</owl:Class>
<owl:Class rdf:ID="Woman">
  <owl:equivalentClass>
    <owl:Class>
      <owl:intersectionOf rdf:parseType="Collection">
        < owl:Class rdf:resource="#Person"/>
      </owl:intersectionOf>
    </owl:Class>
  </owl:equivalentClass>
</owl:Class>
```

```
</owl:equivalentClass>
</owl:Class>
<owl:ObjectProperty rdf:ID="hasParent">
  <rdfs:domain rdf:resource="#Animal"/>
  <rdfs:range rdf:resource="#Animal"/>
</owl:ObjectProperty>
<owl:DatatypeProperty rdf:ID="hasAge">
  <rdf:type rdf:resource="http://www.w3.org/2002/07/
owl#FunctionalProperty"/>
  <rdfs:range rdf:resource="http://www.w3.org/2000/10/
XMLSchema#nonNegativeInteger"/>
</owl:DatatypeProperty>
<Person rdf:ID="Adam">
  < hasAge>13</ hasAge>
</Person>
```

The animal domain ontology can also be encoded in description logic:

$Man \equiv Person \sqcap Male$

$Woman \equiv Person \sqcap Female$

$Person \equiv Animal \sqcap \forall hasParent. Person$

$\geq 1 hasParent \sqsubseteq Animal$

$\top \sqsubseteq \forall hasParent. Animal$

$\top \sqsubseteq \leq 1 hasAge$

$\top \sqsubseteq \forall hasAge. NonNegativeInteger$

Person(Adam)

hasAge(Adam, 13)

3 Call suitable reasoners to reason

According to this animal domain ontology, we can use Vampire to make inference for solving problem. For example, we can inquire of the reasoner about a question, such as "is *Animal(Adam)* true?" The reasoner will give a positive answer.

Use MDOISW Approach to Integrate Two Example Domain Ontologies

Suppose the animal domain ontology ando_a defined in section 5.1 can be identified by uri_a, another animal domain ontology ando_b can be identified by uri_b. In ando_b, RobertAdam is MalePerson, MalePerson is Human, encode ando_b in OWL Lite & SWRL:

```
<owl:Class rdf:ID="MalePerson">
</owl:Class>
< MalePerson rdf:ID="RobertAdam"/>
<swrl:Variable rdf:ID="x"/>
<ruleml:Imp>
  <ruleml:body rdf:parseType="Collection">
    <swrl:ClassAtom>
      <swrl:classPredicate rdf:resource="MalePerson"/>
      <swrl:argument1 rdf:resource="#x" />
    </swrl:ClassAtom>
  </ruleml:body>
  <ruleml:head rdf:parseType="Collection">
    <swrl:ClassAtom>
```

```

    <swrl:classPredicate rdf:resource="Human"/>
    <swrl:argument1 rdf:resource="#x" />
  </swrl:ClassAtom>
</ruleml:head>
</ruleml:Imp>

```

Encode ando_b in description logic:

MalePerson(RobertAdam)

*MalePerson(x)!*Human(x)

Now we have two domain ontologies, suppose the reality is: RobertAdam in ando_b is Adam in ando_a, MalePerson in ando_b is Man in ando_a, and Human in ando_b is Person in ando_a.

We can't know "uri_a#Adam is man" if we only use ando_a to reason; we can't know "uri_b#RobertAdam is 13 years old" if we only use ando_b to reason. So we need to integrate ando_a and ando_b, then we can solve problems that need the support of integration of ando_a and ando_b. In the next, MDOISW approach is used to integrate ando_a and ando_b.

1 Construct IBK

Create uri_IBK to locate IBK for the integration of ando_a and ando_b; in IBK, uri_a#Man, uri_a#Adam, uri_a#Person, uri_b#MalePerson, uri_b#RobertAdam, uri_b#Human are quoted and defined, and we can encode IBK in OWL Lite:

```

<owl:Class rdf:about="uri_b#MalePerson">
  <owl:equivalentClass rdf:resource="uri_a#Man"/>
</owl:Class>
<owl:Class rdf:about="uri_b#Human">
  <owl:equivalentClass rdf:resource="uri_a#Person"/>
</owl:Class>
<owl:Thing rdf:about="uri_b#RobertAdam">
  <owl:sameIndividualAs rdf:resource="uri_a#Adam"/>
</owl:Class>

```

Encode IBK in description logic:

Man"MalePerson

Persona"Human

Adam=RobertAdam

2 Check consistency

By using Vampire, check consistency for integration of ando_a and ando_b; the result shows that the integration is consistent.

3 Call suitable reasoners to reason for solving problem

According to the integration of ando_a and ando_b, we can use Vampire to make inference for solving problem. For example, we can inquire of the reasoner about a question, such as "is *Man(Adam)* true?" The reasoner will give a positive answer. This solves problem that can't answered by using ando_a only.

RELATED WORKS

In [6], five design criteria for ontologies are proposed to guide and evaluate the design. We present them as follows:

1. Clarity: An ontology should effectively communicate the intended meaning of defined terms.
2. Coherence: An ontology should be coherent: that is, it should sanction inferences that are consistent with the definitions.
3. Extensibility: An ontology should be designed to anticipate the uses of the shared vocabulary.
4. Minimal encoding bias: The conceptualization should be specified at the knowledge level without depending on a particular symbol-level encoding.

5. Minimal ontological commitment: An ontology should require the minimal ontological commitment sufficient to support the intended knowledge sharing activities.

Ontology integration is introduced detailedly in [13]. The definitions of ontology mapping, ontology alignment, ontology articulation, ontology merging, ontology translation and ontology integration are distinguished. Though the name of the paper is "ontology mapping...", ontology integration is the main focus of that paper based on the definition of ontology integration given in that paper. Present research works about ontology integration don't fit for using on the Semantic Web, such a large distributed environment. The essential reason is that inference efficiency is unsatisfiable in those works, as those works don't choose a suitable formal ontology language; so we have no effective way to check consistency after ontology integration.

In [14], based on experience of using ontology-editing environments such as Protégé-2000, Ontolingua and Chimaera, an ontology-development methodology for declarative frame-based systems is described. The steps in the ontology-development process are listed; the complex issues of defining class hierarchies and properties of classes and instances are addressed. In [15], Mike Uschold and Michael Gruninger propose an informal approach to developing ontology, which includes the following steps: identify purpose and scope, ontology capture, ontology coding, integrating existing ontologies, evaluation, documentation. Then a more rigorous approach to the development of ontologies is considered, and the role of formal languages in the specification, implementation, and evaluation of ontologies is discussed. These works are valuable references for the research in our paper.

CONCLUSION

To make the web contents understandable to machine and suitable for inference, we need to establish ontology and use terms defined in ontology as metadata to annotate the web contents. In practical application, domain ontology or the integration of several domain ontologies is needed. In this paper, we propose DORRSW approach and MDOISW approach to represent domain ontology, integrate multiple domain ontologies and make inference for consistency check and problem solving. The application examples prove the effectiveness of these two approaches. From these discussions, the basic situations of domain ontology representation, reasoning and integration for the Semantic Web are clarified, so the basic knowledge of developing ontology for the Semantic Web is provided.

ACKNOWLEDGEMENT

Supported by the National Natural Science Foundation of China under Grant No.60172012 and the Natural Science Foundation of HuNan Province under Grant No.03JJY3110.

REFERENCES

- [1] Tim Berners-Lee. Weaving the Web. Harper, San Francisco, 1999.
- [2] Tim Berners-Lee, James Hendler, Ora Lassila. *The Semantic Web. Scientific American, May 2001.*
- [3] Nils J.Nilsson. Artificial Intelligence: A New Synthesis. China Machine Press & Morgan Kaufmann Publishers, Beijing, 1999, 215-316.
- [4] Stuart Russell and Peter Norvig. Artificial Intelligence: A Modern Approach. Pearson Education North Asia Limited and People's Posts & Telecommunications Press, Beijing, 2002, 221-226.
- [5] T. R. Gruber. A translation approach to portable ontologies. Knowledge Acquisition, 1993, 5(2), 199-220.
- [6] T. R. Gruber. Towards principles for the design of ontologies used for knowledge sharing. International Journal of Human-Computer Studies, 1995, 907-928.

- [7] Ian Horrocks, Peter F. Patel-Schneider, and Frank van Harmelen. From SHIQ and RDF to OWL: The making of a web ontology language. *Journal of Web Semantics*, 2003, 1(1), 7-26.
- [8] Mike Dean and Guus Schreiber. OWL Web Ontology Language Reference. <http://www.w3.org/TR/owl-ref/>, 2004.
- [9] Franz Baader, etc. *The Description Logic Handbook: Theory, Implementation and Applications*. Cambridge Univ. Press, Cambridge, UK, 2003, 1-100, 436-459.
- [10] Ian Horrocks and Peter F. Patel-Schneider. Reducing OWL entailment to description logic satisfiability. *Proceedings of the 2003 International Semantic Web Conference*, Springer, Florida, USA, 2003, 17-29.
- [11] Ian Horrocks, etc. SWRL: A Semantic Web Rule Language Combining OWL and RuleML, <http://www.w3.org/Submission/2004/SUBM-SWRL-20040521/>.
- [12] Dmitry Tsarkov, etc. Using Vampire to Reason with OWL. *Proc. of the 2004 International Semantic Web Conference*, Springer, 2004, 471-485.
- [13] Yannis Kalfoglou, Marco Schorlemmer. Ontology mapping: the state of the art. *The Knowledge Engineering Review*, 18(1), 2003, 1-31.
- [14] N. Noy and D. L. McGuinness. Ontology development 101: A guide to creating your first ontology. Technical Report KSL-01-05 and SMI-2001-0880, Stanford Knowledge Systems Laboratory and Stanford Medical Informatics, March 2001.
- [15] Mike Uschold and Michael Gruninger. *Ontologies: Principles, methods, and applications*. *Knowledge Engineering Review* 11, (2), 1996, 93-155.

0 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/proceeding-paper/research-constructing-ontology-semantic-web/32709

Related Content

E-Culture

Liudmila Baeva (2015). *Encyclopedia of Information Science and Technology, Third Edition* (pp. 6847-6854).

www.irma-international.org/chapter/e-culture/113151

E-Commerce Live Streaming Danmaku Classification Through LDA-Enhanced BERT-TextCNN Model

Qing Shen, Yi han Wenand Ubaldo Comite (2024). *International Journal of Information Technologies and Systems Approach* (pp. 1-23).

www.irma-international.org/article/e-commerce-live-streaming-danmaku-classification-through-lda-enhanced-bert-textcnn-model/350301

Hybrid Air Route Network Simulation Based on Improved RW-Bucket Algorithm

Lai Xin, Zhao De Cun, Huang Long Yangand Wu D. Ti (2022). *International Journal of Information Technologies and Systems Approach* (pp. 1-19).

www.irma-international.org/article/hybrid-air-route-network-simulation-based-on-improved-rw-bucket-algorithm/304808

Cyberbullying: A Case Study at Robert J. Mitchell Junior/Senior High School

Michael J. Heymannand Heidi L. Schnackenberg (2013). *Cases on Emerging Information Technology Research and Applications* (pp. 323-332).

www.irma-international.org/chapter/cyberbullying-case-study-robert-mitchell/75866

The Improved Generative Adversarial Network Algorithm for Character Image Subject Separation

Qiang Geng, Yu Caiand Feifan He (2025). *International Journal of Information Technologies and Systems Approach* (pp. 1-24).

www.irma-international.org/article/the-improved-generative-adversarial-network-algorithm-for-character-image-subject-separation/391334