Chapter 8

The Interplay Between Environmental Pollutants, Gut Microbiota, and Infections: Current Concepts and Therapies

Bilal El-Mansoury

Faculty of Science, Chouaib Doukkali University, Morocco

Kamal Smimih

Faculty of Sciences and Techniques, Sultan Moulay Slimane University, Morocco

Youssef Ait Hamdan

https://orcid.org/0009-0005-8616-8852

Higher Normal School, Cadi Ayyad University, Morocco

Abdelaati El Khiat

Faculty of Medicine and Pharmacy, Cadi Ayyad University, Morocco & ISPITS, Ouarzazate, Morocco.

Samia Elouali

Higher Normal School, Cadi Ayyad University, Morocco

Hanane El Fatimi

Mohammed VI University of Health Sciences, Morocco

Ahmed Draoui

https://orcid.org/0000-0002-7700-059X

Faculty of Science Semlalia, Cadi Ayyad University, Morocco

Omar El Hiba

Faculty of Sciences, Chouaib Doukkali University, Morocco

Arumugam Radhakrishnan Jayakumar

Miller School of Medicine, University of Miami, USA

ABSTRACT

Environmental pollutants (EPs) have become an increasingly common health hazard. Several studies have sustained the impact of these EPs on human gut microbiota (GM). The human GM is made up of thousands of microbes that play a paramount

DOI: 10.4018/978-1-7998-9414-8.ch008

role to maintain hosts' health by providing many physiological functions, as well as protecting the host from pathogens and aggressions. Considering the crucial role that the host's GM plays in maintaining health, its disruption (gut dysbiosis) by the EPs can increase extraordinary the risk of infections and lead to the development of several conditions. Therefore, interventions aimed to restore the gut microbial population are of great interest. This chapter examines the intricate relationship between EPs and GM, highlighting the profound impact of EPs on human health including the development of infections. Additionally, this chapter discusses the potential role of probiotics, prebiotics, and FMT in mitigating the detrimental effects of EPs on GM.

I. INTRODUCTION

Environmental pollutants (EPs) are causing widespread concern due to their ecotoxicology and potential hazards to human health, particularly in light of the pervasive and severe pollution of biotic and abiotic environmental compartments (Chen, 2021). A growing body of research shows that being exposed to these EPs is one of the many environmental factors that contribute to the emergence of many health conditions (Claus et al., 2016b). Indeed, it has been established that chronic exposure to contaminants can raise the risk of developing metabolic and cancerous disorders(Chen, 2021). The basic role of gut microbiota (GM) in the upkeep and regulation of general host health has been confirmed in recent years by accumulating research. The GM is a complex community of microbes that produces energy from digested food, controls immunological response, and defends against pathogens (Omar et al., 2022). It comprises bacteria and other microbes such as fungi, archaea, viruses, and protozoans (Omar et al., 2022). Indeed, recent research has shown a significant connection between GM and human health. Through dietary channels, which can directly contact the gut ecosystem and come into contact with the microorganisms that naturally reside there, water and food pollution promote exposure to EPs (Chen, 2021).

GM are very sensitive to drugs, diet, and EPs (Jin et al., 2017a). Indeed, the GM system is commonly targeted and driven to dysbiosis by various pollutants (Chen, 2021). It is widely recognized that a balanced commensal microbiota is essential for defending the host against a variety of infections, either directly by eradicating them or indirectly by suppressing them inside or outside the intestine (Rothschild et al., 2018). Indeed, he human GM comprises thousands of microbes, many of which fight pathogens in infectious diseases and either inhibit or stimulate inflammation in various immunological situations (Maciel-Fiuza et al., 2023). Therefore, changes in the composition, abundance, diversity, and metabolism of the gut microbial

33 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-

global.com/chapter/the-interplay-between-environmental-pollutants-gut-microbiota-and-infections/331106

Related Content

Exploring Healthy Connection: Communication, Social Networks, and Wellbeing

Jessica L. Moore (2022). Research Anthology on Improving Health Literacy Through Patient Communication and Mass Media (pp. 317-329).

www.irma-international.org/chapter/exploring-healthy-connection/285419

The Nutritional and Health Potential of Blackjack (Bidens pilosa I.): A Review – Promoting the Use of Blackjack for Food

Rose Mujila Mboya (2019). *International Journal of Applied Research on Public Health Management (pp. 47-66).*

 $\underline{\text{www.irma-international.org/article/the-nutritional-and-health-potential-of-blackjack-bidens-pilosal/218868}$

An Analysis of Factors Affecting Postnatal Depression Intervention Adherence

Omobolanle Omisade, Alice Good, Tineke Fitchand Jim Briggs (2017). *International Journal of Public Health Management and Ethics (pp. 1-18).*

 $\underline{\text{www.irma-}international.org/article/an-analysis-of-factors-affecting-postnatal-depression-intervention-adherence/193580}$

Genomic Technologies and the Emergence of BRICS (Brazil, Russia, India, China, and South Africa)

(2015). Public Health Genomics and International Wealth Creation (pp. 189-212). www.irma-international.org/chapter/genomic-technologies-and-the-emergence-of-brics-brazilrussia-india-china-and-south-africa/148497

African Burial Practices as Havens That Promote the Spread of Cholera in Zimbabwe

Simbarashe Munamatiand Menard Musendekwa (2022). *International Journal of Applied Research on Public Health Management (pp. 1-10).*

 $\frac{\text{www.irma-international.org/article/african-burial-practices-as-havens-that-promote-the-spread-of-cholera-in-zimbabwe/282743}{\text{of-cholera-in-zimbabwe/282743}}$