# Chapter 2 Plasma Technology for Carbon Dioxide Conversion

#### **Mudassar Shahzad**

Government Postgraduate College Khanewal, Bahauddin Zakariya University, Multan, Pakistan

#### Noor-ul-Huda Altaf

University of Agriculture, Faisalabad, Pakistan

Muhammad Ayyaz

University of Agriculture, Faisalabad, Pakistan

Sehrish Maqsood University of Agriculture, Faisalabad, Pakistan

#### **Tayyba Shoukat**

University of Electronic Science and Technology of China, Chengdu, China

#### Mumtaz Ali

Karakoram International University, Gilgit, Pakistan

Muhammad Yasin Naz University of Agriculture, Faisalabad, Pakistan

Shazia Shukrullah University of Agriculture, Faisalabad, Pakistan

### ABSTRACT

Carbon dioxide  $(CO_2)$  is one of the major greenhouse gases that contributes to global warming and environmental variations. The increasing concentration of  $CO_2$  in the atmosphere is posing severe threats to human health and the environment. With the increasing concerns about climate change and  $CO_2$  levels, the need for advanced and effective technologies to mitigate  $CO_2$  emissions is more critical than ever. Plasma technology, with its unique features and versatile capabilities, has shown immense potential for the conversion of  $CO_2$  into valuable products and fuels. This proposed chapter aims to explore the recent advances in plasma-based  $CO_2$  conversion processes. The chapter covers the fundamental principles, plasma generation systems, reaction mechanisms, and implications of plasma technology in  $CO_2$  conversion, presenting a comprehensive understanding of this transformative field.

DOI: 10.4018/979-8-3693-0904-9.ch002

### 1. INTRODUCTION

As the world confronts the increasingly urgent challenge of climate change, the search for innovative technologies to combat rising  $CO_2$  levels and reduce greenhouse gas emissions has gained paramount importance. One such groundbreaking approach is the use of plasma technology for  $CO_2$  conversion a process that holds the promise of addressing both environmental and energy sustainability concerns (Legg, 2021). Developing a sustainable and low carbon-based energy economy is crucial for reducing dependence on non-renewable fossil fuels. In addition to exploring renewable energy sources like solar, hydro, and wind, recycling and utilizing  $CO_2$  to synthesize high-value products offer an alternative solution to combat climate change. Plasma-based  $CO_2$  decomposition, particularly using microwave discharge technology, has garnered significant interest due to its exceptional capability to efficiently produce non-equilibrium plasma with high ionization power. This technology shows promise for converting  $CO_2$  efficiently and sustainably into valuable resources. (Ong, Nomanbhay, Kusumo, & Show, 2022). This chapter serves as an introductory exploration of the fusion of plasma technology and  $CO_2$  conversion, aiming to shed light on the potential of this transformative field.

### 1.1 Plasma Technology

Plasma, often referred to as "fourth state of matter," is a remarkable physical state distinct from solids, liquids, and gases. Unlike these more conventional states, plasma is characterized by its ionized nature, where electrons and positively charged ions coexist in abundance. This ionization results in a highly conductive medium capable of generating immense energy and diverse chemical reactions. The utilization of plasma technology spans a wide spectrum of applications, ranging from industrial processes such as metal cutting and welding to cutting-edge fields like aerospace propulsion and medical treatments. Thermal and non-thermal plasma are the two main subcategories of plasma. Thermal plasmas, characterized by their high temperatures, are commonly used in industrial applications, while non-thermal or cold plasmas operate at lower temperatures, making them ideal for various scientific and environmental applications, including CO<sub>2</sub> conversion (López et al., 2019; Sardella, Palumbo, Camporeale, & Favia, 2016).

## 1.2 Rising and Mitigating CO, Levels: A Global Challenge

The unprecedented increase in atmospheric  $CO_2$  levels due to human activities, primarily deforestation, industrial processes, and burning of fossil fuels, has culminated in a global environmental crisis-climate change. The scientific consensus, as articulated by bodies like Intergovernmental Panel on Climate Change (IPCC), underscores the role of elevated  $CO_2$  levels in driving rising sea levels, global warming, and extreme weather events. This global issue necessitates immediate and substantial action to mitigate its adverse effects on ecosystems, economies, and human well-being (Lackner, 2003).

While traditional approaches to addressing  $CO_2$  emissions, such as carbon capture and storage (CCS), have made significant strides, they still face challenges in terms of cost, scalability, and sustainability. To meet ambitious climate targets and transition toward a low-carbon future, there is a growing need for innovative technologies capable of not just capturing  $CO_2$ , but transforming it into valuable resources. This is where plasma technology emerges as a game-changing solution (Ashford & Tu, 2017).

29 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/plasma-technology-for-carbon-dioxideconversion/338040

## **Related Content**

## Application of Geopolymer Composites in Wastewater Treatment: Trends, Opportunities, and Challenges

Victor Odhiambo Shikukuand Tome Sylvain (2019). Polymer Nanocomposites for Advanced Engineering and Military Applications (pp. 131-149).

www.irma-international.org/chapter/application-of-geopolymer-composites-in-wastewater-treatment/224394

## Modifications of Biodegradable Thermoplastic Starch (TPS) From Sago Starch via Cross-Linking Method

Yusriah Lazim, Abdul Baith Abu Hanafi, Mohd Syazwan Adura, Siti Afifah Muda, Lily Suhaila Yacoband Ahmad Marzio Mohd Yusof (2020). *Implementation and Evaluation of Green Materials in Technology Development: Emerging Research and Opportunities (pp. 77-91).* 

www.irma-international.org/chapter/modifications-of-biodegradable-thermoplastic-starch-tps-from-sago-starch-via-crosslinking-method/243891

## Entropy of Nanostructures: Topological Effects on Schottky Vacancies Concentration in Graphenic Bidimensional HC(N) Lattices

Ottorino Ori, Franco Cataldoand Mihai V. Putz (2017). Sustainable Nanosystems Development, Properties, and Applications (pp. 600-614).

www.irma-international.org/chapter/entropy-of-nanostructures/162098

## Optimization of Process Parameters on the Mechanical Properties of Semi-Solid Extruded AA2017 Alloy Rods

Shashikanth Ch, G Venkateswarluand Davidson M J (2019). International Journal of Materials Forming and Machining Processes (pp. 1-14).

www.irma-international.org/article/optimization-of-process-parameters-on-the-mechanical-properties-of-semi-solidextruded-aa2017-alloy-rods/233624

#### Tribological Behavior of Electroless Ni-P, Ni-P-W and Ni-P-Cu Coatings: A Comparison

Prasanta Sahooand Supriyo Roy (2017). International Journal of Surface Engineering and Interdisciplinary Materials Science (pp. 1-15).

www.irma-international.org/article/tribological-behavior-of-electroless-ni-p-w-and-ni-p-cu-coatings/173730