

Chapter 5

Unraveling the Fabric of Serverless Computing: Technologies, Trends, and Integration Strategies

S. Boopathi

Muthayammal Engineering College, India

ABSTRACT

This chapter provides a comprehensive overview of the evolving landscape of serverless computing, focusing on the technologies and tools that shape its ecosystem. Starting with an introduction to serverless architecture, the chapter delves into the benefits and challenges of adopting serverless computing. It explores key technologies such as function-as-a-service (FaaS), backend-as-a-service (BaaS), and event-driven architecture, highlighting their roles in enabling scalable and cost-effective solutions. Additionally, the chapter discusses popular tools and platforms used for developing, deploying, and managing serverless applications. Through this exploration, readers gain insights into the latest trends, best practices, and considerations for leveraging serverless computing effectively in modern IT environments.

1. INTRODUCTION TO SERVERLESS COMPUTING

Serverless architecture has revolutionized the development, deployment, and management of applications in modern computing. It is often referred to as the next evolution of cloud computing and is characterized by its use of Function-as-a-Service (FaaS) and Backend-as-a-Service (BaaS) technologies. These technologies allow code execution and backend operations to be orchestrated in response to events, enabling scalability and agility. This shift from server-centric to event-driven computing enables organizations to innovate at a faster pace, thereby transforming the landscape of modern computing (Wen et al., 2023).

Serverless computing offers various technologies and tools to streamline development workflows and improve operational efficiency. These include cloud providers like AWS Lambda, Azure Functions, Google Cloud Functions, open-source frameworks like Serverless Framework, and Kubernetes-based

DOI: 10.4018/979-8-3693-1682-5.ch005

Unraveling the Fabric of Serverless Computing

solutions like Knative. These tools not only simplify the development process but also optimize resource utilization, driving cost efficiencies and enhancing scalability. Event-driven architecture is a key trend in serverless computing, enabling organizations to build resilient systems that adapt to dynamic workloads and demand patterns. This architecture allows real-time data processing, seamless integration with external services, and the creation of event-driven microservices, embodying modularity and composability principles (Shafiei et al., 2022).

The integration of serverless computing with modern IT infrastructure, particularly microservices architecture, offers new opportunities for innovation. Microservices, with their granular and deployable nature, enable the decomposition of monolithic applications into modular components, allowing organizations to leverage scalability and cost benefits while maintaining architectural flexibility. However, organizations must navigate challenges such as managing cold start latency, optimizing resource utilization, and ensuring security and compliance in distributed environments. The nascent nature of serverless technology necessitates a mindset shift and cultural transformation, emphasizing agility, experimentation, and continuous learning (Li et al., 2022).

Serverless computing is a transformative approach that redefines modern computing by combining technologies, trends, and integration strategies. It offers innovation, agility, and cost efficiency for organizations. However, success requires a holistic approach, combining technical expertise with strategic foresight and organizational readiness. As we continue to explore this technology, let's embrace it with curiosity, resilience, and a commitment to the future (Cassel et al., 2022). The evolution of serverless computing, influenced by technological advancements, evolving business needs, and cloud computing paradigms, offers valuable insights into its current state and future direction, highlighting its significant evolution and adoption trends.

- Serverless computing originated from the early 2000s concepts of Platform-as-a-Service (PaaS) and Function-as-a-Service (FaaS), with the foundations laid by Amazon Web Services' 2014 introduction of AWS Lambda, which pioneered the serverless architecture model.
- Following the launch of AWS Lambda, cloud providers like Microsoft Azure and Google Cloud Platform (GCP) quickly launched their own serverless offerings, expanding the accessibility of serverless computing to various use cases and industries.
- The serverless ecosystem has grown significantly over time, with the development of robust frameworks, tools, and best practices. Open-source projects like Serverless Framework, Apache OpenWhisk, and Knative have contributed to the growth and standardization of serverless technologies.
- Hybrid and multi-cloud approaches are gaining popularity as organizations aim to utilize serverless computing while maintaining IT infrastructure flexibility. Solutions like AWS Outposts, Azure Arc, and Google Anthos enable seamless deployment of serverless workloads across on-premises and cloud environments.
- Serverless computing is widely used in various industries like e-commerce, finance, healthcare, and media due to its scalability, cost efficiency, and agility in responding to fluctuating demand, making it a popular choice for web and mobile applications, IoT devices, real-time data processing, and AI/ML inference.
- The adoption of serverless environments has been driven by the focus on enhancing the developer experience and productivity. These platforms offer features like auto-scaling, pay-per-use pricing, seamless integration with third-party services, and built-in monitoring tools, allowing developers

22 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/unraveling-the-fabric-of-serverless-computing/343721

Related Content

An Energy-Efficient Resource Scheduling Algorithm for Cloud Computing based on Resource Equivalence Optimization

Li Mao, De Yu Qi, Wei Wei Lin, Bo Liu and Ye Da Li (2016). *International Journal of Grid and High Performance Computing* (pp. 43-57).

www.irma-international.org/article/an-energy-efficient-resource-scheduling-algorithm-for-cloud-computing-based-on-resource-equivalence-optimization/153969

Load Balancing in Peer-to-Peer Systems

Haiying Shen (2010). *Handbook of Research on Scalable Computing Technologies* (pp. 163-190).

www.irma-international.org/chapter/load-balancing-peer-peer-systems/36408

Computational Methods and Tools for Decision Support in Biomedicine: An Overview of Algorithmic Challenges

Ioannis Dimou, Michalis Zervakis, David Lowe and Manolis Tsiknakis (2012). *Grid and Cloud Computing: Concepts, Methodologies, Tools and Applications* (pp. 1132-1148).

www.irma-international.org/chapter/computational-methods-tools-decision-support/64533

Lightweight Editing of Distributed Ubiquitous Environments: The CollaborationBus Aqua Editor

Maximilian Schirmer and Tom Gross (2011). *International Journal of Distributed Systems and Technologies* (pp. 57-73).

www.irma-international.org/article/lightweight-editing-distributed-ubiquitous-environments/58634

Cloud Computing Security: Opportunities and Pitfalls

Junaid Arshad, Paul Townend, Jie Xu and Wei Jie (2012). *International Journal of Grid and High Performance Computing* (pp. 52-66).

www.irma-international.org/article/cloud-computing-security/62997