

# Chapter 2

# Harnessing AI and Machine Learning for Enhanced Geospatial Analysis

**Rachna Rana**

*Ludhiana Group of Colleges, Ludhiana, India*

**Pankaj Bhambri**

 <https://orcid.org/0000-0003-4437-4103>

*Guru Nanak Dev Engineering College, Ludhiana, India*

## **ABSTRACT**

*In recent years, artificial intelligence (AI) and machine learning (ML) have changed geospatial analysis, allowing for more accurate, efficient, and scalable processing of massive volumes of geographical data. Traditionally, geospatial analysis depended on human-driven approaches and rule-based systems, which were frequently time-consuming and restricted in their capacity to handle large datasets. The combination of AI and ML has resulted in the development of revolutionary approaches like as deep learning, neural networks, and automated feature extraction, which have transformed the use of geographic information systems (GIS). This chapter investigates the critical role of artificial intelligence and machine learning in developing geospatial analysis in a variety of disciplines, including environmental monitoring, urban planning, disaster management, and agriculture. AI-powered models can now do predictive analytics, real-time data processing, and pattern identification in satellite images, LiDAR, and sensor networks.*

DOI: 10.4018/979-8-3693-8054-3.ch002

## INTRODUCTION

Geospatial analysis, or the collection, processing, and interpretation of geographical data, is important in a variety of fields such as urban planning, environmental monitoring, agriculture, and disaster management. Historically, geographic information systems (GIS) were the major tool for geographical data analysis, with a heavy reliance on manual input, predetermined models, and human interpretation. While successful, these traditional approaches frequently fail to keep up with the fast-expanding volume, complexity, and diversity of geospatial data produced by current technologies such as satellite photography, LiDAR, and sensor networks (Vigneshwari et al., 2024).

The advent of artificial intelligence (AI) and machine learning (ML) has created new opportunity to improve the speed, accuracy, and depth of geospatial research. AI, with its ability to replicate human-like thinking, and machine learning, with its ability to learn from data patterns and improve over time, have revolutionized geographical data analysis and use. These technologies enable automated feature extraction, predictive modeling, real-time data processing, and the detection of previously indistinguishable spatial patterns. This integration of AI and machine learning into geospatial research signifies a paradigm change, transitioning from manual, labor-intensive techniques to more efficient, automated systems capable of managing enormous datasets. Deep learning models, a type of AI, have performed exceptionally well in image identification tests, making them ideal for processing satellite images and other remote sensing data. Similarly, ML algorithms improve spatial forecasts and anomaly identification, allowing for better decision-making in crucial areas such as disaster preparedness and response, land use planning, and climate change study.

However, using AI and machine learning to geospatial research is not without hurdles. Issues like as the requirement for big, high-quality training datasets, assuring AI model openness, and eliminating data biases continue to be key concerns. Furthermore, AI's ethical ramifications, particularly in terms of data protection and misuse, must be carefully explored. This introduction presents an overview of how AI and machine learning are altering geospatial analysis, laying the groundwork for a more in-depth investigation of the methodologies, advantages, and issues connected with their use. As these technologies advance, their potential to transform how we comprehend and interact with geographical data grows exponentially, providing tremendous tools for addressing complex global concerns in an increasingly data-driven society (Ahnaf et al., 2023; Anand et al., 2024; El Baba et al., 2020; Eseosa Halima & Hiroaki, 2022). Figure 1 is related to Tools for Geospatial Analysis.

44 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: [www.igi-global.com/chapter/harnessing-ai-and-machine-learning-for-enhanced-geospatial-analysis/363696](http://www.igi-global.com/chapter/harnessing-ai-and-machine-learning-for-enhanced-geospatial-analysis/363696)

## Related Content

---

### Beyond Efficiency: Testing DEA-Selected Portfolios with Behavioral Utility and the Sharpe Ratio in BIST 100

Hatice Cenger (2026). *Intersecting AI, Neurofinance, and Behavioral Finance for Decision Making* (pp. 141-176).

[www.irma-international.org/chapter/beyond-efficiency-testing-dea-selected-portfolios-with-behavioral-utility-and-the-sharpe-ratio-in-bist-100/405826](http://www.irma-international.org/chapter/beyond-efficiency-testing-dea-selected-portfolios-with-behavioral-utility-and-the-sharpe-ratio-in-bist-100/405826)

### A Long Short-Term Memory Neural Network Algorithm for Data-Driven Spatial Load Forecasting

Qing Wang and Naigen Li (2024). *International Journal of Intelligent Information Technologies* (pp. 1-13).

[www.irma-international.org/article/a-long-short-term-memory-neural-network-algorithm-for-data-driven-spatial-load-forecasting/351239](http://www.irma-international.org/article/a-long-short-term-memory-neural-network-algorithm-for-data-driven-spatial-load-forecasting/351239)

### Dynamic Search Fireworks Algorithm with Adaptive Parameters

Chibing Gong (2020). *International Journal of Ambient Computing and Intelligence* (pp. 115-135).

[www.irma-international.org/article/dynamic-search-fireworks-algorithm-with-adaptive-parameters/243451](http://www.irma-international.org/article/dynamic-search-fireworks-algorithm-with-adaptive-parameters/243451)

### Utilization of Wearable Sensors Based on Artificial Intelligence in Motion Monitoring

QingLe Zheng (2026). *International Journal of Intelligent Information Technologies* (pp. 1-22).

[www.irma-international.org/article/utilization-of-wearable-sensors-based-on-artificial-intelligence-in-motion-monitoring/399276](http://www.irma-international.org/article/utilization-of-wearable-sensors-based-on-artificial-intelligence-in-motion-monitoring/399276)

### Meaning Makers: User Generated Ambient Presence

Germán Lado Insua, Mike Bennett, Paddy Nixon and Lorcan Coyle (2009). *International Journal of Ambient Computing and Intelligence* (pp. 47-52).

[www.irma-international.org/article/meaning-makers-user-generated-ambient/3878](http://www.irma-international.org/article/meaning-makers-user-generated-ambient/3878)