# Chapter 4.5 RFID as the Critical Factor for Superior Healthcare Delivery

### A. Dwivedi

University of Hull, UK

### T. Butcher

University of Hull Logistics Institute (UHLI), UK

### INTRODUCTION

Innovations in information and communication technologies (ICTs) have transformed the manner in which healthcare organizations function. Applications of concepts such as data warehousing and data mining have exponentially increased the amount of information that a healthcare organization has access to. Work flow and associated Internet technologies are being seen as instruments to cut administrative expenses. Specifically designed ICT implementations, such as work flow tools, are being used to automate the electronic paper flow in a managed care operation, thereby cutting administrative expenses (Dwivedi, Bali, & Naguib, 2005, p. 44; Latamore, 1999).

These recent innovations in the use of ICT applications in a healthcare context have altered the manner in which healthcare institutions exploit clinical and nonclinical data. The pendulum has

shifted from the early 1980s, wherein the emphasis of ICT solutions for healthcare was on storage of data in an electronic medium, the prime objective of which was to allow exploitation of this data at a later point in time. As such, most of the early 1980s ICT applications in healthcare were built to provide support for retrospective information retrieval needs and, in some cases, to analyze the decisions undertaken. Clinical data that was traditionally used in a supportive capacity for historical purposes has today become an opportunity that allows healthcare stakeholders to tackle problems before they arise (Dwivedi et al., 2005).

However, simultaneously, a number of studies have noted that most information in healthcare is stored in silos, which do not interact efficiently with each other. Kennedy (1995, p. 85) has quoted Keever (a healthcare management executive) who notes that "Healthcare is the most disjointed industry ... in terms of information exchange....

Every hospital, doctor, insurer and independent lab has its own set of information, and ... no one does a very good job of sharing it."

This problem is being further acerbated by the fact that healthcare managers are being forced to examine costs associated with healthcare and are under increasing pressure to discover approaches that would help carry out activities better, faster, and cheaper (Davis & Klein, 2000; Dwivedi, Bali, James, & Naguib, 2001; Dwivedi et al., 2005; Latamore, 1999). Consequently, the expectations from modern IT applications in healthcare are for applications which support the transfer of information with context. This, in turn, has led to the emergence of clinical information systems that are led by mobile computing technologies (Dwivedi, Bali, & Naguib, 2007; Dwivedi, Wickramasinghe, Bali, Naguib, & Goldberg, 2007; Meletis, Dwivedi, Gritzalis, Bali, & Naguib, 2006).

## **BACKGROUND**

The last decade has seen the rapid emergence and acceptance of healthcare information systems that support the concept of telemedicine and use technologies like Personal Digital Assistant (PDA), Radio Frequency IDentification (RFID) and other mobile computing technologies.

This trend has also been supported by a longitudinal survey (see Table 1) of over 200 U.S. healthcare organisations carried over a three year period, from 2000 to 2002 (Morrissey, 2000, 2001, 2002). As seen in Table 1, cClinical information systems in conjunction with mobile computing have become priority areas for healthcare institutions (see Table 1).

Modern day IT applications in healthcare, centred on mobile computing devices like PDA, RFID, and wireless local area network (WLAN)

Table 1. Adapted from Modern Healthcare's annual survey of information system trends in the healthcare industry (Dwivedi, Wickramasinghe et al., 2007; Meletis et al., 2006; Morrissey, 2000, 2001, 2002)

Year	2000	2001	2002
Number of healthcare organizations surveyed	224 healthcare organizations	212 healthcare organizations	255 healthcare organizations
Clinical Use of Web technology (Intranets)	60% - felt that could IT could facilitate data exchange among caregivers, that is, physician ordering of tests and access to test results	Low interest in maintaining a patient's personal health record accessible via the WWW and matching patients with clinical research.  However there is renewed	Despite acknowledging that medication interaction and dosing alerts are possible within most IS - implementation has not commenced  The few organizations who had
		importance of addressing changes in this area due to regulatory obligations	made big investments in different HIS (EPR and pharmacy) are reporting substantial returns
General Uses of Web and Intranet technology	Limited use as shown by the following	Some early success from linking "billing and insurance-query operations to payers via the Web"	33% - Using existing clinical and financial information sources to
	15% - to share clinical guidelines	"Significant interestin using the Web to improve data exchange with physicians and their office staff"  About 50% indicated that they had no plans to try anything Webrelated in the care-management area	construct data repositories so as to that help spot trends and improve
	13% - to access multiple databases simultaneously		decision-making  Further 22% are working to implement such practices whilst about 13% plan to start implementation of similar activities within a year
	33% - as a bridge to other information systems		
	40% - for network wide communication of any kind		

8 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/rfid-critical-factor-superior-healthcare/37821

# **Related Content**

# Enabling Context-Awareness for Dynamic Service Composition

Hicham Baidouri, Hatim Hafiddi, Mahmoud Nassarand Abdelaziz Kriouile (2015). *International Journal of Advanced Pervasive and Ubiquitous Computing (pp. 17-29).* 

www.irma-international.org/article/enabling-context-awareness-for-dynamic-service-composition/131456

# Leveraging Semantic Technologies towards Social Ambient Intelligence

Adrien Joly, Pierre Maretand Fabien Bataille (2010). *Ubiquitous and Pervasive Computing: Concepts, Methodologies, Tools, and Applications (pp. 1643-1668).* 

www.irma-international.org/chapter/leveraging-semantic-technologies-towards-social/37873

Policy-Oriented City Networks in Cyberspace: A Methodological Approach to the Understanding of Social and Political Articulations between Cities Based on the Concept of Policy Web Spheres

Klaus Frey, Mario Procopiuckand Altair Rosa (2010). *International Journal of Advanced Pervasive and Ubiquitous Computing (pp. 18-38).* 

www.irma-international.org/article/policy-oriented-city-networks-cyberspace/43584

### The Integration of Aspects of Geo-Tagging and Microblogging in m-Learning

Christian Safran, Victor Manuel Garcia-Barriosand Martin Ebner (2012). *Media in the Ubiquitous Era: Ambient, Social and Gaming Media (pp. 95-110).* 

www.irma-international.org/chapter/integration-aspects-geo-tagging-microblogging/58582

# 3D City Modeling and Visualization for Smart Phone Applications

Juha Hyyppä, Lingli Zhu, Zhengjun Liu, Harri Kaartinenand Anttoni Jaakkola (2012). *Ubiquitous Positioning and Mobile Location-Based Services in Smart Phones (pp. 254-296).* 

www.irma-international.org/chapter/city-modeling-visualization-smart-phone/67046