

Chapter XVIII

Dynamics of Neural Networks as Nonlinear Systems with Several Equilibria

Daniela Danciu

University of Craiova, Romania

ABSTRACT

Neural networks—both natural and artificial, are characterized by two kinds of dynamics. The first one is concerned with what we would call “learning dynamics”. The second one is the intrinsic dynamics of the neural network viewed as a dynamical system after the weights have been established via learning. The chapter deals with the second kind of dynamics. More precisely, since the emergent computational capabilities of a recurrent neural network can be achieved provided it has suitable dynamical properties when viewed as a system with several equilibria, the chapter deals with those qualitative properties connected to the achievement of such dynamical properties as global asymptotics and gradient-like behavior. In the case of the neural networks with delays, these aspects are reformulated in accordance with the state of the art of the theory of time delay dynamical systems.

INTRODUCTION

Neural networks are computing devices for *Artificial Intelligence* (AI) belonging to the class of learning machines (with the special mention that learning is viewed at the sub-symbolic level). The basic feature of the neural networks is the interconnection of some simple computing elements in a very dense network and this gives the so-called *collective emergent computing capabilities*. The

simple computing element is here the neuron or, more precisely, the artificial neuron – a simplified model of the biological neuron.

Artificial Neural Networks structures are broadly classified into two main classes: recurrent and non-recurrent networks. We shall focus on the class of *recurrent neural networks* (RNN). Due to the cyclic interconnections between the neurons, RNNs are dynamical nonlinear systems displaying some very rich temporal and spatial

qualitative behaviors: stable and unstable fixed points, periodic, almost periodic or chaotic behaviors. This fact makes RNN applicable for modeling some cognitive functions such as associative memories, unsupervised learning, self-organizing maps and temporal reasoning.

The mathematical models of neural networks arise both from the modeling of some behaviors of biological structures or from the necessity of Artificial Intelligence to consider some structures which solve certain tasks. None of these two cases has as primary aim stability aspects and a “good” qualitative behavior. On the other hand, these properties are necessary and therefore important for the network to achieve its functional purpose that may be defined as “global pattern formation”. It thus follows that any AI device, in particular a neural network, has to be checked *a posteriori* (i.e. after the functional design) for its properties as a dynamical system, and this analysis is performed on its mathematical model.

A common feature of various RNN (automatic classifiers, associative memories, cellular neural networks) is that they are all *nonlinear dynamical systems with multiple equilibria*. In fact it is exactly the equilibria multiplicity that gives to all AI devices their computational and learning capabilities. As pointed out in various reference books, satisfactory operation of a neural network (as well as of other AI devices) requires its evolution towards those equilibria that are significant in the application.

Let us remark here that if a system has several isolated equilibria this does not mean that all these equilibria are stable – they may be also unstable. This fact leads to the necessity of a qualitative analysis of the system’s properties. Since there are important both the local stability of each equilibrium point and also (or more) the global behavior of the entire network, we shall discuss here RNN within the frameworks of the *Stability Theory* and the *Theory of Systems with Several Equilibria*.

The chapter is organized as follow. The *Background* section starts with a presentation of RNN from the point of view of those dynamic properties (specific to the systems with several equilibria), which make them desirable for modeling the associative memories. Next, there are provided the definitions and the basic results of the *Theory of Systems with Several Equilibria*, discussing these tools related to the *Artificial Intelligence* domain requirements. The main section consists of two parts. In the first part it is presented the basic tool for analyzing the desired qualitative properties for RNN as systems with multiple equilibria. The second part deals with the effect of time-delays on the dynamics of RNN. Moreover, one will consider here the time-delay RNN under forcing stimuli that have to be “reproduced” (synchronization). The chapter ends with *Conclusions* and comments on *Future trends* and *Future research directions*. *Additional reading* is finally suggested.

BACKGROUND

A. The state space of RNN may display stable and unstable fixed points, periodic, almost periodic or even chaotic behaviors. A concise survey of these behaviors and their link to the activity patterns of obvious importance to neuroscience may be found in (Vogels, Rajan & Abbott, 2005). From the above mentioned behaviors, the fixed-point dynamics means that the system evolves from an initial state toward a state (a *stable fixed-point equilibrium* of the system) in which the variables of the system do not change over the time. If that *stable fixed-point* is used to retain a specific pattern then, given a distorted or noisy pattern of it as an initial condition, the system evolution will be such that the stable equilibrium point will be eventually attained to. This process is called the *retrieving of the stored pattern*. Since an associative memory has to retain several different patterns, the system which models it has to have *several stable equilibrium points*. More general,

25 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/dynamics-neural-networks-nonlinear-systems/4986

Related Content

Conspecific Emotional Cooperation Biases Population Dynamics: A Cellular Automata Approach

Megan M. Olsen, Kyle I. Harrington and Hava T. Siegelmann (2010). *International Journal of Natural Computing Research* (pp. 51-65).

www.irma-international.org/article/conspecific-emotional-cooperation-biases-population/49125

Rough Set Based Clustering Using Active Learning Approach

Rekha Kandwal, Prerna Mahajan and Ritu Vijay (2011). *International Journal of Artificial Life Research* (pp. 12-23).

www.irma-international.org/article/rough-set-based-clustering-using/62069

Developments on the Regulatory Network Computational Device

Rui Lopes and Ernesto Costa (2014). *International Journal of Natural Computing Research* (pp. 55-91).

www.irma-international.org/article/developments-on-the-regulatory-network-computational-device/119693

Application of Nature-Inspired Technique to Odia Handwritten Numeral Recognition

Puspalata Pujari and Babita Majhi (2018). *Handbook of Research on Modeling, Analysis, and Application of Nature-Inspired Metaheuristic Algorithms* (pp. 377-399).

www.irma-international.org/chapter/application-of-nature-inspired-technique-to-odia-handwritten-numeral-recognition/187696

Artificial Immune Systems

Darryl Charles, Colin Fyfe, Daniel Livingstone and Stephen McGlinchey (2008). *Biologically Inspired Artificial Intelligence for Computer Games* (pp. 150-179).

www.irma-international.org/chapter/artificial-immune-systems/5912