

Chapter 7.2

Security–Aware Service Specification for Healthcare Information Systems

Khaled M. Khan
Qatar University, Qatar

INTRODUCTION

With the rapid advancement of Web-based technologies, healthcare information systems are becoming increasingly heterogeneous in terms of their architecture, composition, and runtime characteristics. A healthcare system can be composed of several stand-alone service components, such as Web services available from various distributed sources for runtime execution. We use the terms *Web services* and *service* interchangeably in this chapter to refer to the same concept. A healthcare application system can be composed of multiple autonomous geographically dispersed software services. A healthcare software service is autonomous as it has its own executable code and uses its own data or files. The composition of a healthcare system can be dynamic or static, depending on how services are connected to each other to provide the services. Some of the services are downloaded directly from the Internet and executed dynamically with the application system. The use of independent services in the healthcare information system is appealing because it supports reusability of code and far ef-

ficient utilization of network resources, and it might be cost efficient.

Despite the benefits and usefulness of service computing, the characteristics of third-party services also present tremendous challenges for healthcare information security. As services are reused in far greater scale, there is a need for ensuring the security properties of third-party services to the composite healthcare system. Security is a systemwide property referring to the entire system composed of several services. Security architecture alone at the individual service level cannot protect a system unless the conformity of the security properties is checked with the enclosing application system in terms of required and ensured security properties. This issue of conformity of security properties between the individual service and the enclosing healthcare system has far-reaching implications because failure of this would seriously undermine the privacy of the patients and the reliability of the healthcare providers. Let us give a brief scenario (Han & Khan, 2006) in order to magnify the seriousness of the issue.

Consider a Web service that can generate various test data such as X-ray data, MRI images, CT scan images of the patients, and so forth. Another Web service uses these data as input and generates diagnosis reports to other Web services, which could ultimately produce prescriptions and prognoses of the patients' problems. Finally, the prescriptions are sent to another Web services that supplies medicines to the patients. In this scenario, we can see that the confidentiality and integrity issues of patient data are critical. Similarly, the authenticity of the service provider is an important issue, because the generated output of one service determines the outcome of the treatment produced by another service. Note that all these services are completely independent in terms of their development, their formation, and, most importantly, their security provisions. Different Web services have different security requirements as well as assurances during run-time processing of various sensitive patient data. The fundamental question is how service computing can cater various security requirements of different healthcare services in a composed federated e-healthcare system.

To address this question, this chapter proposes a framework of composing security properties for services used in healthcare information systems. It proposes a generic architecture of our proposed security-aware services and discusses the related issues. In contrast to most of the current initiatives that focus on incorporating existing security techniques into service computing, we see a great need and potential to develop a new framework for security-aware service composition in healthcare systems. The main objective of this chapter is to define a process that would enable us to compose various security properties of a federated healthcare information system that is assembled from various independent third-party software services.

BACKGROUND

The current practice of using software services in healthcare systems does not have any compositional process for properly evaluating the conformity of security properties between third-party services. This could dangerously lead to compromise to the enterprisewide security requirements of the healthcare systems, such as the confidentiality of patient data and the reliability of the services. Consequently, this risky practice of compositing systems of third-party services without due attention to the conformity of security properties could result in the degradation of system security. This practice virtually forces healthcare systems integrators to take undue risks by composing a system in order to achieve global services. Generally speaking, most systems integrators have neither the time nor the resources to examine the security properties of candidate software services. The required security functions that a healthcare system requires may not comply with the provided security profiles of a service.

A thorough examination of related literature reveals that very few research works in this area have been reported. Most research initiatives focus on how to make the individual services secure or how to make the enterprise systems more secure. In our opinion, these cannot solve the problem of "mutual" security conformity among various services

Web services paradigm is based on the Simple Object Access protocol (SOAP), the Web Services Description language (WSDL), and the Universal Description Discovery and Integration (UDDI). The Extensible Markup Language (XML) is the basic mechanism behind all of these technologies. Attempts have been made to extend WSDL to encode quality of services (QoS) properties (Curbera, Khalaf, Mukhi, Tai & Weerawarana, 2003) such as security, performance, and reliability. The aim was not to compose QoS properties along with the service composition, but rather to describe the QoS properties of Web services. None of the

4 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/security-aware-service-specification-healthcare/49961

Related Content

Creating and Using the Knowledge Archive in the Internet Medical Consultant for Decision Support at the Point of Care

Dražko Nakicand Suzana Loškovska (2012). *International Journal of E-Health and Medical Communications* (pp. 72-85).

www.irma-international.org/article/creating-using-knowledge-archive-internet/70010

Issues, Claims and Concerns of Different Stakeholders of Healthcare Systems

Herwig Ostermann, Bettina Staudinger, Magdalena Thöniand Roland Staudinger (2008). *Encyclopedia of Healthcare Information Systems* (pp. 792-802).

www.irma-international.org/chapter/issues-claims-concerns-different-stakeholders/13014

Legal Issues in Health Information and Electronic Health Records

Nola M. Ries (2008). *Human, Social, and Organizational Aspects of Health Information Systems* (pp. 260-273).

www.irma-international.org/chapter/legal-issues-health-information-electronic/22464

Organizational Factors and Technological Barriers are Determinants for the Intention to Use Wireless Handheld Technology in Healthcare Environment: An Indian Case Study

Raj Gururajan (2010). *Health Information Systems: Concepts, Methodologies, Tools, and Applications* (pp. 1197-1211).

www.irma-international.org/chapter/organizational-factors-technological-barriers-determinants/49924

Utility and Acceptability of Perskindol Spray and Gel as a Topical Treatment for Musculoskeletal Pain: Results of Two Monadic Studies in the Philippines and Thailand

Puchong Padungsutt, Warat Tassanawipas, Agripino Beng Javierand Paul Nierva (2019). *International Journal of Patient-Centered Healthcare* (pp. 32-49).

www.irma-international.org/article/utility-and-acceptability-of-perskindol-spray-and-gel-as-a-topical-treatment-for-musculoskeletal-pain/250229