

Chapter 35

Challenges of Analyzing Informal Virtual Communities

Nancy Poon

University of Saskatchewan, Canada

Ben Kei Daniel

University of Saskatchewan and Saskatoon Health Region, Canada

ABSTRACT

Drawing from previous research, this chapter presents major challenges associated with the analysis of interaction patterns in informal virtual communities. Using social network as well as content analysis to understand the structure and nature of interaction in such virtual communities, the goal was understand the physical structure of the community as well as the nature of the themes discussed by community members in an attempt to build a theoretical model of interactions.

INTRODUCTION

A virtual community emerges from a particular need (to find or share information about a particular topic, find love, friendship, recognition, etc.). Usually initiated by one or several people, these initiators will often try to control how community members interact. In the inception period of any virtual community, the rites and rules of engagement are still undefined. Leaders enrol the first members, who tend to follow the natural authority of the community's creator(s). Interactions can be both formal and informal. Today people spend a great deal of time in many different kinds

of virtual communities; interacting with people they have never met, and exchanging all sorts of information.

In a previous project we were interested in understanding the sense of community in informal virtual communities where people connected using video technology and were engaged in exchanges on various topics. To investigate, we employed social network techniques to examine relationships between individuals and content analysis to examine the nature of themes discussed in this community. The intent was to develop a theoretical model of the interactions. This chapter describes the findings from that project and discusses some of the challenges associated with analyzing informal virtual communities.

DOI: 10.4018/978-1-60960-040-2.ch035

RELATED WORK

Many methods have been employed for studying virtual communities and range from empirically based methods to those which are more theoretical. Similar to work conducted by De Laat (2002), we used social network analysis (SNA) to analyze interaction patterns in virtual communities. SNA seeks to understand community member networks, and to ascertain members' relative social locations in the network or community.

A social network is a set of individuals who are connected to one another through socially meaningful relationships (Hanneman, & Mark, 2005; Freeman, 2004). Before moving onto a discussion of social network analysis nomenclature that is relevant to this chapter, a tabular comparison of formal and informal virtual communities can be found in Table 1.

In social network analysis, nodes represent members and the links between represent relationships between members. In order to visualize interaction patterns, interactions were codified into a four dimensional matrix. A matrix of a network of size n is a square matrix ($n \times n$) with

variables of objects representing connections among network members. The network is presented as a graph with a number of nodes representing individuals and the connections between them represent relationships (see Figure 1 below, for example). If a connection is present between node A and B , then a 1 is recorded in the cells (A, B) and (B, A) ; and as 0 if there is no connection. Further if the relation is directional from A to B , an arc (flow) from source A to sink B , it is recorded as 1 in cell (A, B) , and a 0 in cell (B, A) . This is also referred to as *adjacency*. *Adjacency* is the graph theoretic expression of the fact that two individuals are directly related, or tied to one another (Robinson & Foulds, 1980). Formally, it is presented as:

Let $n_i, n_j \in N$ denote agents i and j in a set of N agents. Let a_{ij} denote the existence of a relation (arc) from agent i to agent j . Agents i and j are adjacent if there exist either of the two arcs, a_{ij} or a_{ji} . Given a graph $D=(N,A)$, its adjacency matrix $A(D)$ is defined by $A(D)=a_{ij}$ where $a_{ij}=1$ if either a_{ij} or a_{ji} , and 0 otherwise.

Table 1. Characteristics of informal and formal virtual communities

Characteristics	Formal virtual communities	Informal virtual communities
Membership	Stable	Some variation
Goals	Explicit	May be implicit
Supporting technologies	Asynchronous and synchronous	Mainly synchronous but some asynchronous technologies may apply
Social protocols	Explicitly defined	Implied or might not exist
Growth	Planned and stable growth	Unplanned growth, may die without warning
Type of Awareness	Professional, demographic, tasks, and social awareness	Might vary
Trust level	Tends to be high	Might be difficult to determine
Discourse directions	Moderated	Might not be moderated
Ownership	Institutional	Open
Nature of data	Cleaned	Noisy
Social networking	Strong	May be weakened due to anonymity
Privacy	Safe	May be threatened

7 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/challenges-analyzing-informal-virtual-communities/50365

Related Content

Lessons Learned from the Design and Development of Vehicle Simulators: A Case Study with Three Different Simulators

Sergio Casasand Silvia Rueda (2018). *International Journal of Virtual and Augmented Reality* (pp. 59-80). www.irma-international.org/article/lessons-learned-from-the-design-and-development-of-vehicle-simulators/203068

Collaborative Performance Measurement

Thomas Matheis, Björn Simonand Dirk Werth (2008). *Encyclopedia of Networked and Virtual Organizations* (pp. 244-251). www.irma-international.org/chapter/collaborative-performance-measurement/17619

Nursing Education in the Era of Virtual Reality

Derya Uzelli Yilmaz, Sevil Hamarat Tuncaland Yusuf Yilmaz (2020). *Virtual and Augmented Reality in Education, Art, and Museums* (pp. 47-70). www.irma-international.org/chapter/nursing-education-in-the-era-of-virtual-reality/241593

Framework for Stress Detection Using Thermal Signature

S. Vasavi, P. Neeharica, M. Poojithaand T. Harika (2018). *International Journal of Virtual and Augmented Reality* (pp. 1-25). www.irma-international.org/article/framework-for-stress-detection-using-thermal-signature/214986

Smart Classroom-Based Innovative Solution Toward Uninterrupted Education: Perspective

Sudhir K. Routrayand Sasmita Mohanty (2022). *International Journal of Virtual and Augmented Reality* (pp. 1-14). www.irma-international.org/article/smart-classroom-based-innovative-solution-toward-uninterrupted-education/306689