Chapter 4.15 GIS and Remote Sensing in Environmental Risk Assessment

X. Mara Chen Salisbury University, USA

INTRODUCTION

The existence, well-being, and sustainable development of the global economy hinges upon the state of the earth's environment. Effective environmental risk assessment and management issues have become increasingly important. With the ever-growing global population and expanding economic development, we consume more natural resources, produce more waste, and develop more areas into the regions that are prone to environmental risks. Although humans have interacted with the environment for thousands of years, environmental risk assessment and management is only a recent research undertaking. As the industrialization has made the and complex, the increased environmental risks have propelled and compelled people to use technologies for identifying and solving problems. The earliest global environmental applications of remote sensing and GIS technologies began in the 1960s, particularly marked by the successful launch of the TIROS-1, the first meteorological satellite, and the development of computer-based geographic information systems (GIS). The story Silent Spring (Carson, 1962) awoke the public's environmental consciousness and promoted the public demands for governments to set up environmental protection policies and research priorities. The birth of the U.S. Environmental Protection Agency (EPA) in 1970 set the stage for modern environment risk assessment. The launch of the LANDSAT program in 1972 created a new way

human-environment interactions more dynamic

DOI: 10.4018/978-1-60960-472-1.ch415

for monitoring global land use and land cover changes (Foley, 1999; Goward, Masek, Williams, Irons, & Thompson, 2001).

BACKGROUND

Environmental risks ranging from natural to human-induced hazards present growing threats to communities at local, national, regional, and global scales. Effective and timely environmental risk assessment and management has become a forefront issue in ensuring the health and functions of modern civilization. Information technologies offer a promising approach of integrating and processing information from various sources and formulating comprehensive solutions to complex environmental problems. In particular, GIS and remote sensing technologies together offer the abilities of rapidly collecting data, processing and integrating data and information, and displaying results in geographic-referenced maps and reports. Environmental professionals have increasingly utilized remote sensing and GIS to study human activities and the environment (Chen, Blong, & Jacobson, 2003; Turner, 2003). Multi-spectral and multi-resolution sensors mounted on different platforms (aircrafts or spacecrafts) have become our "eyes" in space, providing constant and consistent environmental surveillance. In the mean time, GIS has provided us with the extended brain-power to store, process, analyze, and display unprecedented vast amounts of complex data. The technological marriage of remote sensing and GIS created a powerhouse that allows remotely sensed data to be directly fed into GIS for integrated analysis and visualization. Satellite remote sensing provides a systematic and synoptic knowledge base about the earth's complex geophysical phenomena (Tralli, Blom, Zlotnicki, Donnellan, & Evans, 2005). A GIS-based integrated approach can be used for the risk management of natural hazards (Chen et al., 2003).

CURRENT STATE

Effective environmental risk assessment and management is a complex process (Figure 1). The success of the process depends upon the prerequisite steps of comprehensive data collection, data integration, and analysis. Remote sensing is very critical in capturing the dynamic and vicissitudinary nature of hazards. The essential





6 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/gis-remote-sensing-environmental-risk/51734

Related Content

Explorative Data Analysis Support for Environmental Epidemiology

V. Kamp (2001). *Environmental Information Systems in Industry and Public Administration (pp. 186-196).* www.irma-international.org/chapter/explorative-data-analysis-support-environmental/18535

An Application of a Positive Mathematical Programming Model to Analyse the Impact of Agricultural Policy Measures in the Spanish Agricultural Sector

Lucinio Asensio, Rosario Gómez de Barreda, Miguel Ruiz, José-Luis Miguel de Diegoand Elvira Miqueleiz (2011). *Computational Methods for Agricultural Research: Advances and Applications (pp. 175-198).* www.irma-international.org/chapter/application-positive-mathematical-programming-model/48487

Physical Modeling of Forest Fuel Ignition by the Focused Sunlight

(2021). Forest Fire Danger Prediction Using Deterministic-Probabilistic Approach (pp. 149-166). www.irma-international.org/chapter/physical-modeling-of-forest-fuel-ignition-by-the-focused-sunlight/278990

Agricultural Recommendation System for Crops Using Different Machine Learning Regression Methods

Mamata Garanayak, Goutam Sahu, Sachi Nandan Mohantyand Alok Kumar Jagadev (2021). International Journal of Agricultural and Environmental Information Systems (pp. 1-20). www.irma-international.org/article/agricultural-recommendation-system-for-crops-using-different-machine-learningregression-methods/273707

Smart Cities and Municipal Building Regulation for Energy Efficiency

Eleonora Riva Sanseverino, Gianluca Scaccianoce, Valentina Vaccaro, Maurizio Cartaand Raffaella Riva Sanseverino (2015). *International Journal of Agricultural and Environmental Information Systems (pp. 56-82).*

www.irma-international.org/article/smart-cities-and-municipal-building-regulation-for-energy-efficiency/137163