

Copyright

### IDEA GROUP PUBLISHING

701 E. Chocolate Avenue, Hershey PA 17033-1240, USA Tel: 717/533-8845; Fax 717/533-8661; URL-http://www.idea-group.com **ITB8698** 

#### Chapter 9

# Intelligent Web Search **Through Adaptive Learning From Relevance Feedback**

Zhixiang Chen University of Texas-Pan American

Binhai Zhu Montana State University

> Xiannong Meng Bucknell University

## ABSTRACT

Group Inc. In this chapter, machine-learning approaches to real-time intelligent Web search are discussed. The goal is to build an intelligent Web search system that can find the user's desired information with as little relevance feedback from the user as possible. The system can achieve a significant search precision increase with a small number of iterations of user relevance feedback. A new machine-learning algorithm is designed as the core of the intelligent search component. This algorithm is applied to three different search engines with different emphases. This chapter presents the algorithm, the architectures, and the performances of these search engines. Future research issues regarding real-time intelligent Web search are also discussed.

## **INTRODUCTION**

This chapter presents the authors' approaches to intelligent Web search systems that are built on top of existing search engine design and implementation techniques. An intelligent search engine would use the search results of the general-purpose search engines as its starting search space, from which it would adaptively learn from the user's feedback to boost and to enhance the search performance and accuracy. It may use feature extraction, document clustering and filtering, and other methods to help an adaptive learning process. The goal is to design *practical* and *efficient* algorithms by exploring the nature of the Web

This chapter appears in the book, Architectural Issues of Web-Enabled Electronic Business, edited by Shin Nan Si and V.K. Murthy. Copyright © 2003, Idea Group Inc. Copying or distributing in print or electronic forms without written permission of Idea Group Inc. is prohibited.

search. With these new algorithms, three intelligent Web search engines—*WEBSAIL*, *YARROW* and *FEATURES* are built that are able to achieve significant search precision increase with just four to five iterations of real-time learning from a user's relevance feedback. The characteristics of those three intelligent search engines are reported in this chapter.

# BACKGROUND

Recently, three general approaches have been taken to increase Web search accuracy and performance. One is the development of meta-search engines that forward user queries to multiple search engines at the same time in order to increase the coverage and hope to include what the user wants in a short list of top-ranked results. Examples of such meta-search engines include MetaCrawler (MC), Inference Find (IF), and Dogpile (DP). Another approach is the development of topic-specific search engines that are specialized in particular topics. These topics range from vacation guides (VG) to kids' health (KH). The third approach is to use some group or personal profiles to personalize the Web search. Examples of such efforts include GroupLens (Konstan et al., 1997), PHOAKS (Terveen, Hill, Amento, McDonald, & Creter, 1997), among others. The first generation meta-search engines address the problem of decreasing coverage by simultaneously querying multiple general-purpose engines. These meta-search engines suffer to certain extent the inherited problem of information overflow that it is difficult for users to pin down specific information for which they are searching. Specialized search engines typically contain much more accurate and narrowly focused information. However, it is not easy for a novice user to know where and which specialized engine to use. Most personalized Web search projects reported so far involve collecting user's behavior at a centralized server or a proxy server. While it is effective for the purpose of e-commerce where vendors can collectively learn consumer behaviors, this approach does present the privacy problem. Users of the search engines would have to submit their search habits to some type of servers, though most likely the information collected is anonymous.

The clustering, user profiling, and other advanced techniques used by these search engines and other projects (Bollacker, Lawrence, & Giles, 1998, 1999) are *static* in the sense that they are built before the search begins. They cannot be changed dynamically during the real-time search process. Thus, they do not reflect the changing interests of the user at different time, at different location or on different subjects. The *static nature* of the existing search engines makes it very difficult, if not impossible, to support the *dynamic changes* of the user's search interests. The augmented features of personalization (or customization) certainly help a search engine to increase its search performance, however their ability is very limited. An intelligent search engine should be built on top of existing search engine design and implementation techniques. It should use the search results of the general-purpose search engines as its starting search space, from which it would adaptively learn in real-time from the user's relevance feedback to boost and to enhance the search performance and the relevance accuracy. With the ability to perform real-time adaptive learning from relevance feedback, the search engine is able to learn the user's search interest changes or shifts, and thus provides the user with improved search results.

Relevance feedback is the most popular query reformation method in information retrieval (Baeza-Yates & Ribeiro-Neto 1999, Salton 1975). It is essentially an adaptive learning process from the document examples judged by the user as relevant or irrelevant. It requires a sequence of iterations of relevance feedback to search for the desired documents. As it is known in (Salton, 1975), a single iteration of similarity-based relevance feedback usually

13 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: <u>www.igi-</u> <u>global.com/chapter/intelligent-web-search-through-</u> <u>adaptive/5196</u>

#### **Related Content**

#### Understanding the Use of Business-to-Employee (B2E) Portals in an Australian University through the Employee Lens: A Quantitative Approach

Md Mahbubur Rahim, Mohammad Quaddusand Mohini Singh (2010). *Encyclopedia* of *E-Business Development and Management in the Global Economy (pp. 589-602).* www.irma-international.org/chapter/understanding-use-business-employee-b2e/41220

# On Some Misconceptions Concerning Digital Banking and Alternative Delivery Channels

Aijaz A. Shaikhand Heikki Karjaluoto (2016). *International Journal of E-Business Research (pp. 1-16).* www.irma-international.org/article/on-some-misconceptions-concerning-digital-banking-and-

alternative-delivery-channels/157390

#### The Business of Online Education

Dirk Baldwinand Bradley Piazza (2009). *Electronic Business: Concepts, Methodologies, Tools, and Applications (pp. 263-276).* www.irma-international.org/chapter/business-online-education/9288

#### ERP Software Selection Based on Intuitionistic Fuzzy VIKOR Method

Burak Efe (2019). *Multi-Criteria Decision-Making Models for Website Evaluation (pp. 121-137).* 

www.irma-international.org/chapter/erp-software-selection-based-on-intuitionistic-fuzzy-vikormethod/227559

#### Analytical Review on Ontological Human Activity Recognition Approaches

Samaneh Zolfaghari, Mohammad Reza Keyvanpourand Raziyeh Zall (2017). International Journal of E-Business Research (pp. 58-78).

www.irma-international.org/article/analytical-review-on-ontological-human-activity-recognitionapproaches/177165