

Chapter 7

Biclustering of DNA Microarray Data: Theory, Evaluation, and Applications

Alain B. Tchagang

National Research Council, Canada

Youlian Pan

National Research Council, Canada

Fazel Famili

National Research Council, Canada

Ahmed H. Tewfik

University of Minnesota, USA

Panayiotis V. Benos

University of Pittsburgh, USA

ABSTRACT

In this chapter, different methods and applications of biclustering algorithms to DNA microarray data analysis that have been developed in recent years are discussed and compared. Identification of biological significant clusters of genes from microarray experimental data is a very daunting task that emerged, especially with the development of high throughput technologies. Various computational and evaluation methods based on diverse principles were introduced to identify new similarities among genes. Mathematical aspects of the models are highlighted, and applications to solve biological problems are discussed.

INTRODUCTION

Recent developments in genomics and high-throughput technology have shown that biclustering

is an emerging and powerful methodology for gene expression data analysis. This is driven by the fact that biclustering performs simultaneous row-column clustering and is able to identify local behaviors of the dataset. When dealing with

DOI: 10.4018/978-1-60960-491-2.ch007

DNA microarray data, biclustering is capable to find subgroups of genes that are intimately related across subgroups of attributes, *e.g.* experimental conditions, time points, or tissue samples. In other words, by simultaneously clustering the rows and columns of the gene expression matrix, one can identify candidate subsets of attributes that are associated with specific biological functions, in which only a subset of genes potentially plays a role. Biological analysis and experimentation could then confirm the significance of the candidate subsets.

Since the introduction of biclustering algorithms in DNA microarray data analysis in 2000 by Cheng and Church, biclustering has received a great deal of attention. Thousands of research papers have been published, presenting new algorithms or improvements to solve this biological data mining problem more efficiently. In this chapter, we explain the biclustering problem, some of its variations, and the main techniques to solve them. Obviously, given the huge amount of work on this topic, it is impossible to explain or even mention all proposed algorithms. Instead, in this chapter, we attempt to give a comprehensive survey of the most influential algorithms and results. It begins with a description of the biological problem motivating the underlying methodology. At each step, an attempt is made to describe both the relevant biological and relevant statistical assumptions so that it is accessible to biologists, statisticians, and computer scientists, and can be of use to those starting to do research on biclustering of microarray data as well as users experienced with this technique. Furthermore, we give more insights regarding the methodologies available for statistical and biological evaluations of the biclusters, and demonstrate the applicability of biclustering algorithms to solve specific problems in computational biology and gene expression data analysis in particular.

This chapter is divided into five sections with several examples at the end. The section on biclustering of DNA microarray data introduces the

application of biclustering to microarray data, illustrating the practical aspects of these techniques. The section on bicluster models interpretations and validations discusses the available procedures to measure the validity of the resulting biclusters. The section on algorithms for biclusters identification presents the implementation of popular algorithms. The section on biological applications shows several examples of biclustering applied to microarray data to answer specific biological questions. Lastly, in the final section, we conclude and provide some insights on future research directions.

BICLUSTERING OF DNA MICROARRAY DATA

Quantitative gene expression measurements using microarrays were first performed by Schena et al. (1995) on 45 *Arabidopsis thaliana* genes and shortly after, on thousands of genes or even a whole genome (DeRisi et al., 1996; DeRisi et al., 1997). Since that time, various methods for the analysis of such data have been developed. This includes the biclustering techniques.

DNA Microarray

Microarrays are solid substrates hosting hundreds of single stranded DNAs with a specific sequence, which are found on localized features arranged in grids. These molecules, called probes, hybridize with single stranded cDNA molecules, named targets, which have been labeled during a reverse transcription procedure. The targets reflect the amount of mRNA isolated from a sample obtained under a particular condition. Thus, the amount of fluorescence emitted by each spot is proportional to the amount of mRNA transcribed from corresponding DNA sequence. The microarray is scanned and the resulting image is analyzed using signal and image processing techniques so that the signal from each probe can be quantified

37 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/biclustering-dna-microarray-data/52315

Related Content

Object Tracking by Multiple State Management and Eigenbackground Segmentation

Greice Martins de Freitas and Clésio Luis Tozzi (2010). *International Journal of Natural Computing Research* (pp. 29-36).

www.irma-international.org/article/object-tracking-multiple-state-management/52613

Estimation of ASR Parameterization for Interactive System

Mohamed Hamidi, Hassan Satori, Ouissam Zealouk and Naouar Laaidi (2021). *International Journal of Natural Computing Research* (pp. 28-40).

www.irma-international.org/article/estimation-of-asr-parameterization-for-interactive-system/274936

Solving Facility Location Problems with a Tol for Rapid Development of Multi-Objective Evolutionary Algorithms (MOEAs)

A. L. Medaglia (2007). *Handbook of Research on Nature-Inspired Computing for Economics and Management* (pp. 642-660).

www.irma-international.org/chapter/solving-facility-location-problems-tol/21157

Elementary Active Membranes Have the Power of Counting

Antonio E. Porreca, Alberto Leporati, Giancarlo Mauri and Claudio Zandron (2014). *Natural Computing for Simulation and Knowledge Discovery* (pp. 194-206).

www.irma-international.org/chapter/elementary-active-membranes-have-the-power-of-counting/80066

Virtual Screening: An Overview on Methods and Applications

Khaled H. Barakat, Jonathan Y. Mane and Jack A. Tuszynski (2011). *Handbook of Research on Computational and Systems Biology: Interdisciplinary Applications* (pp. 28-60).

www.irma-international.org/chapter/virtual-screening-overview-methods-applications/52310