

# Chapter I

## Artificial Higher Order Neural Network Nonlinear Models: SAS NLIN or HONNs?

**Ming Zhang**

*Christopher Newport University, USA*

### ABSTRACT

*This chapter delivers general format of Higher Order Neural Networks (HONNs) for nonlinear data analysis and six different HONN models. This chapter mathematically proves that HONN models could converge and have mean squared errors close to zero. This chapter illustrates the learning algorithm with update formulas. HONN models are compared with SAS Nonlinear (NLIN) models and results show that HONN models are 3 to 12% better than SAS Nonlinear models. Moreover, this chapter shows how to use HONN models to find the best model, order and coefficients, without writing the regression expression, declaring parameter names, and supplying initial parameter values.*

### INTRODUCTION

#### Background of Higher-Order Neural Networks (HONNs)

Although traditional Artificial Neural Network (ANN) models are recognized for their great performance in pattern matching, pattern recognition, and mathematical function approximation, they are often stuck in local, rather than global minima. In addition, ANNs take unacceptably long time to converge in practice (Fulcher, Zhang,

and Xu 2006). Moreover, ANNs are unable to manage non-smooth, discontinuous training data, and complex mappings in financial time series simulation and prediction. ANNs are ‘black box’ in nature, which means the explanations for their output are not obvious. This leads to the motivation for studies on Higher Order Neural Networks (HONNs).

HONN includes the neuron activation functions, preprocessing of the neuron inputs, and connections to more than one layer (Bengtsson, 1990). In this chapter, HONN refers to the neuron

type, which can be linear, power, multiplicative, sigmoid, logarithmic, etc. The first-order neural networks can be formulated by using linear neurons that are only capable of capturing first-order correlations in the training data (Giles & Maxwell, 1987). The second order or above HONNs involve higher-order correlations in the training data that require more complex neuron activation functions (Barron, Gilstrap & Shrier, 1987; Giles & Maxwell, 1987; Psaltis, Park & Hong, 1988). Neurons which include terms up to and including degree- $k$  are referred to as  $k$ th-order neurons (Lisboa and Perantonis, 1991).

Rumelhart, Hinton, and McClelland (1986) develop 'sigma-pi' neurons where they show that the generalized standard BackPropagation algorithm can be applied to simple additive neurons. Both Hebbian and Perceptron learning rules can be employed when no hidden layers are involved (Shin 1991). The performance of first-order ANNs can be improved by utilizing sophisticated learning algorithms (Karayiannis and Venetsanopoulos, 1993). Redding, Kowalczy and Downs (1993) develop a constructive HONN algorithm. Zhang and Fulcher (2004) develop Polynomial, Trigonometric and other HONN models. Giles, Griffin and Maxwell (1988) and Lisboa and Pentonis (1991) show that the multiplicative interconnections within ANNs have been used in many applications, including invariant pattern recognition.

Others suggest groups of individual neurons (Willcox, 1991; Hu and Pan, 1992). ANNs can simulate any nonlinear functions to any degree of accuracy (Hornik, 1991; and Leshno, 1993).

Zhang, Fulcher, and Scofield (1997) show that ANN groups offer superior performance compared with ANNs when dealing with discontinuous and non-smooth piecewise nonlinear functions. Compared with Polynomial Higher Order Neural Network (PHONN) and Trigonometric Higher Order Neural Network (THONN), Neural Adaptive Higher Order Neural Network (NAHONN) offers more flexibility and more

accurate approximation capability. Since using NAHONN the hidden layer variables are adjustable (Zhang, Xu, and Fulcher, 2002). In addition, Zhang, Xu, and Fulcher (2002) proves that NAHONN groups are capable of approximating any kinds of piecewise continuous function, to any degree of accuracy. In addition, these models are capable of automatically selecting both the optimum model for a particular time series and the appropriate model order.

### **Applications of HONNs in Computer Areas**

Jeffries (1989) presents a specific HONN design which can store any of the binomial  $n$ -strings for error-correcting decoding of any binary string code. Tai and Jong (1990) show why the probability of the states of neurons being active and passive can always be chosen equally. Manykin and Belov (1991) propose an optical scheme of the second order HONN, and show the importance of an additional time coordinate inherent in the photo-echo effect.

Venkatesh and Baldi (1991) study the estimation of the maximum number of states that can be stable in higher order extensions of the HONN models. Estevez and Okabe (1991) provide a piecewise linear HONN with the structure consisting of two layers of modifiable weights. HONN is seven times faster than that of standard feedforward neural networks when simulating the XOR/parity problem.

Spirkovska and Reid (1992) find that HONNs can reduce the training time significantly, since distortion invariance can be built into the architecture of the HONNs. Kanaoka, Chellappa, Yoshitaka, and Tomita (1992) show that a single layer of HONN is effective for scale, rotation, and shift invariance recognition. Chang, Lin, and Cheung (1993) generalize back propagation algorithm for multi-layer HONNs, and discuss the two basic structures, the standard form and the polynomial form. Based on their simulation

45 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: [www.igi-global.com/chapter/artificial-higher-order-neural-network/5275](http://www.igi-global.com/chapter/artificial-higher-order-neural-network/5275)

## Related Content

---

### An Integrated Model of Data Envelopment Analysis and Artificial Neural Networks for Improving Efficiency in the Municipal Solid Waste Management

Antonella Cavallin, Mariano Frutos, Hernán Pedro Vigierand Diego Gabriel Rossit (2022). *Research Anthology on Artificial Neural Network Applications* (pp. 570-596).

[www.irma-international.org/chapter/an-integrated-model-of-data-envelopment-analysis-and-artificial-neural-networks-for-improving-efficiency-in-the-municipal-solid-waste-management/288975](http://www.irma-international.org/chapter/an-integrated-model-of-data-envelopment-analysis-and-artificial-neural-networks-for-improving-efficiency-in-the-municipal-solid-waste-management/288975)

### Neuromorphic Adiabatic Quantum Computation

Shigeo Satoand Mitsunaga Kinjo (2009). *Complex-Valued Neural Networks: Utilizing High-Dimensional Parameters* (pp. 352-375).

[www.irma-international.org/chapter/neuromorphic-adiabatic-quantum-computation/6775](http://www.irma-international.org/chapter/neuromorphic-adiabatic-quantum-computation/6775)

### Forecasting and Technical Comparison of Inflation in Turkey With Box-Jenkins (ARIMA) Models and the Artificial Neural Network

Erkan İçok, Ramazan Özand Sava Tarkun (2022). *Research Anthology on Artificial Neural Network Applications* (pp. 1194-1216).

[www.irma-international.org/chapter/forecasting-and-technical-comparison-of-inflation-in-turkey-with-box-jenkins-arma-models-and-the-artificial-neural-network/289007](http://www.irma-international.org/chapter/forecasting-and-technical-comparison-of-inflation-in-turkey-with-box-jenkins-arma-models-and-the-artificial-neural-network/289007)

### Methods and Applications of Graph Neural Networks for Fake News Detection Using AI-Inspired Algorithms

Arpit Jain, Ishta Rani, Tarun Singhal, Parveen Kumar, Vinay Bhatiaand Ankur Singhal (2023). *Concepts and Techniques of Graph Neural Networks* (pp. 186-201).

[www.irma-international.org/chapter/methods-and-applications-of-graph-neural-networks-for-fake-news-detection-using-ai-inspired-algorithms/323829](http://www.irma-international.org/chapter/methods-and-applications-of-graph-neural-networks-for-fake-news-detection-using-ai-inspired-algorithms/323829)

### Artificial Tactile Sensing and Robotic Surgery Using Higher Order Neural Networks

Siamak Najarian, Sayyed Mohsen Hosseiniand Mehdi Fallahnezhad (2010). *Artificial Higher Order Neural Networks for Computer Science and Engineering: Trends for Emerging Applications* (pp. 514-544).

[www.irma-international.org/chapter/artificial-tactile-sensing-robotic-surgery/41680](http://www.irma-international.org/chapter/artificial-tactile-sensing-robotic-surgery/41680)