# Chapter II Higher Order Neural Networks with Bayesian Confidence Measure for the Prediction of the EUR/USD Exchange Rate

Adam Knowles Liverpool John Moores University, UK

**Abir Hussain** Liverpool John Moores University, UK

**Wael El Deredy** Liverpool John Moores University, UK **Paulo G. J. Lisboa** Liverpool John Moores University, UK

**Christian L. Dunis** Liverpool John Moores University, UK

## ABSTRACT

Multi-Layer Perceptrons (MLP) are the most common type of neural network in use, and their ability to perform complex nonlinear mappings and tolerance to noise in data is well documented. However, MLPs also suffer long training times and often reach only local optima. Another type of network is Higher Order Neural Networks (HONN). These can be considered a 'stripped-down' version of MLPs, where joint activation terms are used, relieving the network of the task of learning the relationships between the inputs. The predictive performance of the network is tested with the EUR/USD exchange rate and evaluated using standard financial criteria including the annualized return on investment, showing a 8% increase in the return compared with the MLP. The output of the networks that give the highest annualized return in each category was subjected to a Bayesian based confidence measure. This performance improvement may be explained by the explicit and parsimonious representation of high order terms in Higher Order Neural Networks, which combines robustness against noise typical of distributed models, together with the ability to accurately model higher order interactions for long-term forecasting. The effectiveness of the confidence measure is explained by examining the distribution of each network's output. We speculate that the distribution can be taken into account during training, thus enabling us to produce neural networks with the properties to take advantage of the confidence measure.

## INTRODUCTION

Most research on time series prediction has traditionally concentrated on linear methods, which are mathematically convenient and computationally inexpensive. Unfortunately, most systems that are of interest are nonlinear. An important class of nonlinear systems appear in financial forecasting, which typically include the prediction of exchange rates and share prices. These have generally received a large amount of attention, due to the financial incentive from even small accuracy improvements in predicting market changes. So with the growth of cheap computing power, there has been in recent years an increased interest in nonlinear models, and particularly neural networks as noted, amongst others, by Dunis and Williams (2002).

Multi-Layer Perceptrons (MLPs) are the most common type of network in use, and their ability to perform complex nonlinear mappings and tolerance to noise in data is well documented, eg. Haykin (1999). However, MLPs also suffer long training times and often reach only local optima. In addition, larger MLPs are prone to overfitting, where excess capacity is used to learn irrelevant details of the training data set, decreasing the network's performance upon testing and validation. Another type of networks is Higher Order Neural Networks (henceforth HONN). These can be considered a 'stripped-down' version of MLPs, where higher order terms are used, relieving the network of the task of learning the relationships between the inputs. Thus, HONNs are simpler than MLPs to train and implement, while still having access to joint activations between inputs that are learned by the hidden layer in MLPs.

The motivation for this chapter is to determine if HONNs can give a greater return on investment than MLPs, using as a basis previous research from Dunis and Williams (2002) and Lindemann *et al.* (2005) which benchmarked the financial results of MLPs and Gaussian mixture networks with traditional forecasting techniques. The rest of this chapter is organised as follows: section 2 introduces the HONN architecture, the Bayesian confidence measure and how it interacts with the trading strategy. Section 3 discusses the simulation conditions and presents the results of the HONN models. Finally, section 4 analyses the results and discusses the implications.

## METHODS AND MODELS

# Higher Order Neural Network Architecture

HONNs were first introduced by Giles and Maxwell (1987) and further analyzed by Pao (1989) who referred to them as 'tensor networks' and regarded them as a special case of his functionallink models. HONNs have already enjoyed some success in the field of pattern recognition, as with Giles and Maxwell (1987) and Schmidt and Davis (1993) and associative recall as with Karayiannis (1995), but their application to financial time series prediction has just started with contributions such as Dunis *et al.* (2006-a,b,c). The typical structure of a HONN is given in Figure 1b.

HONNs use joint activations between inputs, thus removing the task of establishing relationships between them during training. For this reason, a hidden layer is commonly not used. The reduced number of free weights compared with MLPs means that the problems of overfitting and local optima can be migrated to a large degree. In addition, as noted by Pao (1989), a HONN is faster to train and execute when compared to a MLP. It is, however, necessary for practical reasons to limit both the order of the network and the number of inputs, to avoid the curse of dimensionality.

# Confidence Measure and Trading Strategy

The models used in their research by Dunis and Williams (2002) were attached to a simple

10 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-

global.com/chapter/higher-order-neural-networks-bayesian/5276

# **Related Content**

#### Optimizing Material Removal Rate Using Artificial Neural Network for Micro-EDM

Ananya Upadhyay, Ved Prakashand Vinay Sharma (2022). Research Anthology on Artificial Neural Network Applications (pp. 843-866).

www.irma-international.org/chapter/optimizing-material-removal-rate-using-artificial-neural-network-for-micro-edm/288989

#### Frequency-Based RO-PUF

Abhishek Kumar, Jyotirmoy Pathakand Suman Lata Tripathi (2020). AI Techniques for Reliability Prediction for Electronic Components (pp. 252-261).

www.irma-international.org/chapter/frequency-based-ro-puf/240501

### Design of Avatars With "Differential" Logic: The "Internal Bifurcation" Approach

Serge V. Chernyshenko (2020). Avatar-Based Control, Estimation, Communications, and Development of Neuron Multi-Functional Technology Platforms (pp. 121-131).

www.irma-international.org/chapter/design-of-avatars-with-differential-logic/244789

### Models of Artificial Higher Order Neural Networks

(2021). Emerging Capabilities and Applications of Artificial Higher Order Neural Networks (pp. 1-96). www.irma-international.org/chapter/models-of-artificial-higher-order-neural-networks/277674

## A Method of Predicting Moments of Market Trend Reversal for Decision-Making Block of Computer-**Based Intelligent Financial Agent-Avatar**

Vsevolod Chernyshenko, Vladimir Soloviev, Vadim Feklin, Mikhail Koroteevand Nikita Titov (2020). Avatar-Based Control, Estimation, Communications, and Development of Neuron Multi-Functional Technology Platforms (pp. 1-18).

www.irma-international.org/chapter/a-method-of-predicting-moments-of-market-trend-reversal-for-decision-making-block-ofcomputer-based-intelligent-financial-agent-avatar/244784