

Chapter XVI

Modelling and Trading the Soybean–Oil Crush Spread with Recurrent and Higher Order Networks: A Comparative Analysis

Christian L. Dunis

CIBEF, and Liverpool John Moores University, UK

Jason Laws

CIBEF, and Liverpool John Moores University, UK

Ben Evans

CIBEF, and Dresdner-Kleinwort-Wasserstein in Frankfurt, Germany

ABSTRACT

This chapter investigates the soybean-oil “crush” spread, that is the profit margin gained by processing soybeans into soyoil. Soybeans form a large proportion (over 1/5th) of the agricultural output of US farmers and the profit margins gained will therefore have a wide impact on the US economy in general. The chapter uses a number of techniques to forecast and trade the soybean crush spread. A traditional regression analysis is used as a benchmark against more sophisticated models such as a MultiLayer Perceptron (MLP), Recurrent Neural Networks and Higher Order Neural Networks. These are then used to trade the spread, the implementation of a number of filtering techniques as used in the literature are utilised to further refine the trading statistics of the models. The results show that the best model before transactions costs both in- and out-of-sample is the Recurrent Network generating a superior risk adjusted return to all other models investigated. However in the case of most of the models investigated the cost of trading the spread all but eliminates any profit potential.

INTRODUCTION

Motivation for this chapter is taken from Dunis *et al.* (2005) who discover that trading the Gasoline Crack spread can lead to abnormal out-of-sample returns especially when traded using the neural network architectures described here. Further it is discovered that the application of a filter can further refine the trading statistics achieved. The Soybean Crush Spread can be interpreted as the profit margin gained by processing soybeans into soybean oil and soybean meal. It is simply the monetary difference between 1 bushel of soybeans on the one side and 1 bushel's worth of soybean oil and 1 bushel's worth of soybean meal on the other, all three of which have futures contracts that are traded on the Chicago Board of Trade (CBOT). The focus of this chapter will be the spread between soybeans and soybean oil henceforth called "soybean-oil spread."

Although large scale production of soybeans occurred only after the 2nd World War soybeans are now very important to US agriculture. In 2004 around 23% of all crops (by acre) planted in the US were soybeans. Approximately 400,000 farmers harvest 3.1 billion bushels of soybeans annually. Approximately 39 million tons of soybean meal and about 18,800 million pounds of soybean oil was manufactured in the US.¹ It is easy to underestimate the impact soybean prices have on the US economy, and in particular the agricultural economy.

Soybeans can be processed into two main products, soybean meal and soybean oil. Soybean meal is used extensively in livestock feeds, mainly for poultry, swine and cattle. However livestock feed is a very substitutional good and therefore demand for soybean meal is influenced by the demand for livestock and the relative prices of other protein meals (such as canola, rapeseed or cottonseed meal). The demand for soybean meal can therefore have an influence on the price of soybeans.

Soybean oil is the most widely consumed oil in the US, in fact it forms 75% of all oils consumed as

vegetable oils and fats.¹ High vegetable oil prices in the late 1990s spurred a global expansion in the production of soybean oil. An increase in crushing activity led to an oversupply of soybean meal and a collapse in the price of soybean meal, along with protein meals in general. Uses of soybean oil are extensive for example, soybean oil can be used in paints, waterproof cements, alkyd resins, soaps, shaving creams, greases and lubricants, enamels, varnishes, leather dressing, caulking compounds, grain-dust suppressant and as an alternative fuel (biodiesel). With the increase in petroleum prices this latter use of soybean oil is starting to become of particular interest.

In fact soybean-biodiesel may well prove to be quite a breakthrough in sustainable energy resources. In small quantities (~2% soybean oil and 98% traditional diesel fuel) biodiesel can provide both economic and lubrication benefits over straight diesel fuel. In larger quantities (~20% soybean oil and 80% traditional diesel fuel) it can provide significant emissions benefits to cut air pollution. In the extreme case (~100% soybean oil) it could provide a fully sustainable replacement for traditional diesel fuels.²

The calculation of the soybean-oil spread is not a straight forward one, since the pricing of both contracts is in different units. Soybeans are priced in cents per bushel and soybean oil is priced in cents per pound. From one bushel of soybeans, on average 11 pounds of oil³ can be extracted. The spread should therefore be calculated as shown in equation 1 below:

$$S_t = P_{SB} - (11 \times P_{SO}) \quad (1)$$

where:

S_t = Price of spread at time t (in cents per bushel)

P_{SB} = Price of soybean contract at time t (in cents per bushel)

P_{SO} = Price of soybean oil contract at time t (in cents per pound)

17 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/modelling-trading-soybean-oil-crush/5290

Related Content

Rainfall Estimation Using Neuron-Adaptive Higher Order Neural Networks

(2021). *Emerging Capabilities and Applications of Artificial Higher Order Neural Networks* (pp. 375-414). www.irma-international.org/chapter/rainfall-estimation-using-neuron-adaptive-higher-order-neural-networks/277684

A Proposal for Parameter-Free Surrogate Building Algorithm Using Artificial Neural Networks

Srinivas Soumitri Miriyala and Kishalay Mitra (2022). *Research Anthology on Artificial Neural Network Applications* (pp. 749-782). www.irma-international.org/chapter/a-proposal-for-parameter-free-surrogate-building-algorithm-using-artificial-neural-networks/288985

Biologically Inspired SNN for Robot Control

S. Ganeshkumar, J. Maniraj, S. Gokul and Krishnaraj Ramaswamy (2023). *Neuromorphic Computing Systems for Industry 4.0* (pp. 289-318). www.irma-international.org/chapter/biologically-inspired-snn-for-robot-control/326842

Ultra High Frequency Sigmoid and Trigonometric Higher Order Neural Networks for Data Pattern Recognition

Ming Zhang (2016). *Applied Artificial Higher Order Neural Networks for Control and Recognition* (pp. 80-112). www.irma-international.org/chapter/ultra-high-frequency-sigmoid-and-trigonometric-higher-order-neural-networks-for-data-pattern-recognition/152099

Detection of Blood-Related Diseases Using Deep Neural Nets

Rajithkumar B. K., Shilpa D. R. and Uma B. V. (2019). *Handbook of Research on Deep Learning Innovations and Trends* (pp. 1-15). www.irma-international.org/chapter/detection-of-blood-related-diseases-using-deep-neural-nets/227841