

Chapter 4

Quantifying Sustainability: Methodology for and Determinants of an Environmental Sustainability Index

Kobi Abayomi

Georgia Institute of Technology, USA

Victor de la Pena

Columbia University, USA

Upmanu Lall

Columbia University, USA

Marc Levy

CIESIN at Columbia University, USA

ABSTRACT

This chapter consider new methods of component extraction and identification for the Environmental Sustainability Index (ESI) – an aggregation of environmental variables created as a measure of overall progress towards environmental sustainability. Principally, the authors propose and illustrate a parametric version of Independent Component Analysis via Copulas (CICA). The CICA procedure yields a more coherent picture of the determinants of environmental sustainability.

INTRODUCTION

Shrinkage methods - statistical dimension reductions – are important and popular alternatives to numerical models in fields as diverse as climatology, psychology and econometrics. The objective in these methods is to identify a subset of coordinates that sufficiently describe the evolution of specific state variables. From an applied

perspective, the goal is to identify (possibly lower dimension) versions of multivariate data via the extraction of salient characteristics. The data may then be recast, modulo

these characteristics, as input to further modeling. From a theoretical perspective, the proposition of a method for dimension reduction depends upon the declaration of characteristics that can offer a sound basis for extraction.

DOI: 10.4018/978-1-60960-531-5.ch004

Breiman states – *Statistics starts with data*; improved methods can illustrate latent phenomena and uncover alternative metrics in extant data [Breiman 2001]. This statistical duality, the hysteretic iteration of statistical theory and data application, is especially instrumental in emerging fields where functional and causal representations are sparse.

Social indexes, in particular environmental indexes, seek to describe as well as predict phenomena that are often poorly measured and ill-defined. An *index* is a metric, often at administrative levels, used to characterize a latent quality.

Gross Domestic Product (GDP) and of the Dow Jones indexes are common economic indices; Pacific Decadal Oscillation (PDO) and El Nino ([Francis 1998], [Gershunov1998]), climatological indices; the National Threat Level could also be called an index. Example environmental indices are the Natural Disaster Hotspots report [CHRR-World Bank 2005]; the Human and Ecosystems Wellbeing Indexes - (HWI) and (EWI) [Prescott-Allen 2001]; and the United Nations Human Development Index - (HDI)[UNDP2006].

A goal for these environmental indices is the extraction of salient, perhaps latent, characteristics that describe or predict the elusive and undefined sustainability concept. *A fortiori*, the identification of as yet unmeasured information can illustrate the appropriate experimental design and thus guide future measurement (See Fuentes et al. [2007] for a creative example using Bernardo's [1979] fundamental comment on information maximization as a criteria).

Independent Component Analysis (ICA) - and the special case Principal Component Analysis (PCA) - extract uncorrelated and statistically independent components - or bases - of multivariate data. In ICA the model is explicit - the observed data are mixed independent sources; in PCA, implicitly, the data are mixed multivariate Gaussian. These *component analysis procedures* are used to reduce dimension – by yielding a lower order basis – and to parse or elucidate latent factors.

Environmental data are often non-Gaussian, and frequently – characteristically – extreme value [Meyers and Ganipati 2006]. Researchers apply an array of approaches: from spatial-temporal processes [Stein 2007], to stochastic optimization [Tsai and Chen 2004], and hierarchical models [Lin, Gelman, Price, and Krantz 1999]. Environmental statisticians rely upon a suite of statistical methodologies as the underlying processes are complex (as in transport phenomena), multiple (as in wastewater treatment), or latent (as in ecology). Environmental statisticians face particular challenges in modeling environmental processes; these are typically ‘out-of-control’ and require more sophisticated assumptions.

While the concept of sustainability has been widely embraced, it has been defined only vaguely and has proven difficult to measure with any consensus. There is a critical need for sustainability indicators; environmental statisticians have a stake in making the broad concept of sustainability operational. Researchers can justify an increased focus by providing specific measures – which decision makers can use and the public can judge – of progress or failure.

In this chapter we illustrate the 2002 Environmental Sustainability Index and exploit its dependency structure using a new version of ICA – Copula Based Component Analysis (CICA) – to extract a reduced component set as the determinants of environmental sustainability. This approach is designed to highlight important information, suggest some focal metrics, and discredit others.

A unifying definition for an *index*, in the context of this paper: a function that maps disparate multivariate data onto a scalar at administrative units. An index should be:

1. **Transparent:** The methodology use to construct the index should be clear and unambiguous. Assumptions and decisions that affect index values (‘scoring’) should be well stated.

14 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/quantifying-sustainability-methodology-determinants-environmental/53244

Related Content

Sustainability Criteria for Tourism Attractions: A Case Study of Germany

Michael C. Ottenbacher, Sina Schwebler, Daniel Metzler and Robert J. Harrington (2018). *Sustainable Development: Concepts, Methodologies, Tools, and Applications* (pp. 1526-1548).

www.irma-international.org/chapter/sustainability-criteria-for-tourism-attractions/189957

Community-Based Tourism Development in Gurez Valley: A Planning Perspective

Hafizullah Dar and Mudasar Ahmad Dar (2024). *Building Community Resiliency and Sustainability With Tourism Development* (pp. 107-127).

www.irma-international.org/chapter/community-based-tourism-development-in-gurez-valley/353770

Experiences and Challenges of the Chinese Rural Education Development in the Context of the Rapid Urbanization

Chenbing Wu, Cong Lyu and Jiacheng Li (2019). *Handbook of Research on Rural Sociology and Community Mobilization for Sustainable Growth* (pp. 271-295).

www.irma-international.org/chapter/experiences-and-challenges-of-the-chinese-rural-education-development-in-the-context-of-the-rapid-urbanization/216734

Environmental Financial Reporting Adoption Lag: The Case of Uganda

Mary Maurice Nalwoga Mukokoma, Kisenyi Vincent, Peter Masaba Nangayi and George Kasule (2022). *Finance for Sustainability in a Turbulent Economy* (pp. 135-156).

www.irma-international.org/chapter/environmental-financial-reporting-adoption-lag/311112

Corruption's Effect on Foreign Direct Investment: The Case of Bosnia and Herzegovina

Elvira Pupovi (2013). *International Journal of Sustainable Economies Management* (pp. 1-18).

www.irma-international.org/article/corruptions-effect-on-foreign-direct-investment/94585