Chapter 3.17 3D and 4D Medical Image Registration Combined with Image Segmentation and Visualization

Guang Li National Cancer Institute, USA

Deborah Citrin National Cancer Institute, USA

Robert W. Miller National Cancer Institute, USA

Kevin Camphausen National Cancer Institute, USA **Boris Mueller** Memorial Sloan-Kettering Cancer Center, USA

Borys Mychalczak Memorial Sloan-Kettering Cancer Center, USA

Yulin Song Memorial Sloan-Kettering Cancer Center, USA

INTRODUCTION

Image registration, segmentation, and visualization are three major components of medical image processing. Three-dimensional (3D) digital medical images are three dimensionally reconstructed, often with minor artifacts, and with limited spatial resolution and gray scale, unlike common digital pictures. Because of these limitations, image filtering is often performed before the images are viewed and further processed (Behrenbruch, Petroudi, Bond, et al., 2004). Different 3D imaging modalities usually provide complementary medical information about patient anatomy or physiology. Four-dimensional (4D) medical imaging is an emerging technology that aims to represent patient motions over time. Image registration has become increasingly important in combining these 3D/4D images and providing comprehensive patient information for radiological diagnosis and treatment.

DOI: 10.4018/978-1-60960-561-2.ch317

3D images have been utilized clinically since computed tomography (CT) was invented (Hounsfield, 1973). Later on, magnetic resonance imaging (MRI), positron emission tomography (PET), and single photon emission computed tomography (SPECT) have been developed, providing 3D imaging modalities that complement CT. Among the most recent advances in clinical imaging, helical multislice CT provides improved image resolution and capacity of 4D imaging (Pan, Lee, Rietzel, & Chen, 2004; Ueda, Mori, Minami et al., 2006). Other advances include mega-voltage CT (MVCT), cone-beam CT (CBCT), functional MRI, open field MRI, time-of-flight PET, motioncorrected PET, various angiography, and combined modality imaging, such as PET/CT (Beyer, Townsend, Brun et al., 2000), and SPECT/CT (O'Connor & Kemp, 2006). Some preclinical imaging techniques have also been developed, including parallel multichannel MRI (Bohurka, 2004), Overhauser enhanced MRI (Krishna, English, Yamada et al., 2002), and electron paramagnetic resonance imaging (EPRI) (Matsunoto, Subramanian, Devasahayam et al., 2006).

Postimaging analysis (image processing) is required in many clinical applications. Image processing includes image filtering, segmentation, registration, and visualization, which play a crucial role in medical diagnosis/treatment, especially in the presence of patient motion and/ or physical changes. In this article, we will provide a state-of-the-art review on 3D/4D image registration, combined with image segmentation and visualization, and its role in image-guided radiotherapy (Xing, Thorndyke, Schreibmann et al., 2006).

BACKGROUND

3D/4D Medical Imaging

A 3D medical image contains a sequence of parallel two-dimensional (2D) images represent-

ing anatomic or physiologic information in 3D space. The smallest element of a 3D image is a cubic volume called voxel. A 4D medical image contains a temporal series of 3D images. With a subsecond time resolution, it can be used for monitoring respiratory/cardiac motion (Keall, Mageras, Malter et al., 2006).

Patient motion is always expected: faster motion relative to imaging speed causes a blurring artifact; whereas slower motion may not affect image quality. A multislice CT scanner provides improved spatial and temporal resolution (Ueda et al., 2006), which can be employed for 4D imaging (Pan et al., 2004). Progresses in MRI imaging have also been reported, including parallel multichannel MRI (Bodurka, Ledden, van Gelderen et al., 2004).

Because PET resolution and speed are limited by the physics and biology behind the imaging technique, some motion suppression techniques have been developed clinically, including patient immobilization (Beyer, Tellmann, Nickel, & Pietrzyk, 2005), respiratory gating (Hehmeh, Erdi, Pan et al., 2004), and motion tracking (Montgomery, Thielemans, Mehta et al., 2006). Motion tracking data can be used to filter the imaging signals prior to PET image reconstruction for reliable motion correction. Motion blurring, if uncorrected, can reduce registration accuracy. Visual-based volumetric registration technique provides blurring correction (filtering) before registration, by defining the PET volume with reference to the CT volume, causing blurred PET surface voxels to be rendered invisible (Li, Xie, Ning et al., 2007).

Image Segmentation and Visualization

Medical image segmentation defines regions of interest used to adapt image changes, study image deformation, and assist image registration. Many methods for segmentation have been developed including thresholding, region growing, clustering, as well as atlas-guided and level sets 8 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: <u>www.igi-global.com/chapter/medical-image-registration-combined-</u> image/53626

Related Content

Social Impact of Network-Based Ubiquitous Cardiac Surveillance

Piotr Augustyniakand Ryszard Tadeusiewicz (2009). *Ubiquitous Cardiology: Emerging Wireless Telemedical Applications (pp. 313-322).* www.irma-international.org/chapter/social-impact-network-based-ubiquitous/30496

An Advanced Concept of Altered Auditory Feedback as a Prosthesis-Therapy for Stuttering Founded on a Non-Speech Etiologic Paradigm

Manuel Prado-Velascoand Carlos Fernández-Peruchena (2011). *Clinical Technologies: Concepts, Methodologies, Tools and Applications (pp. 1284-1326).* www.irma-international.org/chapter/advanced-concept-altered-auditory-feedback/53650

Strategies for Creating Virtual Learning Communities

Beth Perry Mahlerand Margaret Edwards (2009). *Nursing and Clinical Informatics: Socio-Technical Approaches (pp. 175-197).* www.irma-international.org/chapter/strategies-creating-virtual-learning-communities/27330

Use of Handheld Computers in Nursing Education

Maureen Farrell (2009). *Nursing and Clinical Informatics: Socio-Technical Approaches (pp. 239-252).* www.irma-international.org/chapter/use-handheld-computers-nursing-education/27334

Relationship Between Shrinkage and Stress

Antheunis Versluisand Daranee Tantbirojn (2009). *Dental Computing and Applications: Advanced Techniques for Clinical Dentistry (pp. 45-64).* www.irma-international.org/chapter/relationship-between-shrinkage-stress/8083