



Chapter IX

Prediction of the Consistency of Concrete by Means of the Use of Artificial Neural Networks

Belén González, University of A Coruña, Spain

M^a Isabel Martínez, University of A Coruña, Spain

Diego Carro, University of A Coruña, Spain

Abstract

This chapter displays an example of application of the ANN in civil engineering. Concretely, it is applied to the prediction of the consistency of the fresh concrete through the results that slump test provides, a simple approach to the rheological behaviour of the mixtures. From the previously done tests, an artificial neural network trained by means of genetic algorithms adjusts to the situation, and has the variable value of the cone as an output, and as an input, diverse variables related to the composition of each type of concrete. The final discussion is based on the quality of the results and its possible application.

Introduction


Concrete is one of the construction materials that is currently most used, since it provides a high compressive strength (similar to a rock) and can be adapted into different shapes during its production. It is made of a mixture of water, cement, fine aggregate (sand, 0 to 4 mm), and coarse aggregates (6 to 12 mm and 12 to 25 mm), and, in some cases, other mineral admixtures (additions) or chemical admixtures (additives) with different functions.

Concrete Rheology and Workability

The main properties of the concrete are determined in two different stages, the first one being manufactured, in which the material is in a fresh state, and the second stage corresponding to its hard state. In the first stage, the concrete appears like a fluid material and can be adapted to any shape. This property is associated to its workability. Its measurement is necessary because the capacity of the concrete to be adapted into another shape will depend on it. A suitable workability also allows for the possibility to compact the concrete that is required to evacuate the air content that is incorporated in the processes of production and placement.

The workability (also the facility of placing, docility, or consistency) depends on the rheological properties of the fluid, which are usually associated to a Bingham model (Tattersall, 1991) and must be determined to ensure that the concrete will be able to be placed. According to this theory, the fresh concrete can be described by two fundamental parameters: its plastic viscosity (the excess of the shear stress over the yield stress divided by the shear rate) and its yield stress (a critical shear stress to a point that once the yield stress is exceeded a viscoplastic material flows like a liquid). Most of the widely used tests are unsatisfactory in that they measure only one parameter, which does not fully characterize the concrete rheology. Figure 1 shows how two concretes could have one identical parameter and a very different second parameter. These concretes may be very different in their flow behaviours. Therefore, it is important to use a test that will describe the concrete behaviour, by measuring at least both factors.

Figure 1. Bingham model for two concrete mixtures of different behaviour



12 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/prediction-consistency-concrete-means-use/5369

Related Content

A New Data Hiding Scheme Combining Genetic Algorithm and Artificial Neural Network

Ayan Chatterjee and Nikhilesh Barik (2022). *Research Anthology on Artificial Neural Network Applications* (pp. 1522-1531).

www.irma-international.org/chapter/a-new-data-hiding-scheme-combining-genetic-algorithm-and-artificial-neural-network/289027

A Proposal for Parameter-Free Surrogate Building Algorithm Using Artificial Neural Networks

Srinivas Soumitri Miriyala and Kishalay Mitra (2022). *Research Anthology on Artificial Neural Network Applications* (pp. 749-782).

www.irma-international.org/chapter/a-proposal-for-parameter-free-surrogate-building-algorithm-using-artificial-neural-networks/288985

Identification of Nonlinear Systems Using a New Neuro-Fuzzy Dynamical System Definition Based on High Order Neural Network Function Approximators

Yiannis S. Boutalis, M. A. Christodoulou and Dimitris C. Theodoridis (2010). *Artificial Higher Order Neural Networks for Computer Science and Engineering: Trends for Emerging Applications* (pp. 423-449).

www.irma-international.org/chapter/identification-nonlinear-systems-using-new/41677

Optimization of Evolutionary Algorithm Using Machine Learning Techniques for Pattern Mining in Transactional Database

Logeswaran K., Suresh P., Savitha S. and Prasanna Kumar K. R. (2020). *Handbook of Research on Applications and Implementations of Machine Learning Techniques* (pp. 173-200).

www.irma-international.org/chapter/optimization-of-evolutionary-algorithm-using-machine-learning-techniques-for-pattern-mining-in-transactional-database/234124

A Journey From Neural Networks to Deep Networks: Comprehensive Understanding for Deep Learning

Priyanka P. Patel and Amit R. Thakkar (2022). *Research Anthology on Artificial Neural Network Applications* (pp. 85-110).

www.irma-international.org/chapter/a-journey-from-neural-networks-to-deep-networks/288952